



DESIGNED TO  
PERFORM.



**VOGTLAND**®



**DESIGNED TO  
PERFORM.**

 **VOGTLAND®**



## **CONTENT**

Quality and Expertise	04 - 05
Chrome Silicon Alloy	06
Products	07 - 11
The Company	12 - 17
Application Guide	
Height Adjustable Coil Over Kits	18 - 27
Force Adjustable Coil Over Kits	28 - 30
Club Lowering Suspension Kits	31 - 40
Sport Lowering Springs	41 - 63
Electronic Lowering Systems	64
General Terms	65
Product and Installation Information	66
Notes Application Guide	67





## **QUALITY AND EXPERTISE**

**The VOGTLAND philosophy has stood tried and true for over 100 years. Providing an attractive look and improving the performance of the driving enthusiast's vehicle. We make you love to drive.**

The R&D and spring manufacturing process begins with intense research into the design of the stock suspension components. Ride heights, spring rates, spring lengths, and other attributes are all carefully measured to determine the optimal configuration for the new lowering springs. Beginning with the highest quality spring steel available, Vogtland carefully measures and tests our raw materials to make certain they meet strict guidelines. On top of the guidelines and highest standards we definitely do not forget about street drivability as well as the jaw dropping, head turning look you desire.

Do not be fooled by the cheap copycat imitations! Manpower combined with many years of experience and the most up to date, state of the art manufacturing machinery is what sets Vogtland apart. We make the best so forget about the rest.

**GERMAN SPRINGS  
MANUFACTURED  
WITH OUR EXCLUSIVE  
CHROME SILICON  
ALLOY**



**CHROME SILICON ALLOY**

**VOGTLAND Sport Springs are produced with special oil tempered or induction heated steels of high tensile strength chrome silicon (CrSi) and chrome silicon vanadium (CrSiV) alloys using the cold coiling process.**

This provides reduced spring weight with high material strength, effectively reducing the unsprung weight of the vehicle for improved handling and performance.



### **FORCE ADJUSTABLE / HEIGHT ADJUSTABLE COIL OVER KITS**

High Performance damping and non-damping adjustable coil-overs allow you to adjust your setup to perform on the track as well as an excellent and comfortable ride.



### **CLUB LOWERING SUSPENSION KITS**

The VOGTLAND sport suspension kit (shocks and springs) improves the look of your vehicle and improves stability to give you the confidence you need behind the wheel.



### **SPORT LOWERING SPRINGS**

VOGTLAND Lowering Springs not only improve the look of your car by reducing wheel gap, but improve handling by lowering the center of gravity while the higher spring rates give you the performance you desire.



### **ELECTRONIC LOWERING SYSTEMS**

VOGTLAND's Electronic Module utilizes the vehicles air suspension or ABC active suspension to allow for chassis tuning and up to an additional 40 mm of lowering.



## **HEIGHT ADJUSTABLE COIL OVER KITS**

**VOGTLAND's non-damping height adjustable coil-over kits are specially designed to fine tune your vehicle's ride height.**

Through the utilization of full threaded bodies and a twin tube damper to control the custom higher spring rates, the sprung and unsprung mass of the vehicle is properly controlled to provide greater drivability and confidence when behind the wheel. Height adjustments on VOGTLAND coilovers vary from 20 mm to 80 mm.





## **FORCE ADJUSTABLE COIL OVER KITS**

**VOGTLAND's damping and height adjustable coil-over kits redefine high performance suspension.**

By combining an externally rebound adjustable shock with a fully threaded body, VOGTLAND offers the driver the ability to fine tune the suspension for the track or street while maintaining drivability and comfort! All coilover kits are equipped with specifically designed, VOGTLAND manufactured „VVS“ alloy high quality springs. Height adjustments on VOGTLAND coilovers vary from 20 mm to 80 mm.



## **ELECTRONIC LOWERING SYSTEMS “ELS”**

**Lowering module for air suspension. The suspension specialist VOGTLAND expands its product portfolio with the Electronic Lowering System.**

With the module VOGTLAND provides electronic chassis tuning for vehicles that are factory-equipped with air suspension or with ABC active suspension system. With the VOGTLAND lowering module, you achieve a lowering by up to 40 mm. This will provide a sporty performance and driving dynamics as well as an optimization of driving safety.

The standard adjustment option via switch or menu remains fully functional. The module is quickly and easily installed and can therefore be uninstalled and put back to OEM settings easily as well.

## **CLUB LOWERING SUSPENSION KITS**

**The VOGTLAND sport suspension kit is a complete solution for your car’s suspension requirements.**

The sport suspension kit uses our trusted sport springs and the best shock absorbers to provide an answer for all your vehicle’s suspension shortcomings. By increasing driver feedback, reducing brake dive and body roll, and decreasing vehicle ride height.

The VOGTLAND sport suspension kit improves the look of your vehicle and adds stability to increase your confidence when behind the wheel. The damper characteristic and spring rates were optimized to function as a package. The shocks are either high or low pressure gas and are selected for each individual application, typically providing a 10 - 15 % increase in force.



## ***SPORT LOWERING SPRINGS***

**VOGTLAND sport springs are manufactured in Germany and provide multifaceted improvements for your vehicle's suspension.**

The comprehensive design generates a better overall appearance while making a significant improvement in performance. The compound spring rate allows for comfortable ride quality under normal driving conditions while providing maximum performance when being pushed to the limit.

Derived from racing, the VOGTLAND compound spring consists of two different spring rates. The initial rate provides the proper preload necessary for proper suspension function during all road conditions and the final rate is designed to provide the appropriate vehicle balance for neutral steering characteristics. Each spring is calibrated for every specific car model and provides a balance between performance and comfort. You can visually and physically experience your car in a whole new way.



*VOGTLAND North America, Temecula, USA*



*Plant 2, Hagen, Germany*



*Plant 3, Hagen, Germany*


## **THE COMPANY**

**Today VOGTLAND is an international spring manufacturer comprised of three operating units: VDF VOGTLAND Federntechnik, VOGTLAND Autosport, and VOGTLAND North America.**

The core competence of the VDF FEDERN-Group are industrial springs and springs for automotive applications. These high quality products are produced at our plants in Germany.

We have integrated over 100 years of our long standing tradition of spring making with the most current spring manufacturing technologies. Our diverse manufacturing capabilities, production lines, and efficiencies, allow us to produce both low and high volume products for our customers.

The unique manufacturing cells permit VOGTLAND to quickly respond to our customers' needs and meet their stringent deadlines. This expertise permits us to be a supplier to some of the top NASCAR and Indy Car teams in North America and many internationally recognized Tuners.



## **CORE COMPETENCE**

**Our customers benefit from our enthusiasm and expertise, VOGTLAND's Suspension Technology group is dedicated to providing the driving enthusiast with a suspension upgrade that is suited for most driving conditions.**

Our engineers and technicians are car enthusiasts just like you; we are as passionate about what we do as you are about your car. We test and develop each and every application with the driving enthusiast in mind. This is why we offer spring and suspension kits that provide the "look" and performance you would expect.

Sport Springs and Sport Suspension Kits with available lowering from 25 mm to 50 mm give your car a powerful new look and provide you with driving fun beyond anything you have ever experienced before. We offer a comprehensive line for all makes of cars - from Acura to Volvo. With over 1,100 applications in our model line-up, you will be able to find what you are looking for.



## **TECHNICAL CENTER**

**Our technicians are reviewing the OE spring and suspension components, we are able to create specific suspension components for each application by enhancing and refining the factory components.**

We tailor the ride height to ensure that the vehicle provides a lowered and aggressive appearance, yet still maintains the appropriate ride height for the suspension to function properly. Finally, our engineers perform and document all quality checks and prepare the TÜV homologation for its approval.

Our springs are developed to work with the stock shock absorbers. However, they can also be combined with any quality brandname sport shock absorbers presently available on the market. Our complete suspension kits come with preselected shock absorbers specifically paired to work with our lowering springs to provide the most balanced suspension possible for your vehicle. VOGTLAND applies its years of experience in spring engineering to achieve spring designs that yield the look that you want, without sacrificing the dynamics or proper suspension geometry of the vehicle.



## **PRODUCTION**

**VOGLAND sport springs are produced using special oil tempered spring steels of high tensile strength chrome silicon (CrSi) and chrome silicon vanadium (CrSiV) alloys using the cold coiling process. This provides reduced spring weight with high material strength, effectively reducing the unsprung weight of the vehicle and optimizing handling characteristics.**

After the cold coiling process, all suspension springs are tempered, shotpeened, and preset to ensure consistent vehicle ride height and suspension function.

Low grade products will lose height due to high impact; however, VOGLAND springs are guaranteed to maintain their factory settings because of our sophisticated presetting program. Finally the springs are phosphated and powder coated to ensure a superior corrosion barrier for years of service.



Bernhard Vogtland

## COMPANY HISTORY

### 1908

June 3<sup>rd</sup> - 40 year old locksmith Bernhard Vogtland starts the company in a garage in Hohenlimburg, Germany. He begins by manufacturing springs for the toys as well as equestrian applications such as driveline harnesses.

### 1923

15 years later through the addition of partners the company becomes "United Wire- and Springs Factory Vogtland & Riepelmeier". They open a new building "Im Weinhof". The engineering and machinery industry became an important customer group.

### 1934

11 years after the first significant expansion, the company changes its location once again to the Elsey district. The sole owner Paul Vogtland senior boosts the export quota up to 35%. At this time, most of the business consists of supporting the agricultural equipment and mining industry.

### 1958

The company's 50th anniversary is marked with the addition of a new and modern administration building and the expansion of the spring production plants. With a current staff of 130 personnel, Vogtland hits the capacity of one million springs per day. Springs with special alloy and chrome-vanadium wire begin early development.

### 1961-1968

23 year old Paul Vogtland Jr. joins the company and assumes the role of company general management in 1966. Paul Vogtland Jr. expands the factory and moves to its first new location in 33 years. Construction begins in Alemannenweg which becomes the company's headquarters. The new building is completed and the company moves to its new location on Vogtland's 60th anniversary.



### 1974-1986

The manufacturing plant is expanded along with the warehouse, and a second manufacturing plant goes into construction in Gotenweg.

### 1989-1991

December 1989- The company name is officially changed to VDF VOGTLAND GmbH, removing the name Riepelmeier 55 years after his retirement. February 1<sup>st</sup> - At 21 years old, Christoph Vogtland joins the company and founds the brand VOGTLAND for the production of aftermarket suspension components. At this time an additional high rack warehouse is built in Alemannenweg.

### 1992-1993

October 1<sup>st</sup>, 1992 - Paul-Bernd Vogtland joins the company and becomes general manager at 27 years old. On May 6<sup>th</sup> Christoph Vogtland, the esteemed suspension division manager, passes away.

A short time later on June 13<sup>th</sup> Paul Vogtland jr. also passes.



### 1994-1995

With the foundation of the subsidiary company VOGTLAND Agropruziny spol. S.r.o. the complete production of tine springs for the agriculture aftermarket to Czechia. November of 1994 marks the takeover of the Engelbrecht & Roos small spring factory in Wuppertal.

Martin Vogtland joins the company at 25 years old on January 1<sup>st</sup>, 1995; he becomes general manager two years later.

### 2001

VOGTLAND North America, Inc. is founded as Vogtland opens a sales and distribution office to serve the North American markets. VOGTLAND enters the racing market and becomes a key supplier to the top NASCAR teams.

### 2005

VOGTLAND acquires the spring factory RENZING GmbH with 50 employees. The group of companies continues its growth with four modern locations.

### 2006

VOGTLAND opens a new warehouse and distribution centre in Hagen, Germany.

### 2008

100 years of tradition, innovation, passion and driving excitement all made in Germany. The spring technology group is now positioned under the new logo VDF Federn. Presently the current production range includes compression springs, axle springs, tension springs, leg springs, formed and stamped parts assemblies and components. The suspension product lines encompass lowering springs, adjustable suspension kits and racing springs.

### Present

VOGTLAND is a leading supplier to the racing Industry with our leading edge "VVS" spring technology. Additionally we support small OE programs as well as Tuners. At VOGTLAND, we have focused on providing premium quality aftermarket high performance suspension, OE automotive and industrial springs. The current product range includes sport lowering springs, club lowering springs, height and force adjustable coil over kits and electronic lowering systems.



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>ALFA ROMEO</b>							
<b>Giulietta</b>							
Alfa Romeo Giulietta, Typ 940	6.10 >	1100 kg / 850 kg	35 - 55	30 - 50	24, 32	TÜV	968702
<b>147</b>							
Alfa Romeo 147, Typ 937, incl. GTA	1.01 >	1040 kg / 990 kg	35 - 60	35 - 60	24, 32	TÜV	968376
<b>MiTo</b>							
Alfa Romeo MiTo, Typ 955, VA bis / up to 900kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	900 kg / 850 kg	20 - 50	30 - 55	24, 62	TÜV	968057
Alfa Romeo MiTo, Typ 955, VA über / more than 900 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1000 kg / 850 kg	20 - 50	30 - 55	24, 62	TÜV	968058
<b>156</b>							
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon	10.97 >	1060 kg / 980 kg	35 - 60	35 - 65	24	TÜV	968377
<b>GT</b>							
Alfa Romeo GT, Typ 937	3.04 >	1040 kg / 990 kg	20 - 50	35 - 65	24, 32	TÜV	968300
<b>AUDI</b>							
<b>A1</b>							
Audi A1, Typ 8X	8.10 >	900 kg / 820 kg	15 - 40	15 - 40	24	TÜV	968142
Audi A1, Typ 8X	8.10 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968144
<b>A3</b>							
Audi A3, Typ 8L, 2WD	9.96 > 5.03	1020 kg / 1025 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968200
Audi A3, Typ 8L, Quattro	12.96 > 5.03	1040 kg / 1050 kg	25 - 50	25 - 50	24, 59	TÜV	968301
Audi A3, Typ 8L, incl. S3	6.99 >	1040 kg / 1050 kg	25 - 50	25 - 50	24, 59	TÜV	968302
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 62	TÜV	968230
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 62	TÜV	968231
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 62	TÜV	968232
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 62	TÜV	968233
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 42, 47, 75	TÜV	968297
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1060 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 75	TÜV	968298
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.03 >	1170 kg / 1150 kg	40 - 60	40 - 60	15, 25, 43, 47, 75	TÜV	968293
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA bis / up to 1105 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.03 >	1105 kg / 1160 kg	35 - 65	35 - 65	24, 59, 62	TÜV	968303
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA über / more than 1105 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.03 >	1170 kg / 1160 kg	35 - 65	35 - 65	24, 59, 62	TÜV	968304
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA bis / up to 1105 kg, mit / with elektronischer Dämpferregelung / electronic dampers	9.03 >	1105 kg / 1160 kg	35 - 65	35 - 65	24, 59, 75	TÜV	968600
Audi A3, Typ 8P, Quattro, incl. Sportback, incl. Cabrio, VA über / more than 1105 kg, mit / with elektronischer Dämpferregelung / electronic dampers	9.03 >	1170 kg / 1160 kg	35 - 65	35 - 65	24, 59, 75	TÜV	968601
Audi A3, Typ 8P, incl. S3, ohne / without elektronische Dämpferregelung / electronic dampers	1.07 >	1170 kg / 1160 kg	10 - 40	10 - 40	24, 43, 62	TÜV	968305
Audi A3, Typ 8P, incl. S3, mit / with elektronischer Dämpferregelung / electronic dampers	1.07 >	1170 kg / 1160 kg	10 - 40	10 - 40	24, 43, 75	TÜV	968294
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	980 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 62, 71	TÜV	968700
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1055 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 62, 71	TÜV	968701
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	980 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 71, 75	TÜV	968160
Audi A3, Typ 8V, 2WD, incl. Sportback, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	1055 kg / 975 kg	30 - 60	30 - 55	15, 24, 42, 71, 75	TÜV	968161
<b>A4</b>							
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, bis Fgst.-Nr. / up to chassis no. 8D*X 199999	9.94 > 1.99	1080 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968379
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, bis Fgst.-Nr. / up to chassis no. 8D*X 199999, VA ab / more than 1081 kg	9.94 > 1.99	1150 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968380
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, ab Fgst.-Nr. / from chassis no. 8D*X 200000	2.99 > 10.00	1080 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968306
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, 2WD, ab Fgst.-Nr. / from chassis no. 8D*X 200000, VA ab / more than 1070 kg	2.99 > 10.00	1150 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968307

## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>AUDI</b>							
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, Quattro, VA bis / up to 1080 kg	2.95 >	1080 kg / 1130 kg	40 - 65	40 - 65	24, 59	TÜV	968381
Audi A4, Typ 8D (B5), Lim. / Sedan, Avant, Quattro incl. S4, VA über / from 1081 kg	2.95 >	1150 kg / 1130 kg	40 - 65	40 - 65	24, 59	TÜV	968382
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Lim. / Sedan, 2WD, VA bis / up to 1080 kg	11.00 >	1080 kg / 1150 kg	35 - 65	35 - 60	7, 15, 24	TÜV	968383
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Lim. / Sedan, 2WD, VA über / more than 1080 kg	11.00 >	1220 kg / 1150 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968384
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 60	35 - 60	7, 24	TÜV	968308
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, incl. S4, VA über / from 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 60	35 - 60	7, 24	TÜV	968309
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Avant, Cabrio, 2WD, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968385
Audi A4, Typ 8E (B6/7), incl. Facelift, (8E, 8H) Avant, Cabrio, 2WD, VA über / more than 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 60	35 - 60	7, 15, 24	TÜV	968386
Audi A4, Typ 8E (B6/7), Avant, Cabrio, Quattro, VA bis / up to 1080 kg	11.00 >	1080 kg / 1165 kg	35 - 65	35 - 60	7, 24	TÜV	968310
Audi A4, Typ 8E (B6/7), Avant, Cabrio, Quattro, incl. S4, VA über / from 1080 kg	11.00 >	1250 kg / 1165 kg	35 - 65	35 - 60	7, 24	TÜV	968311
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	11.07 >	1080 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968113
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	11.07 >	1225 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968114
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	4.08 >	1080 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968115
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	4.08 >	1180 kg / 1215 kg	25 - 55	25 - 50	24, 62	TÜV	968116
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	11.07 >	1080 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968163
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	11.07 >	1225 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968164
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	4.08 >	1080 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968165
Audi A4, Typ 8K (B8) Avant, 2WD, Quattro, incl. S4, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	4.08 >	1180 kg / 1215 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968166
<b>A5</b>							
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, VA bis / up to 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.07 >	1080 kg / 1240 kg	25 - 55	25 - 50	24, 62	TÜV	968113
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, incl. S5, RS5, VA über / more than 1080 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.07 >	1245 kg / 1240 kg	25 - 55	25 - 50	24, 62	TÜV	968114
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, VA bis / up to 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.07 >	1080 kg / 1240 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968168
Audi A5, Typ 8K (B8) Lim. / Sedan, Cabrio, Coupé, Sportback, 2WD, Quattro, incl. S5, RS5, VA über / more than 1080 kg, mit / with elektronischer Dämpferregelung / electronic dampers	5.07 >	1245 kg / 1240 kg	25 - 55	25 - 50	7, 24, 76	TÜV	968169
<b>A6</b>							
Audi A6, Typ 4B (C5), Lim. / Sedan, Avant, 2WD	2.97 >	1100 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968387
Audi A6, Typ 4B (C5), Lim. / Sedan, Avant, 2WD, VA über / more than 1100 kg	2.97 >	1250 kg / 1185 kg	40 - 70	40 - 70	15, 24	TÜV	968388
Audi A6, Typ 4B (C5) Lim. / Sedan, Avant, Quattro	2.97 >	1100 kg / 1300 kg	40 - 75	40 - 75	7, 24, 59	TÜV	968370
Audi A6, Typ 4B (C5) Lim. / Sedan, Avant, Quattro, incl. S6	2.97 >	1350 kg / 1300 kg	40 - 75	40 - 75	7, 24, 59	TÜV	968059
Audi A6, Typ 4F, Lim. / Sedan, 2WD, Quattro	5.04 >	1240 kg / 1205 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968060
Audi A6, Typ 4F, Lim. / Sedan, 2WD, Quattro	5.04 >	1305 kg / 1205 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968061
Audi A6, Typ 4F, Avant, 2WD, Quattro	2.05 >	1240 kg / 1300 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968062
Audi A6, Typ 4F, Avant, 2WD, Quattro	2.05 >	1305 kg / 1300 kg	35 - 65	35 - 65	7, 24, 62	TÜV	968063
<b>A7</b>							
Audi A7, Typ 4G, 4G1, Sportback, 2WD, Quattro, VA bis / up to 1215 kg	10.10 >	1215 kg / 1255 kg	35 - 60	35 - 60	24	TÜV	968189
<b>TT</b>							
Audi TT, Typ 8N, 2WD	11.98 >	1030 kg / 845 kg	30 - 50	30 - 50	15, 24, 27	TÜV	968389
Audi TT, Typ 8N, Quattro	6.99 >	1110 kg / 920 kg	30 - 50	30 - 50	24, 59	TÜV	968312
Audi TT, Typ 8J, Coupé, 2WD, 4 cyl., ohne / without elektronische Dämpferregelung / electronic dampers	9.06 >	965 kg / 885 kg	20 - 50	20 - 50	15, 24, 43, 62	TÜV	968314
Audi TT, Typ 8J, Coupé, Quattro, ohne / without elektronische Dämpferregelung / electronic dampers	9.06 >	1040 kg / 885 kg	20 - 40	20 - 40	43, 59, 62	TÜV	968188
Audi TT, Typ 8J, Roadster, 2WD, 4 cyl., ohne / without elektronische Dämpferregelung / electronic dampers	4.07 >	965 kg / 1150 kg	20 - 50	20 - 50	15, 24, 43, 62	TÜV	968315
Audi TT, Typ 8J, Coupé, 2WD, 4 cyl., mit / with elektronischer Dämpferregelung / electronic dampers	9.06 >	965 kg / 885 kg	20 - 50	20 - 50	15, 24, 43, 75	TÜV	968295
Audi TT, Typ 8J, Coupé, Quattro, mit / with elektronischer Dämpferregelung / electronic dampers	9.06 >	1040 kg / 885 kg	20 - 40	20 - 40	43, 59, 75	TÜV	968296



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>AUDI</b>							
Audi TT, Typ 8J, Roadster, 2WD, 4 cyl., mit / with elektronischer Dämpferregelung / electronic dampers	4.07 >	965 kg / 1150 kg	20 - 50	20 - 50	15, 24, 43, 75	TÜV	968192
<b>BMW</b>							
<b>1er, E82</b>							
BMW 1 E82, Typ 182, 1C, Coupé	10.07 >	945 kg / 1070 kg	35 - 65	35 - 65	15, 24, 27	TÜV	968174
<b>1er, E87</b>							
BMW 1 E87, Typ 187, 1K2, 1K4	9.04 >	945 kg / 1070 kg	35 - 65	35 - 65	15, 24, 27	TÜV	968395
<b>1er, E88</b>							
BMW 1 E88, Typ 182, 1C, Cabrio	3.08 >	960 kg / 1120 kg	30 - 55	25 - 50	15, 24, 27	TÜV	968175
<b>1er, F20 / F21</b>							
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 114i, 114d, 116i, 116d, 118i, 118d, 120d, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1160 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968710
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 125i, 125d, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1160 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968711
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 114i, 114d, 116i, 116d, 118i, 118d, 120d, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	920 kg / 1160 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968193
BMW 1 F20 / F21, Typ 1K2, 1K4, 2WD, 125i, 125d, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1160 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968194
<b>2er, F22 Coupé</b>							
BMW 2 F22, Typ 1C, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968195
BMW 2 F22, Typ 1C, incl. M235i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	30 - 55	25 - 50	15, 24, 62	TÜV	968196
BMW 2 F22, Typ 1C, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968197
BMW 2 F22, Typ 1C, incl. M235i, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	30 - 55	25 - 50	15, 24, 78	TÜV	968198
<b>3er, E36</b>							
BMW 3 E36, Typ 3B, 3/B, 3C, 3/C, 3/CG, Lim. / Sedan, Touring, Coupé, Cabrio	9.90 > 6.92	900 kg / 1150 kg	40 - 80	20 - 50	15, 24, 27, 63	TÜV	968390
BMW 3 E36, Typ 3C, 3/C, 3/CG, Compact	4.94 >	850 kg / 1040 kg	40 - 80	20 - 50	24, 27	TÜV	968391
BMW 3 E36 M3, Typ M3B, M3/B	10.92 > 4.99	920 kg / 1130 kg	30 - 60	20 - 45	24, 27	TÜV	968392
BMW 3 E36, Typ 3B, 3/B, 3C, 3/C, 3/CG, 4 + 6 cyl. incl. Touring, incl. M-Technik	6.92 > 2.98	900 kg / 1150 kg	40 - 80	30 - 60	47	TÜV	968201
<b>3er, E46</b>							
BMW 3 E46, Typ 346L, 346C, 346R, Lim. / Sedan, Touring, Coupé, Cabrio, ohne / without M3	5.98 >	910 kg / 1215 kg	30 - 70	30 - 50	15, 24, 27	TÜV	968393
BMW 3 E46, Typ 346L, 346C, 346R, Lim. / Sedan, Touring, Coupé, Cabrio, ohne / without M3	5.98 >	1030 kg / 1215 kg	30 - 70	30 - 50	15, 24, 27	TÜV	968394
BMW 3 E46, Typ 346K, Compact	1.01 >	935 kg / 1050 kg	30 - 60	30 - 50	24, 27	TÜV	968681
BMW 3 E46 M3, Typ M346, Coupé, Cabrio	6.00 >	990 kg / 1170 kg	20 - 40	20 - 40	24	TÜV	968318
<b>3er, E90</b>							
BMW 3 E90, Typ 390L, Lim. / Sedan	4.05 >	1090 kg / 1135 kg	30 - 60	30 - 60	15, 24, 27	TÜV	968396
BMW 3 E91, Typ 390L, 3K, Touring	9.05 >	1090 kg / 1200 kg	30 - 60	20 - 50	15, 24, 27	TÜV	968397
BMW 3 E92, Typ 392C, Coupé	9.06 >	1090 kg / 1135 kg	20 - 50	20 - 50	15, 24, 27	TÜV	968398
BMW 3 E93, Typ 392C, 3C, Cabrio	3.07 >	1090 kg / 1200 kg	30 - 60	20 - 50	15, 24, 27	TÜV	968397
<b>3er, F30</b>							
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 316d, 316i, 318d, 318i, 320d, 320i, 325d, 328i, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968712
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 330d, 335i, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968713
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 316d, 316i, 318d, 318i, 320d, 320i, 325d, 328i, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968244
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, 330d, 335i, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968246
<b>3er, F31</b>							
BMW 3, F31, Typ 3K, Touring, 2WD, 316d, 316i, 318d, 320i, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	913 kg / 1225 kg	40 - 65	30 - 55	15, 24, 62	TÜV	968714
BMW 3, F31, Typ 3K, Touring, 2WD, 320d, 325d, 328i, 330d, 335i, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1225 kg	40 - 65	30 - 55	15, 24, 62	TÜV	968715
BMW 3, F31, Typ 3K, Touring, 2WD, 316d, 316i, 318d, 320i, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	913 kg / 1225 kg	40 - 65	30 - 55	15, 24, 78	TÜV	968247
BMW 3, F31, Typ 3K, Touring, 2WD, 320d, 325d, 328i, 330d, 335i, mit / with elektronischer Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1225 kg	40 - 65	30 - 55	15, 24, 78	TÜV	968248
<b>3er GT, F34</b>							
BMW 3 GT, Typ 3-V, Lim. / Sedan, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	950 kg / 1265 kg	30 - 55	15 - 40	15, 62	TÜV	968249
BMW 3 GT, Typ 3-V, Lim. / Sedan, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1000 kg / 1265 kg	30 - 55	15 - 40	15, 62	TÜV	968250

## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>BMW</b>							
<b>4er, F32 / F33</b>							
BMW 4 F32, Typ 3C, Coupé, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968251
BMW 4 F32, Typ 3C, Coupé, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 62	TÜV	968252
BMW 4 F32, Typ 3C, Coupé, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	950 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968253
BMW 4 F32, Typ 3C, Coupé, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1160 kg	40 - 65	30 - 60	15, 24, 78	TÜV	968254
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	960 kg / 1265 kg	40 - 65	40 - 65	15, 62	TÜV	968255
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1025 kg / 1265 kg	40 - 65	40 - 65	15, 62	TÜV	968256
<b>5er, E39 / M5</b>							
BMW 5 E39, Typ 5/D, Lim. / Sedan	12.95 >	1090 kg / 1200 kg	35 - 65	30 - 60	7, 15, 24, 60	TÜV	968703
BMW 5 E39, Typ 5/D, Touring, HA mit Luftfederung / with air suspension (Niveau)	1.97 >	1095 kg / ---	35 - 65	30 - 60	15, 60, 61	TÜV	968317
BMW 5 E39 M5, Typ M539, Lim. / Sedan	1.99 >	1105 kg / 1225 kg	35 - 65	20 - 50	24	TÜV	968003
BMW 5 E39, Typ 5/D, Touring HA mit Schraubenfeder / Rear with coil spring, ohne Niveauregulierung / without self-leveling	1.97 >	1095 kg / 1410 kg	35 - 65	30 - 60	7, 24, 60	TÜV	968065
<b>5er, E60 / E61</b>							
BMW 5 E60, Typ 560L, Lim. / Sedan	7.03 >	1070 kg / 1235 kg	25 - 55	25 - 55	7, 24, 27	TÜV	968066
BMW 5 E61, Typ 560L, Touring	6.04 >	1070 kg / 1300 kg	25 - 45	25 - 45	24, 27	TÜV	968067
<b>5er, F10</b>							
BMW 5 F10, Typ 5L, Lim. / Sedan, ohne / without elektrische Dämpferregelung / electronic dampers, ohne / without 550i	3.10 >	1195 kg / 1310 kg	25 - 55	20 - 50			968652
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	3.10 >	1195 kg / 1310 kg	25 - 55	20 - 50	15, 78	TÜV	968750
<b>7er, E38</b>							
BMW 7, E38, Typ 7/G	10.94 > 11.01	1135 kg / 1355 kg	20 - 45	20 - 45	7, 24, 27, 62	TÜV	968146
BMW 7, E38, Typ 7/G	10.94 > 11.01	1255 kg / 1355 kg	20 - 45	20 - 45	7, 24, 27, 62	TÜV	968147
<b>Z3</b>							
BMW Z3, Typ R/C, Coupé, Roadster	10.95 >	830 kg / 870 kg	35 - 60	30 - 60	24, 27	TÜV	968399
<b>Z4</b>							
BMW Z4, Typ Z85	2.03 >	790 kg / 890 kg	20 - 50	15 - 40	24, 27	TÜV	968068
BMW Z4, Typ Z89, Coupé, Roadster	4.09 >	870 kg / 1000 kg	15 - 40	10 - 35	64	TÜV	968257
<b>CITROEN</b>							
<b>C1</b>							
Citroen C1, Typ P	6.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968148
<b>CHRYSLER</b>							
<b>300C</b>							
Chrysler 300C, Typ LX, 2WD, 6 cyl.	9.04 >		20 - 50	25 - 55			968022
Chrysler 300C, Typ LX, 2WD, 8 cyl.	9.04 >		20 - 50	25 - 55			968027
<b>DODGE</b>							
<b>Challenger</b>							
Dodge Challenger, 2WD, 6 + 8 cyl.	9.04 > 10		20 - 50	25 - 55			968023
<b>Charger</b>							
Dodge Charger, 2WD, 6 cyl.	9.04 > 10		20 - 50	25 - 55			968023
Dodge Charger, 2WD, 8 cyl.	9.04 > 10		20 - 50	25 - 55			968027
<b>FIAT</b>							
<b>500</b>							
Fiat 500, Typ 312, incl. Abarth	8.07 >	830 kg / 735 kg	30 - 60	10 - 40	24	TÜV	968009
Fiat 500, Typ 312, USA-Modell, (Chrysler Group LLC)	11 >		30 - 60	10 - 40	24		968149
<b>Bravo / Brava</b>							
Fiat Bravo / Brava, Typ 182	9.95 > 10.01	1000 kg / 1000 kg	35 - 75	50	26	TÜV	968719
Fiat Bravo / Brava, Typ 182, HGT	9.95 > 10.01	1000 kg / 1000 kg	35 - 75	50	26	TÜV	968720
Fiat Bravo, Typ 198, mit / with M12 Befestigung / mounting	3.07 >	1060 kg / 860 kg	35 - 65	25 - 50	24	TÜV	968007
Fiat Bravo, Typ 198, mit / with M10 Befestigung / mounting	3.07 >	1060 kg / 860 kg	35 - 65	25 - 50	24	TÜV	968008
<b>Punto</b>							
Fiat Punto, Typ 176, 176C, incl. Cabrio	9.93 >	850 kg / 700 kg	30 - 60	40	26	TÜV	968320
Fiat Punto, Typ 188, incl. Facelift	6.99 >	900 kg / 750 kg	30 - 60	40	26	TÜV	968503
Fiat Grande Punto, Typ 199	10.05 >	900 kg / 860 kg	35 - 65	35 - 60	24	TÜV	968504
Fiat Grande Punto, Typ 199, incl. Abarth	10.05 >	1000 kg / 860 kg	35 - 65	35 - 60	24	TÜV	968505
<b>Stilo</b>							
Fiat Stilo, Typ 192, Lim. / Sedan, incl. Diesel außer / excl. 1.9 JDT 103 kW	10.01 >	1030 kg / 960 kg	35 - 60	20 - 50	24	TÜV	968506
Fiat Stilo, Typ 192, Lim. / Sedan, 1.9 JDT mit / with 103 kW	10.01 >	1030 kg / 960 kg	35 - 60	20 - 50	24	TÜV	968507
Fiat Stilo, Typ 192, Abarth	10.01 >	1030 kg / 960 kg	15 - 40	15 - 45	24, 27	TÜV	968684
<b>FORD</b>							
<b>C-Max</b>							
Ford C-Max, Typ DM2	10.03 >	1115 kg / 1070 kg	35 - 65	35 - 65	24	TÜV	968717



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>FORD</b>							
<b>Fiesta</b>							
Ford Fiesta, Typ JAS, JBS	8.95 > 98	860 kg / 750 kg	35 - 75	35 - 75	24, 56	TÜV	968324
Ford Fiesta, Typ JAS, JBS	99 >	860 kg / 750 kg	35 - 75	35 - 75	24, 55	TÜV	968325
Ford Fiesta, Typ JH1, JD3, incl. ST150	11.01 >	900 kg / 810 kg	40 - 70	35 - 65	24	TÜV	968508
Ford Fiesta, Typ JA8, ohne / without ST	10.08 >	850 kg / 785 kg	30 - 55	30 - 60	24	TÜV	968326
Ford Fiesta, Typ JA8, nur / only ST	10.08 >	850 kg / 785 kg	05 - 30	10 - 35	24		968190
<b>Focus</b>							
Ford Focus, Typ DAW, DBW, DFW, DAX, DBX, DA1, DB1, Lim. / Sedan	10.98 >	965 kg / 930 kg	35 - 55	35 - 50	15, 24	TÜV	968509
Ford Focus, Typ DNW, DNX, DN1, Turnier	2.99 >	960 kg / 1010 kg	35 - 55	35 - 50	15, 24	TÜV	968327
Ford Focus, Typ DA3, DB3, Lim. / Sedan, ohne / without ST	12.04 >	1070 kg / 1015 kg	30 - 60	35 - 65	24	TÜV	968511
Ford Focus, Typ DA3, DB3, nur / only ST	12.05 >	1050 kg / 990 kg	10 - 40	15 - 45	27	TÜV	968718
Ford Focus, Typ DA3, DB3, Turnier	1.05 >	1070 kg / 1090 kg	30 - 60	40 - 70	24	TÜV	968006
Ford Focus, Typ DYB, ohne / without ST	4.11 >	1000 kg / 1025 kg	30 - 50	40 - 55	24	TÜV	968176
Ford Focus, Typ DYB, ohne / without ST	4.11 >	1100 kg / 1025 kg	30 - 50	40 - 55	24	TÜV	968177
Ford Focus, Typ DYB, nur / only ST	6.12 >	1070 kg / 1025 kg	25 - 40	20 - 35	24	TÜV	968748
<b>Mondeo</b>							
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan	11.00 >	1175 kg / 1015 kg	35 - 65	35 - 65	24	TÜV	968005
Ford Mondeo, Typ BWY, Turnier	11.00 >	1200 kg / 1150 kg	35 - 65	40	26	TÜV	968004
Ford Mondeo, Typ BWY, Turnier, ST220	11.00 >	1200 kg / 1150 kg	20 - 45	25	7, 26	TÜV	968070
<b>Mustang</b>							
Ford Mustang S197, V6, V8, ohne / without Shelby GT500	05 > 14	1134 kg / 1100 kg	30 - 60	35 - 55	21, 25, 47	TÜV	968619
<b>Puma</b>							
Ford Puma, Typ ECT, HA mit Gabelbefestigung / with fork mounting	3.97 > 98	770 kg / 670 kg	35 - 75	35 - 75	24, 56	TÜV	968334
Ford Puma, Typ ECT, HA mit Augenbefestigung / with eye mounting	99 >	770 kg / 670 kg	35 - 75	35 - 75	24, 55	TÜV	968335
<b>HONDA</b>							
<b>Civic</b>							
Honda Civic, CRX, Coupé, Typ EC8, 9, ED2-4, 6, 7, 9, EE8, 9	89 > 6.92	850 kg / 770 kg	30 - 70	30 - 70	24, 56	TÜV	968336
Honda Civic, CRX, Coupé, Typ EG2-6, 8, 9, EH6, 9, EJ1, 2	4.92 > 9.95	840 kg / 750 kg	40 - 75	40 - 75	24, 56	TÜV	968337
Honda Civic, CRX, Coupé, Typ EJ6, 8, 9, EK1, 3, 4	10.95 >	860 kg / 820 kg	40 - 75	40 - 75	24	TÜV	968512
Honda Civic, Typ FK1, FK2, FK3, FN1, FN3, FN4	2.06 > 1.12	940 kg / 835 kg	20 - 50	20 - 50	15, 24	TÜV	968723
Honda Civic, Typ FK1, FK2, FK3, FN1, FN3, FN4	2.06 > 1.12	1085 kg / 835 kg	20 - 50	20 - 50		TÜV	968725
Honda Civic, Typ FN2, Type-R	3.07 >	980 kg / 740 kg	0 - 30	0 - 30		TÜV	968724
<b>Integra</b>							
Honda Integra, Typ DC2	11.97 >	835 kg / 680 kg	30 - 70	30 - 50	15, 24, 55	TÜV	968338
<b>MERCEDES</b>							
<b>W204</b>							
MB C-Klasse, Typ W204, Lim. / Sedan, ohne / without elektronische Dämpferregelung / electronic dampers	1.07 >	1090 kg / 1165 kg	30 - 55	20 - 50	62	TÜV	968752
MB C-Klasse, Typ W204C, Coupé, ohne / without elektronische Dämpferregelung / electronic dampers	6.11 >	1075 kg / 1105 kg	10 - 40	10 - 50	62	TÜV	968752
MB C-Klasse, Typ W204K, T-Modell, ohne / without elektronische Dämpferregelung / electronic dampers	8.07 >	1095 kg / 1170 kg	30 - 55	20 - 55	7, 62	TÜV	968753
<b>MAZDA</b>							
<b>2</b>							
Mazda 2, Typ DY	2.03 > 07	900 kg / 810 kg	25 - 70	25 - 70	24	TÜV	968716
Mazda 2, Typ DE, DE1	10.07 >	850 kg / 765 kg	25 - 50	30 - 45	24	TÜV	968326
<b>3</b>							
Mazda 3, Typ BK, VA bis / up to 970 kg	10.03 >	970 kg / 910 kg	30 - 60	30 - 60	24	TÜV	968011
Mazda 3, Typ BK, VA über / more than 970 kg	10.03 >	1110 kg / 910 kg	30 - 60	30 - 60	24	TÜV	968012
Mazda 3, Typ BL, ohne / without MPS	4.09 >	1000 kg / 915 kg	30 - 60	30 - 55	24	TÜV	968180
Mazda 3, Typ BL, ohne / without MPS	4.09 >	1135 kg / 915 kg	30 - 60	30 - 55	24	TÜV	968181
<b>MX-5 (Miata)</b>							
Mazda MX-5, Typ NB	5.98 >		30 - 60	30 - 60	24, 47	TÜV	968471
<b>MINI</b>							
<b>Mini</b>							
Mini, Typ R50, Mini, Mini-N, incl. Cooper S, Cabrio	4.02 > 11.06	890 kg / 800 kg	20 - 50	20 - 50	24	TÜV	968501
Mini, Typ R56, Mini-N, Cooper, One	12.06 >	910 kg / 855 kg	30 - 55	30 - 55	24	TÜV	968502
Mini, Typ R56, Mini-N, UKL-L, Cooper S, Cooper D, JCW	12.06 >	910 kg / 855 kg	30 - 50	20 - 50	24, 27	TÜV	968241
Mini Clubman, Typ N, Mini-N, UKL-K, UKL-C, R55/R57, One Clubman, Cooper Clubman / Cabrio	10.07 >	935 kg / 855 kg	30 - 55	30 - 55	24, 27	TÜV	968182
Mini Clubman, Typ N, UKL-K, UKL-C, R55/R57, Cooper S Clubman / Cabrio, Cooper D Clubman / Cabrio, JCW	10.07 >	935 kg / 855 kg	30 - 55	30 - 55	24, 27	TÜV	968183
Mini Coupé, Typ UKL-C, R58, Cooper	9.11 >	860 kg / 630 kg	30 - 55	30 - 60	24, 27	TÜV	968706
Mini Coupé, Typ UKL-C, R58, Cooper S, Cooper SD, Cooper JCW	9.11 >	905 kg / 630 kg	30 - 55	30 - 60	24, 27	TÜV	968707
Mini Roadster, Typ UKL-C, R59, Cooper	3.12 >	860 kg / 630 kg	25 - 50	30 - 60	24, 27	TÜV	968708
Mini Roadster, Typ UKL-C, R59, Cooper S, Cooper SD, Cooper JCW	3.12 >	905 kg / 630 kg	25 - 50	30 - 60	24, 27	TÜV	968709

## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>OPEL</b>							
<b>Astra</b>							
Opel Astra G, Typ T98, / V / C, T98/NB, Lim. / Sedan, Coupé	3.98 > 5.05	1040 kg / 900 kg	30 - 65	20 - 50	12, 29	TÜV	968513
Opel Astra G, Typ T98C, Cabrio	4.00 > 10.05	1040 kg / 1000 kg	30 - 65	20 - 50	25	TÜV	968514
Opel Astra G, Typ T98, T98V, Caravan	5.98 > 7.04	1040 kg / 1000 kg	30 - 65	20 - 50	26	TÜV	968206
Opel Astra H, Typ A-H, Lim. / Sedan, A-H/C, Twin-Top	3.04 > 10.08	1070 kg / 1000 kg	30 - 65	20 - 50	12, 24, 27, 62	TÜV	968515
Opel Astra H, Typ A-H/SW, Caravan	8.04 > 10.08	1070 kg / 1000 kg	30 - 60	20 - 40	7, 24, 62	TÜV	968339
Opel Astra H GTC, Typ A-H/C, Coupé	3.05 >	1060 kg / 840 kg	25 - 50	15 - 40	24, 27, 62	TÜV	968340
Opel Astra J, Typ P-J, Lim. / Sedan, excl. OPC, excl. FlexRide	11.08 >	1060 kg / 840 kg	35 - 65	35 - 65	12, 24, 27	TÜV	968726
Opel Astra J, Typ P-J, Sports Tourer, excl. FlexRide	10.10 >	1190 kg / 1100 kg	40 - 70	45 - 75	62	TÜV	968754
<b>Corsa</b>							
Opel Corsa A, Typ A-CC	8.83 > 2.93	680 kg / 665 kg	30 - 60	30 - 50	24	TÜV	968516
Opel Corsa B, Typ S93	3.93 > 9.00	840 kg / 720 kg	30 - 60	30 - 50	24	TÜV	968517
Opel Corsa C, Typ C, nur M14 HA Schraube / screw M14 rear	7.00 >	900 kg / 780 kg	30 - 60	20 - 40	24, 35	TÜV	968519
Opel Corsa D, Typ S-D, 3 + 4 cyl. Benzin / petrol	10.06 >	855 kg / 800 kg	25 - 55	25 - 55	24	TÜV	968520
Opel Corsa D, Typ S-D, Diesel	10.06 >	990 kg / 800 kg	25 - 55	25 - 55	24	TÜV	968521
<b>Signum</b>							
Opel Signum, Typ Z-C/S	5.03 >	1230 kg / 1140 kg	30 - 60	30 - 60	24	TÜV	968072
<b>Tigra</b>							
Opel Tigra, Typ S93, Coupé	9.94 > 12.00	805 kg / 700 kg	30 - 60	30 - 50	7, 24	TÜV	968522
Opel Tigra Twin Top							
Opel Tigra Twin-Top, X-C/Roadster, nur M14 HA Schraube / screw M14 rear	6.04 >	685 kg / 680 kg	10 - 40	20 - 45	24, 35	TÜV	968519
<b>Vectra</b>							
Opel Vectra B, Typ J96, J96, Lim. / Sedan, Caravan	10.95 > 7.03	950 kg / 1025 kg	35 - 60	35 - 75	7, 24	TÜV	968341
Opel Vectra B, Typ J96, J96, Lim. / Sedan, Caravan	10.95 > 7.03	1055 kg / 1025 kg	35 - 60	35 - 75	7, 24	TÜV	968342
Opel Vectra C, Typ Vectra C / Lim. / Sedan	4.02 >	1190 kg / 985 kg	40 - 70	25 - 55	12, 24	TÜV	968071
Opel Vectra C, Typ Vectra/SW, Z-C/SW, Caravan	10.03 >	1230 kg / 1140 kg	30 - 60	30 - 60	24	TÜV	968073
<b>PEUGEOT</b>							
<b>107</b>							
Peugeot 107, Typ P	6.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968125
<b>205</b>							
Peugeot 205, Typ 741A, B, C, 20A, C, D, 20	5.83 > 09.98	750 kg / ---	30 - 60	0 - 40	29	TÜV	968343
<b>206</b>							
Peugeot 206, Typ 2*, Schrägheck / Hatchback, Kombi, Cabrio	8.98 >	890 kg / 780 kg	35 - 70	0 - 40	29, 47	TÜV	968207
<b>207</b>							
Peugeot 207, Typ W*..., Schrägheck / Hatchback, SW, Federbein / strut 51 mm	12.05 > 3.12	1000 kg / 900 kg	35 - 65	35 - 65	24	TÜV	968727
Peugeot 207, Typ W*..., CC Cabrio	2.07 >	1050 kg / 900 kg	35 - 60	35 - 60	24	TÜV	968728
<b>306</b>							
Peugeot 306, Typ 7*..., Lim. / Sedan, Cabrio	5.93 >	950 kg / 860 kg	30 - 60	0 - 40	29	TÜV	968344
<b>PORSCHE</b>							
<b>Boxster</b>							
Porsche Boxster, Typ 986, incl. S	1.98 >	775 kg / 940 kg	30 - 50	30 - 50	24, 47	TÜV	968472
<b>RENAULT</b>							
<b>Clio</b>							
Renault Clio II, Typ B, Abstandsmaß Befestigungslaschen / dimension bracket 27 mm	9.98 >	860 kg / 820 kg	35 - 65	30 - 50	24, 40	TÜV	968345
Renault Clio II, Typ B, Abstandsmaß Befestigungslaschen / dimension bracket 23 mm	9.98 >	860 kg / 820 kg	35 - 65	30 - 50	24, 58	TÜV	968346
Renault Clio II, Typ B, 2.0i 16V (Sport)	2.00 >	860 kg / 785 kg	30 - 60	15 - 30	24, 57	TÜV	968347
Renault Clio III, Clio Grantour, Typ R, außer / without RS	10.05 > 06.10	950 kg / 890 kg	40 - 70	40 - 70	24	TÜV	968348
Renault Clio III, Clio Grantour, Typ R, außer / without RS	8.10 > 06.12	1000 kg / 890 kg	40 - 70	40 - 70	24	TÜV	968028
<b>Twingo</b>							
Renault Twingo, Typ N, ohne / without RS	3.07 >	850 kg / 710 kg	25 - 55	30 - 55	24	TÜV	968184
Renault Twingo RS, Typ N	5.08 >	850 kg / 710 kg	15 - 45	15 - 35	24	TÜV	968185
<b>SEAT</b>							
<b>Altea</b>							
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1060 kg	5.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968234
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1060 kg	5.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968235
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1060 kg	5.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968236
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1060 kg	5.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968237
<b>Arosa</b>							
Seat Arosa, Typ 6H, 6HS	5.97 >	800 kg / 690 kg	30 - 70	30 - 70	24	TÜV	968351
<b>Exeo</b>							
Seat Exeo, Typ 3R, Lim. / Sedan	3.09 >	1135 kg / 1135 kg	20 - 55	30 - 50	24	TÜV	968126
Seat Exeo ST, Typ 3R, Kombi	10.09 >	1135 kg / 1135 kg	20 - 55	30 - 50	24	TÜV	968127
<b>Ibiza / Cordoba / Cupra</b>							
Seat Cordoba, Typ 6K/C	8.93 > 9.99	870 kg / 760 kg	20 - 70	50 - 70	24	TÜV	968528
Seat Cordoba, Typ 6K/C, ab / from model 2000 (Facelift)	10.99 >	900 kg / 810 kg	35 - 65	35 - 65	24	TÜV	968352
Seat Ibiza, Typ 6K	4.93 > 8.99	870 kg / 760 kg	20 - 70	50 - 70	24, 47	TÜV	968208
Seat Ibiza, Typ 6K, ab / from model 2000 (Facelift)	10.99 > 3.02	900 kg / 810 kg	35 - 65	35 - 65	24, 47	TÜV	968209
Seat Cordoba, Typ 6L	10.02 >	955 kg / 840 kg	35 - 60	35 - 60	24	TÜV	968353



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>SEAT</b>							
Seat Ibiza, Typ 6L	4.02 >	955 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968529
Seat Ibiza, Typ 6J	6.08 >	860 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968076
Seat Ibiza, Typ 6J	6.08 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968077
Seat Ibiza ST, Typ 6J, Kombi	5.10 >	860 kg / 820 kg	15 - 50	30 - 55	24	TÜV	968134
Seat Ibiza ST, Typ 6J, Kombi	5.10 >	960 kg / 820 kg	15 - 50	30 - 55	24	TÜV	968136
<b>Leon</b>							
Seat Leon, Typ 1M, 4WD	11.99 >	1030 kg / 1020 kg	30 - 55	30 - 55	24, 27, 59	TÜV	968530
Seat Leon, Typ 1M, 2WD	11.99 >	1020 kg / 1020 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968210
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA bis / up to 1060 kg	9.05 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968546
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA bis / up to 1060 kg	9.05 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968549
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1060 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968547
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1060 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968548
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	968734
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	968736
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968741
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968744
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 62, 71	TÜV	968738
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 71, 77	TÜV	968258
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 71, 77	TÜV	968259
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968260
Seat Leon, Typ 5F, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968261
Seat Leon, Typ 5F, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 71, 77	TÜV	968262
Seat Leon, Typ 5F, ST, VA bis / up to 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	11.13 >	965 kg / 1050 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968755
Seat Leon, Typ 5F, ST, VA über / more than 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	11.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	42, 72, 77	TÜV	968756
Seat Leon, Typ 5F, Cupra 265, Cupra 280, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1080 kg / 980 kg	15 - 45	10 - 35	43, 62, 71	TÜV	968263
Seat Leon, Typ 5F, Cupra 265, Cupra 280, mit / with elektronischer Dämpferregelung / electronic dampers	3.14 >	1080 kg / 980 kg	15 - 45	10 - 35	43, 71, 77	TÜV	968264
<b>Mii</b>							
Seat Mii, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968731
<b>Toledo</b>							
Seat Toledo, Typ 1L	2.91 >	865 kg / 790 kg	20 - 70	30 - 70	24	TÜV	968682
Seat Toledo, Typ 1M	6.99 >	1020 kg / 1080 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968537
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1060 kg	10.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968234
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1060 kg	10.04 >	1060 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968235
Seat Toledo, Typ 5P FR, 1.9 TDI DSG, 2.0 TDI DSG, Federbein / strut 50 mm	10.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 42, 47	TÜV	968236
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1060 kg	10.04 >	1170 kg / 1150 kg	20 - 50	20 - 50	15, 25, 43, 47	TÜV	968237
<b>SKODA</b>							
<b>Citigo</b>							
Skoda Citigo, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968732
<b>Fabia</b>							
Skoda Fabia, Typ 6Y, Lim. / Sedan, Kombi	3.00 >	960 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968531
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	4.07 > 12.08	890 kg / 840 kg	25 - 55	25 - 50	24	TÜV	968080
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	4.07 > 12.08	960 kg / 840 kg	25 - 55	25 - 50	24	TÜV	968081
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	1.09 >	925 kg / 840 kg	25 - 55	30 - 55	24	TÜV	968128
Skoda Fabia, Typ 5J, Lim. / Sedan, Kombi	1.09 >	960 kg / 840 kg	25 - 55	30 - 55	24	TÜV	968130



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>SKODA</b>							
Skoda Fabia RS, Typ 5J	8.10 >	960 kg / 840 kg	15 - 45	15 - 40	24	TÜV	968132
<b>Octavia</b>							
Skoda Octavia, Typ 1U, 4x4, Lim. / Sedan, Kombi	11.99 >	1030 kg / 1070 kg	30 - 55	30 - 55	24, 59	TÜV	968532
Skoda Octavia, Typ 1U, 2WD, Lim. / Sedan, Kombi	2.97 >	1000 kg / 1070 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968223
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 25, 42, 47	TÜV	968265
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 25, 43, 47	TÜV	968266
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis 1105 kg	5.04 >	1105 kg / 1150 kg	25 - 50	25 - 50	15, 25, 42, 47	TÜV	968267
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, incl. RS, Federbein / strut 55 mm, VA bis / up to 1105 kg	5.04 >	1105 kg / 1150 kg	25 - 50	25 - 50	15, 25, 43, 47	TÜV	968268
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1170 kg	5.04 >	1170 kg / 1150 kg	25 - 50	25 - 50	15, 25, 42, 47	TÜV	968269
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, incl. RS, Federbein / strut 55 mm, VA bis / up to 1170 kg	5.04 >	1170 kg / 1150 kg	25 - 50	25 - 50	15, 25, 43, 47	TÜV	968270
Skoda Octavia, Typ 5E, 2WD, Lim. / Sedan, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	2.13 >	925 kg / 980 kg	35 - 65	30 - 60	42	TÜV	968742
Skoda Octavia, Typ 5E, 2WD, Lim. / Sedan, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	2.13 >	1060 kg / 980 kg	35 - 65	30 - 60	42	TÜV	968745
<b>Superb</b>							
Skoda Superb, Typ 3U, Lim. / Sedan	2.02 >	1100 kg / 1080 kg	35 - 60	35 - 60	7, 24	TÜV	968354
Skoda Superb, Typ 3U, Lim. / Sedan	2.02 >	1210 kg / 1080 kg	35 - 60	35 - 60	7, 24	TÜV	968355
Skoda Superb, Typ 3T, Lim. / Sedan, Kombi, Federbein / strut 50 mm	8.08 >	1200 kg / 1250 kg	15 - 40	15 - 40	24, 42	TÜV	968747
Skoda Superb, Typ 3T, Lim. / Sedan, Kombi, Federbein / strut 55 mm	8.08 >	1200 kg / 1250 kg	15 - 40	15 - 40	24, 43	TÜV	968560
<b>SUBARU</b>							
<b>Impreza</b>							
Subaru Impreza, Typ GC, GF, GFC	8.91 > 12.00	900 kg / 900 kg	40 - 70	40 - 60	24, 27	TÜV	968533
<b>SUZUKI</b>							
<b>Swift</b>							
Suzuki Swift, Typ EZ, MZ, 2WD	5.05 >	830 kg / 800 kg	35 - 65	35 - 65	24	TÜV	968186
Suzuki Swift, Typ NZ, 2WD	9.10 >	850 kg / 850 kg	30 - 60	35 - 65	24	TÜV	968729
<b>TOYOTA</b>							
<b>Aygo</b>							
Toyota Aygo, Typ AB1	7.05 >	695 kg / 695 kg	25 - 55	30 - 60	24	TÜV	968138
<b>VOLVO</b>							
<b>C30</b>							
Volvo C30, Typ M	12.06 >	1080 kg / 900 kg	20 - 50	30 - 60	24	TÜV	968084
<b>S40 / V50</b>							
Volvo S40 / V50, Typ M, 2WD	4.04 >	1100 kg / 1030 kg	25 - 55	25 - 55	24	TÜV	968085
<b>VW</b>							
<b>Beetle</b>							
VW New Beetle, Typ 9C, 1Y, incl. Cabrio	1.98 >	1035 kg / 850 kg	30 - 50	30 - 50	23, 24, 27	TÜV	968536
<b>Bora</b>							
VW Bora, Typ 1J, 2WD, Lim. / Sedan, Kombi	11.98 >	1020 kg / 1080 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968691
VW Bora, Typ 1J, 4WD, Lim. / Sedan, Kombi, 4 cyl.	2.99 >	1050 kg / 1080 kg	30 - 55	30 - 55	24, 59	TÜV	968357
VW Bora, Typ 1J, 4WD, Lim. / Sedan, Kombi, 6 cyl.	5.99 >	1110 kg / 1080 kg	30 - 50	30 - 50	24, 59	TÜV	968358
<b>Corrado</b>							
VW Corrado 53i 16V, G60, VR6	9.88 >	950 kg / 710 kg	40 - 70	40 - 70	24	TÜV	968538
<b>Eos</b>							
VW Eos, Typ 1F, 2WD	5.06 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968359
VW Eos, Typ 1F, 2WD	5.06 >	1150 kg / 1000 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968360
<b>Fox</b>							
VW Fox, Typ 5Z	4.05 >	870 kg / 800 kg	30 - 60	30 - 60	24	TÜV	968361
<b>Golf I / Jetta I</b>							
VW Golf I / Jetta I, Typ 17, 155, incl. Cabrio	4.74 > 8.93	785 kg / 640 kg	40 - 70	40 - 70	24	TÜV	968362
<b>Golf II / Jetta II</b>							
VW Golf II / Jetta II, Typ 19E, 2WD incl. G60	8.83 > 11.91	840 kg / 740 kg	40 - 70	40 - 70	15, 24	TÜV	968539
VW Golf II, 19E-299, Syncro incl. Rally Golf	8.83 > 11.91	980 kg / 990 kg	35 - 50	35 - 50	24, 59	TÜV	968540
<b>Golf III / Vento</b>							
VW Golf III / Vento, Typ 1HX0, 1H, 1E, 2WD, Lim. / Sedan, Cabrio	11.91 >	980 kg / 880 kg	40 - 70	40 - 70	15, 24, 27, 47	TÜV	968213
VW Golf III, Typ 1HX0, 1H, 1E, 2WD, Variant	7.93 > 6.02	980 kg / 890 kg	40 - 70	40 - 70	15, 24	TÜV	968683
VW Golf III, 1HX1, 1H, Syncro, Lim. / Sedan, Variant	1.93 >	980 kg / 990 kg	35 - 50	35 - 50	24, 27, 59	TÜV	968363
<b>Golf IV</b>							
VW Golf IV R32, Typ 1J	9.02 >	1110 kg / 1080 kg	10 - 40	10 - 30	24, 27	TÜV	968364
VW Golf IV, Typ 1J, 2WD, Lim. / Sedan	10.97 >	1020 kg / 1020 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968541



## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>VW</b>							
VW Golf IV, Typ 1J, 2WD, Variant	4.99 >	1020 kg / 1080 kg	30 - 50	30 - 50	15, 23, 24, 27	TÜV	968215
VW Golf IV, Typ 1J, 4WD, Lim. / Sedan, Variant, 4 + 5 cyl.	4.99 >	1050 kg / 1080 kg	30 - 55	30 - 55	24, 59	TÜV	968365
VW Golf IV, Typ 1J, 4WD, Lim. / Sedan, Variant, 6 cyl.	5.99 >	1110 kg / 1080 kg	30 - 50	30 - 50	24, 59	TÜV	968366
<b>Golf V / Golf V Plus</b>							
VW Golf V, Typ 1K, 4motion	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	24, 43, 59	TÜV	968542
VW Golf V, Typ 1K, 4motion	9.03 >	1170 kg / 1150 kg	35 - 65	35 - 65	24, 43, 59	TÜV	968543
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 50 mm, VA bis / up to 1060 kg	10.03 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 25, 42, 47	TÜV	968230
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 55 mm, VA bis / up to 1060 kg	10.03 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 25, 43, 47, 62	TÜV	968231
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 50 mm, VA über / more than 1060 kg	10.03 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 25, 42, 47	TÜV	968232
VW Golf V, Typ 1K, 1KP, Golf Plus, Federbein / strut 55 mm, VA über / more than 1060 kg	10.03 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 25, 43, 47	TÜV	968233
VW Golf V GTI, Typ 1K, 2.0 Turbo	12.04 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968544
VW Golf V GTI, Typ 1K, 2.0 Turbo mit DSG	12.04 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968545
VW Golf V R32	10.05 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43	TÜV	968367
<b>Golf VI / Golf VI Plus</b>							
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42, 62	TÜV	968687
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1060 kg incl. GTI, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	1, 15, 24, 43, 62	TÜV	968689
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1060 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 24, 42, 62	TÜV	968688
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1060 kg incl. GTI, ohne / without elektronische Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	1, 15, 24, 43, 62	TÜV	968690
VW Golf VI, Typ 1K, 1KM, 4motion inkl. R, ohne / without elektronische Dämpferregelung / electronic dampers	10.09 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43, 62	TÜV	968187
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	968271
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1060 kg incl. GTI, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1060 kg / 1000 kg	35 - 65	35 - 65	1, 15, 43, 74	TÜV	968272
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1060 kg, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	968273
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1060 kg incl. GTI, mit / with elektronischer Dämpferregelung / electronic dampers	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	1, 15, 43, 74	TÜV	968274
VW Golf VI, Typ 1K, 1KM, 4motion inkl. R, mit / with elektronische Dämpferregelung / electronic dampers	10.09 >	1110 kg / 1150 kg	20 - 40	20 - 40	24, 43, 74	TÜV	968278
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm	5.09 >	1090 kg / 1150 kg	35 - 65	35 - 65	42	TÜV	968275
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm	5.09 >	1090 kg / 1150 kg	35 - 65	35 - 65	43	TÜV	968276
<b>Golf VII</b>							
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 71	TÜV	968735
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 71	TÜV	968737
VW Golf VII, Typ AU, 2WD, 1.2 TSI 63 kW, 1.2 TSI 77 kW, 1.4 TGI, 1.6 TDI BlueMotion 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 72	TÜV	968743
VW Golf VII, Typ AU, 2WD, 1.6 TDI 77 kW, 1.6 BlueTDI 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 62, 72	TÜV	968746
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, ohne / without elektronische Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 43, 62, 71	TÜV	968739
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 71, 77	TÜV	968279
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 71, 77	TÜV	968280
VW Golf VII, Typ AU, 2WD, 1.2 TSI 63 kW, 1.2 TSI 77 kW, 1.4 TGI, 1.6 TDI BlueMotion 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 72, 77	TÜV	968281
VW Golf VII, Typ AU, 2WD, 1.6 TDI 77 kW, 1.6 BlueTDI 81 kW, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1060 kg / 980 kg	35 - 65	35 - 65	15, 24, 42, 72, 77	TÜV	968282

## HEIGHT ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>VW</b>							
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi-link rear axle, Federbein / strut 55 mm, mit / with elektronischer Dämpferregelung / electronic dampers	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	15, 24, 43, 71, 77	TÜV	968283
VW Golf VII, Typ AUV, Variant, 2WD, VA bis / up to 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	7.13 >	965 kg / 1050 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968757
VW Golf VII, Typ AUV, Variant, 2WD, VA über / more than 965 kg, nur / only Verbundlenker-HA / twist-beam rear axle, Federbein / strut 50 mm	7.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	42, 62, 72	TÜV	968758
<b>Golf VII GTI / GTD / R</b>							
VW Golf VII GTI, GTD, Typ AU, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 62	TÜV	968740
VW Golf VII R, Typ AU, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1060 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 62	TÜV	968740
VW Golf VII GTI, GTD, Typ AU, mit / with elektronischer Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 77	TÜV	968284
VW Golf VII R, Typ AU, mit / with elektronische Dämpferregelung / electronic dampers	5.13 >	1080 kg / 980 kg	25 - 55	20 - 45	15, 24, 43, 77	TÜV	968284
<b>Jetta</b>							
VW Jetta V, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1060 kg	8.05 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 24, 42	TÜV	968551
VW Jetta V, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1060 kg	8.05 >	1060 kg / 1150 kg	35 - 60	35 - 60	15, 24, 43	TÜV	968552
VW Jetta V, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1170 kg	8.05 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 24, 42	TÜV	968553
VW Jetta V, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1170 kg	8.05 >	1170 kg / 1150 kg	35 - 60	35 - 60	15, 24, 43	TÜV	968554
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1035 kg	1.11 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968289
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1035 kg	1.11 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968290
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1160 kg	1.11 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 24, 42	TÜV	968291
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1160 kg	1.11 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 24, 43	TÜV	968292
<b>Lupo</b>							
VW Lupo, Typ 6X, 6E	10.98 > 4.05	820 kg / 700 kg	30 - 60	30 - 60	24	TÜV	968555
VW Lupo GTI, Typ 6ES	9.00 > 4.05	820 kg / 700 kg	20 - 50	30 - 60	24	TÜV	968087
<b>Passat</b>							
VW Passat, Typ 35i, 2WD, Lim. / Sedan, Variant	4.88 > 9.96	1020kg / 1020kg	40 - 70	30 - 70	15, 24	TÜV	968368
VW Passat, Typ 3B, 3BG, 2WD, Lim. / Sedan, Variant	10.96 > 3.05	1100 kg / ---	40 - 70	30 - 70	15, 24	TÜV	968556
VW Passat, Typ 3B, 3BG, 2WD, Lim. / Sedan, Variant	10.96 > 3.05	1200 kg / ---	40 - 70	30 - 70	15, 24	TÜV	968557
VW Passat, Typ 3B, 3BG, 4WD, Lim. / Sedan, Variant	10.97 > 8.05	1100 kg / 1160 kg	40 - 70	30 - 70	7, 24, 59	TÜV	968369
VW Passat, Typ 3B, 3BG, 4WD, Lim. / Sedan, Variant	10.97 > 8.05	1200 kg / 1160 kg	40 - 70	30 - 70	7, 24, 59	TÜV	968370
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA bis / up to 1105 kg	3.05 >	1105 kg / 1150 kg	35 - 70	35 - 70	24	TÜV	968559
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA über / more than 1105 kg	3.05 >	1180 kg / 1150 kg	35 - 70	35 - 70	24	TÜV	968560
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA bis / up to 1105 kg	8.05 >	1105 kg / 1230 kg	35 - 65	35 - 65	24	TÜV	968685
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA über / more than 1105 kg	8.05 >	1180 kg / 1230 kg	35 - 65	35 - 65	24	TÜV	968686
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg, ohne / without elektronische Dämpferregelung / electronic dampers	6.08 >	1110 kg / 1020 kg	10 - 50	15 - 45	24, 62	TÜV	968026
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg, ohne / without elektronische Dämpferregelung / electronic dampers	6.08 >	1160 kg / 1020 kg	10 - 50	15 - 45	24, 62	TÜV	968019
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg, mit / with elektronischer Dämpferregelung / electronic dampers	6.08 >	1110 kg / 1020 kg	10 - 50	15 - 45	24, 74	TÜV	968285
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg, mit / with elektronischer Dämpferregelung / electronic dampers	6.08 >	1160 kg / 1020 kg	10 - 50	15 - 45	24, 74	TÜV	968286
<b>Polo</b>							
VW Polo + Classic, Typ 6N, 6K/V	8.94 > 9.99	910 kg / 810 kg	40 - 70	40 - 70	24, 47	TÜV	968218
VW Polo + Classic, Typ 6N, 6K/V	10.99 >	900 kg / 810 kg	40 - 70	40 - 70	24, 47	TÜV	968219
VW Polo, Typ 9N, incl. Facelift, Classic	9.01 >	960 kg / 840 kg	35 - 65	35 - 65	24	TÜV	968558
VW Polo GTI, Typ 9N	9.05 >	960 kg / 840 kg	20 - 40	20 - 40	24	TÜV	968730
VW Polo, Typ 6R	5.09 >	860 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968089
VW Polo, Typ 6R	5.09 >	960 kg / 820 kg	30 - 60	25 - 50	24	TÜV	968090
<b>Scirocco</b>							
VW Scirocco I, II, Typ 53, 53B	9.79 >	785 kg / 640 kg	40 - 70	40 - 70	24	TÜV	968371
VW Scirocco III, Typ 13, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1000 kg / 770 kg	20 - 55	20 - 55	43, 62	TÜV	968372
VW Scirocco III, Typ 13, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.08 >	1080 kg / 770 kg	20 - 55	20 - 55	43, 62	TÜV	968373
VW Scirocco III, Typ 13, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.08 >	1000 kg / 770 kg	20 - 55	20 - 55	43, 74	TÜV	968287
VW Scirocco III, Typ 13, 2WD, mit / with elektronischer Dämpferregelung / electronic dampers	9.08 >	1080 kg / 770 kg	20 - 55	20 - 55	43, 74	TÜV	968288
<b>Touran</b>							
VW Touran, Typ 1T, VA bis / up to 1060 kg	2.03 >	1060 kg / 1160 kg	35 - 70	35 - 70	24, 43	TÜV	968992
VW Touran, Typ 1T, VA über / more than 1060 kg	2.03 >	1200 kg / 1160 kg	35 - 70	35 - 70	24, 43	TÜV	968993
<b>Up!</b>							
VW Up!, Typ AA	12.11 >	680 kg / 640 kg	30 - 60	30 - 60	24	TÜV	968733



## FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>AUDI</b>							
<b>A3 / S3</b>							
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA bis / up to 1035 kg	5.03 >	1035 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967004
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA bis / up to 1035 kg	5.03 >	1035 kg / 1005 kg	35 - 65	35 - 65	15, 42, 75	TÜV	967006
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.03 >	1105 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967002
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.03 >	1105 kg / 1005 kg	35 - 65	35 - 65	15, 42, 75	TÜV	967005
Audi A3, Typ 8P, incl. Sportback, Federbein / strut 55 mm, VA über / more than 1106 kg	5.03 >	1170 kg / 1005 kg	35 - 65	35 - 65	15, 43, 75	TÜV	967003
Audi A3, Typ 8P, Cabrio, VA bis / up to 1105 kg	4.08 >	1105 kg / 1160 kg	25 - 55	25 - 55	43, 74	TÜV	967009
Audi A3, Typ 8P, Cabrio, VA über / more than 1105 kg	4.08 >	1170 kg / 1160 kg	25 - 55	25 - 55	43, 74	TÜV	967010
Audi A3, Typ 8P, Quattro, incl. Sportback, VA bis / up to 1105 kg	9.03 >	1105 kg / 1160 kg	30 - 50	30 - 50	43, 62	TÜV	967009
Audi A3, Typ 8P, Quattro, incl. Sportback, VA über / more than 1105 kg	9.03 >	1170 kg / 1160 kg	30 - 50	30 - 50	43, 62	TÜV	967010
Audi S3, Typ 8P	1.07 >	1130 kg / 1085 kg	10 - 40	10 - 40	43, 75	TÜV	967032
<b>BMW</b>							
<b>1er, F20 / F21</b>							
BMW 1 F20, F21, Typ 1K2, 1K4, 2WD, VA bis / up to 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	920 kg / 1230 kg	25 - 50	30 - 55	62	TÜV	967027
BMW 1 F20, F21, Typ 1K2, 1K4, 2WD, VA über / more than 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	25 - 50	30 - 55	62	TÜV	967028
BMW 1 F20, F21, Typ 1K2, 1K4, M135i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	9.11 >	1090 kg / 1230 kg	25 - 50	30 - 55	27, 62	TÜV	967028
<b>2er, F22 Coupé</b>							
BMW 2 F22, Typ 1C, 2WD, VA bis / up to 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	920 kg / 1230 kg	25 - 50	25 - 50	62	TÜV	967027
BMW 2 F22, Typ 1C, 2WD, VA über / more than 920 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	1090 kg / 1230 kg	25 - 50	25 - 50	62	TÜV	967028
BMW 2 F22, Typ 1C, M235i, 2WD, ohne / without elektronische Dämpferregelung / electronic dampers	2.14 >	1090 kg / 1230 kg	10 - 35	5 - 35	27, 62	TÜV	967028
<b>3er, F30</b>							
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	950 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967034
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	2.12 >	1090 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967035
<b>3er, F31 Touring</b>							
BMW 3 F31, Typ 3K, Touring, 2WD, VA bis / up to 913 kg, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	913 kg / 1265 kg	40 - 65	30 - 55	62	TÜV	967029
BMW 3 F31, Typ 3K, Touring, 2WD, VA über / more than 913 kg, ohne / without elektronische Dämpferregelung / electronic dampers	8.12 >	1020 kg / 1265 kg	40 - 65	30 - 55	62	TÜV	967030
<b>3er, F34 GT</b>							
BMW 3 F34 GT, Typ 3-V, Lim. / Sedan, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	950 kg / 1265 kg	30 - 55	15 - 40	62	TÜV	967029
BMW 3 F34 GT, Typ 3-V, Lim. / Sedan, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	5.13 >	1015 kg / 1265 kg	30 - 55	15 - 40	62	TÜV	967030
<b>4er, F32 Coupé</b>							
BMW 4 F32, Typ 3C, Coupé, 2WD, VA bis / up to 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.13 >	950 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967034
BMW 4 F32, Typ 3C, Coupé, 2WD, VA über / more than 950 kg, ohne / without elektronische Dämpferregelung / electronic dampers	10.13 >	1090 kg / 1230 kg	40 - 65	30 - 60	62	TÜV	967035
<b>4er, F33</b>							
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, VA bis / up to 960 kg, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	960 kg / 1265 kg	40 - 65	40 - 65	62	TÜV	967029
BMW 4 F33, Typ 3C, Cabrio / convertible, 2WD, VA über / more than 960 kg, ohne / without elektronische Dämpferregelung / electronic dampers	3.14 >	1025 kg / 1265 kg	40 - 65	40 - 65	62	TÜV	967030
<b>OPEL</b>							
<b>Astra</b>							
Opel Astra J, Typ P-J, Lim. / Sedan, excl. OPC, excl. FlexRide	11.08 >	1155 kg / 1000 kg	35 - 65	35 - 65	62	TÜV	967007
Opel Astra J, Typ P-J, Sports Tourer / station wagon, excl. FlexRide	10.10 >	1190 kg / 1100 kg	40 - 70	45 - 75	62	TÜV	967008
<b>SEAT</b>							
<b>Altea</b>							
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1035 kg	5.04 >	1035 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967011
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1035 kg	5.04 >	1035 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967018
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.04 >	1105 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967012
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	5.04 >	1105 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967019
Seat Altea, Typ 5P, Federbein / strut 55 mm, VA über / more than 1105 kg	5.04 >	1170 kg / 1085 kg	20 - 45	30 - 60	43	TÜV	967013
Seat Altea, Typ 5P, Federbein / strut 50 mm, VA über / more than 1105 kg	5.04 >	1170 kg / 1085 kg	20 - 45	30 - 60	42	TÜV	967020

## FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>SEAT</b>							
<b>Leon</b>							
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.05 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967024
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA bis / up to 1035 kg	9.05 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967021
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	9.05 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967025
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	9.05 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967022
Seat Leon, Typ 1P, Federbein / strut 55 mm, VA über / more than 1105 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 43	TÜV	967026
Seat Leon, Typ 1P, Federbein / strut 50 mm, VA über / more than 1105 kg	9.05 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42	TÜV	967023
Seat Leon Cupra, Cupra R, Typ 1P	2.07 >	1105 kg / 1000 kg	15 - 40	20 - 40	15, 43	TÜV	967031
<b>Toledo</b>							
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA bis / up to 1035 kg	10.04 >	1035 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967011
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA bis / up to 1035 kg	10.04 >	1035 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967018
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.04 >	1105 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967012
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.04 >	1105 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967019
Seat Toledo, Typ 5P, Federbein / strut 55 mm, VA über / more than 1105 kg	10.04 >	1170 kg / 985 kg	25 - 55	30 - 60	43	TÜV	967013
Seat Toledo, Typ 5P, Federbein / strut 50 mm, VA über / more than 1105 kg	10.04 >	1170 kg / 985 kg	25 - 55	30 - 60	42	TÜV	967020
<b>SKODA</b>							
<b>Octavia</b>							
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967011
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1035 kg	9.03 >	1035 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967018
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA bis / up to 1105 kg	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967012
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA bis / up to 1105 kg	9.03 >	1105 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967019
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 55 mm, VA über / more than 1105 kg	9.03 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967013
Skoda Octavia, Typ 1Z, Lim. / Sedan, Kombi, Federbein / strut 50 mm, VA über / more than 1105 kg	9.03 >	1160 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967020
Skoda Octavia RS, Typ 1Z, Lim. / Sedan, Kombi, VA bis / up to 1035 kg	12.05 >	1035 kg / 1150 kg	20 - 50	30 - 60	15, 43	TÜV	967011
Skoda Octavia RS, Typ 1Z, Lim. / Sedan, Kombi, VA bis / up to 1105 kg	12.05 >	1105 kg / 1151 kg	20 - 50	30 - 60	15, 43	TÜV	967012
<b>VW</b>							
<b>Golf VI / Golf VI Plus</b>							
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA bis / up to 1035 kg	10.08 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967024
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA bis / up to 1035 kg	10.08 >	1035 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967021
VW Golf VI, Typ 1K, Federbein / strut 55 mm, VA bis / up to 1105 kg	10.08 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967025
VW Golf VI, Typ 1K, Federbein / strut 50 mm, VA über / more than 1035 kg, bis / up to 1105 kg	10.08 >	1105 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967022
VW Golf VI, Typ 1K, 1KP, Federbein / strut 55 mm, VA über / more than 1105 kg	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 43, 74	TÜV	967026
VW Golf VI, Typ 1K, 1KP, Federbein / strut 50 mm, VA über / more than 1105 kg	10.08 >	1170 kg / 1000 kg	35 - 65	35 - 65	15, 42, 74	TÜV	967023
VW Golf VI GTI, Typ 1K	10.08 >	1105 kg / 1000 kg	10 - 40	15 - 40	15, 43, 74	TÜV	967031
VW Golf VI R, Typ 1K	10.09 >	1110 kg / 1150 kg	5 - 35	5 - 35	43, 74	TÜV	967033
VW Golf VI Variant, Typ 1KM, Federbein / strut 55 mm, VA bis / up to 1005 kg	5.09 >	1005 kg / 1150 kg	25 - 55	25 - 55	15, 43	TÜV	967004
VW Golf VI Variant, Typ 1KM, Federbein / strut 50 mm, VA bis / up to 1005 kg	5.09 >	1005 kg / 1150 kg	25 - 55	25 - 55	15, 42	TÜV	967006
VW Golf VI Variant, Typ 1KM, Federbein / strut 55 mm, VA über / more than 1005 kg	5.09 >	1100 kg / 1150 kg	25 - 55	25 - 55	15, 43	TÜV	967002
VW Golf VI Variant, Typ 1KM, Federbein / strut 50 mm, VA über / more than 1005 kg	5.09 >	1100 kg / 1150 kg	25 - 55	25 - 55	15, 42	TÜV	967005
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm, VA bis / up to 1015 kg	6.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	43, 74	TÜV	967011
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm, VA bis / up to 1015 kg	6.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	42, 74	TÜV	967018
VW Golf VI Cabrio, Typ 1K, Federbein / strut 55 mm, VA über / more than 1015 kg	6.11 >	1090 kg / 1150 kg	35 - 65	35 - 65	43, 74	TÜV	967012
VW Golf VI Cabrio, Typ 1K, Federbein / strut 50 mm, VA über / more than 1015 kg	6.11 >	1090 kg / 1150 kg	35 - 65	35 - 65	42, 74	TÜV	967019
VW Golf VI, Typ 1K, 1KM, 4Motion, VA bis / up to 1105 kg	10.08 >	1105 kg / 1150 kg	35 - 65	30 - 60	43	TÜV	967002
VW Golf VI, Typ 1K, 1KM, 4Motion, VA über / more than 1105 kg	10.08 >	1120 kg / 1150 kg	35 - 65	30 - 60	43	TÜV	967003
<b>Golf VII</b>							
VW Golf VII, Typ AU, 2WD, 1.4 TSI 90 kW, 103 kW, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm	11.12 >	965 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967036
VW Golf VII, Typ AU, 2WD, 2.0 TDI, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967037
VW Golf VII, Typ AU, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA über / more than 965 kg	11.12 >	1080 kg / 980 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967038
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50mm, VA bis / up to 965 kg	11.12 >	965 kg / 980 kg	35 - 65	40 - 65	42, 62, 71	TÜV	967036



## FORCE ADJUSTABLE COIL OVER KITS

Car type	Year	Front/rear axle load	Drop front	Drop rear	Notes	TÜV	Part No.
<b>VW</b>							
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50mm, VA über / more than 965 kg	11.12 >	1080 kg / 980 kg	35 - 65	40 - 65	42, 62, 71	TÜV	967037
VW Golf VII, Typ AU, 4Motion, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55mm	11.12 >	1080 kg / 980 kg	35 - 65	40 - 65	43, 62, 71	TÜV	967038
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm, VA bis / up to 965 kg	7.13 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967043
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 50 mm, VA über / more than 965 kg	7.13 >	1080 kg / 980 kg	35 - 65	35 - 65	42, 62, 71	TÜV	967044
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA bis / up to 965 kg	7.13 >	965 kg / 1050 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967041
VW Golf VII Variant, Typ AUV, 2WD, nur / only Mehrlenker-HA / multi link rear axle, Federbein / strut 55 mm, VA über / more than 965 kg	7.13 >	1090 kg / 1050 kg	35 - 65	35 - 65	43, 62, 71	TÜV	967042
<b>Golf VII GTI / GTD / R</b>							
VW Golf VII GTI, GTD, Typ AU	5.13 >	965 kg / 1050 kg	25 - 55	20 - 45	43, 62	TÜV	967039
VW Golf VII R, Typ AU	11.13 >	1090 kg / 1050 kg	10 - 40	20 - 45	43, 62	TÜV	967039
<b>Jetta</b>							
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA bis / up to 1015 kg	1.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967011
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA bis / up to 1015 kg	1.11 >	1015 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967018
VW Jetta VI, Typ 16, Federbein / strut 55 mm, VA über / more than 1015 kg	1.11 >	1060 kg / 1150 kg	35 - 65	35 - 65	15, 43	TÜV	967012
VW Jetta VI, Typ 16, Federbein / strut 50 mm, VA über / more than 1015 kg	1.11 >	1060 kg / 1150 kg	35 - 65	35 - 65	15, 42	TÜV	967019
<b>Passat</b>							
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA bis / up to 1105 kg	3.05 >	1105 kg / 1230 kg	35 - 65	35 - 65	43, 62	TÜV	967014
VW Passat, Typ 3C, 2WD, 4WD, Lim. / Sedan, VA über / more than 1105 kg	3.05 >	1180 kg / 1230 kg	35 - 65	35 - 65	43, 62	TÜV	967015
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA bis / up to 1105 kg	8.05 >	1105 kg / 1220 kg	35 - 65	35 - 65	43, 62	TÜV	967016
VW Passat, Typ 3C, 2WD, 4WD, Variant, VA über / more than 1105 kg	8.05 >	1180 kg / 1220 kg	35 - 65	35 - 65	43, 62	TÜV	967017
VW Passat CC, Typ 3CC, 2WD, 4WD, VA bis / up to 1110 kg	6.08 >	1110 kg / 1030 kg	10 - 50	15 - 45	43, 62	TÜV	967014
VW Passat CC, Typ 3CC, 2WD, 4WD, VA über / more than 1110 kg	6.08 >	1170 kg / 1030 kg	10 - 50	15 - 45	43, 62	TÜV	967015
VW Passat R36 4Motion, Typ 3C, Lim. / Sedan	4.07 >	1180 kg / 1230 kg	15 - 45	15 - 45	62	TÜV	967015
VW Passat R36 4Motion, Typ 3C, Variant	4.07 >	1180 kg / 1230 kg	15 - 45	15 - 45	62	TÜV	967017
<b>Touran</b>							
VW Touran, Typ 1T, VA bis / up to 1060 kg	2.03 >	1060 kg / 1170 kg	35 - 65	35 - 70	43, 62	TÜV	967009
VW Touran, Typ 1T, VA über / more than 1060 kg	2.03 >	1200 kg / 1170 kg	35 - 65	35 - 70	43, 62	TÜV	967010
VW Cross Touran, Typ 1T, VA bis / up to 1060 kg	11.06 >	1060 kg / 1160 kg	35 - 65	35 - 70	43, 62	TÜV	967016
VW Cross Touran, Typ 1T, VA über / more than 1060 kg	11.06 >	1200 kg / 1160 kg	35 - 65	35 - 70	43, 62	TÜV	967017

## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>ALFA ROMEO</b>						
<b>147</b>						
Alfa Romeo 147, Typ 937, ohne / without Diesel	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	960257
Alfa Romeo 147, Typ 937, 1.9 JTD	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	960275
<b>156</b>						
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 4 cyl., 1.6 - 2.0, 1.9 JTD	10.97 >		40	1, 7, 15, 21	TÜV	960258
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 5 cyl. + 6 cyl., 2.5 V6, 2.4 JTD, 3.2 GTA	10.97 >		40	1, 7, 15, 21	TÜV	960259
<b>Giulietta</b>						
Alfa Romeo Giulietta, Typ 940	7.10 >	1100 kg / 890 kg	30	1, 21		960369
<b>MiTo</b>						
Alfa Romeo MiTo, Typ 955, 1.4, 1.4 TB, VA bis / up to 850 kg	8.08 >	850 kg / 850 kg	25	1, 21	TÜV	960390
Alfa Romeo MiTo, Typ 955, Diesel, VA über / more than 850 kg	8.08 >	1000 kg / 850 kg	25	1, 21	TÜV	960391
<b>AUDI</b>						
<b>80 / 90</b>						
Audi 80, 90, Typ 89 (B3), Lim. / Sedan, Coupé, 4 cyl., 50 - 83 kW, ohne / without Diesel	9.86 > 8.91	880 kg / 830 kg	40	1, 15, 18, 21	TÜV	960002
Audi 80, 90, Typ 89 (B3), Lim. / Sedan, Coupé, 5 cyl. + 6 cyl., 37 - 128 kW, Diesel	9.86 > 8.91	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	960003
Audi 80, Typ 8C (B4), Lim. / Sedan, 4 cyl., ohne / without Diesel	9.91 > 10.94	1000 kg / 900 kg	35	1, 15, 18, 21	TÜV	960303
Audi 80, Typ 8C (B4), Lim. / Sedan, 5 cyl. + 6 cyl., Diesel	9.91 > 10.94	1050 kg / 990 kg	35	1, 15, 18, 21	TÜV	960304
Audi 80, Typ 8C (B4), Avant, 4 cyl. + 5 cyl., ohne / without Diesel	10.92 > 12.95	1000 kg / 1030 kg	35	1, 15, 18, 21	TÜV	960305
Audi 80, Typ 8C (B4), Avant, 6 cyl., Diesel	10.92 > 12.95	1080 kg / 1030 kg	35	1, 15, 18, 21	TÜV	960306
<b>A3</b>						
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	915 kg / ---	35	1, 15, 21, 23	TÜV	960005
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	910 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960245
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / ---	35	1, 15, 21, 23	TÜV	960111
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960248
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1125 kg	35	1, 15, 21, 42	TÜV	960276
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1125 kg	35	1, 15, 21, 43	TÜV	960277
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1155 kg / 1125 kg	35	1, 15, 21, 42	TÜV	960278
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1155 kg / 1125 kg	35	1, 15, 21, 43	TÜV	960279
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1020 kg	50/30	1, 15, 21, 42	TÜV	960280
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1020 kg	50/30	1, 15, 21, 43	TÜV	960281
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1130 kg / 1020 kg	50/30	1, 15, 21, 42	TÜV	960282
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1130 kg / 1020 kg	50/30	1, 15, 21, 43	TÜV	960283
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.03 >	1020 kg / 1020 kg	50	1, 15, 21, 42	TÜV	960284
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.03 >	1020 kg / 1020 kg	50	1, 15, 21, 43	TÜV	960285
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.03 >	1130 kg / 1020 kg	50	1, 15, 21, 42	TÜV	960286
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.03 >	1130 kg / 1020 kg	50	1, 15, 21, 43	TÜV	960287
<b>A4</b>						
Audi A4, Typ 8D (B5), Lim. / Sedan, 4 cyl., ohne / without Diesel, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1020 kg / 1000 kg	35	1, 15, 21, 45	TÜV	960110
Audi A4, Typ 8D (B5), Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 1120 kg, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1120 kg / 1020 kg	40	1, 15, 21, 45	TÜV	960004
Audi A4, Typ 8D (B5), Avant, 4 cyl., ohne / without Diesel, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1020 kg / 1000 kg	35	1, 7, 15, 21, 45	TÜV	960006
Audi A4, Typ 8D (B5), Avant, 6 cyl., Diesel, VA bis / up to 1120 kg, bis Fgst.-Nr. / up to VIN 8DX199999	11.94 > 98	1120 kg / 1020 kg	40	1, 7, 15, 21, 45	TÜV	960007
Audi A4, Typ 8E (B6/7) Lim. / Sedan, 1.8 T, 2.0, VA bis / up to 1065 kg	11.00 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960008
Audi A4, Typ 8E (B6/7) Lim. / Sedan, 3.0, 1.9 TDI, VA über / more than 1065 kg	11.00 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Audi A4, Typ 8E (B6/7) Avant, 1.8 T, 2.0, VA bis / up to 1065 kg	10.01 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960000
Audi A4, Typ 8E (B6/7) Avant, 3.0, 1.9 TDI, VA über / more than 1065 kg	10.01 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Audi A4, Typ 8E (B6/7) Lim. / Sedan, Quattro, 1.8 T, 1.9 TDI	11.00 >	1145 kg / 1150 kg	35	1, 7, 21	TÜV	960011
Audi A4, Typ 8E (B6/7) Lim. / Sedan, Quattro, 3.0, 2.5 TDI	11.00 >	1230 kg / 1150 kg	35	1, 7, 21	TÜV	960010
Audi A4, Typ 8E (B6/7) Avant, Quattro, 1.8 T, 1.9 TDI	10.01 >	1145 kg / 1150 kg	35	1, 7, 21, 22	TÜV	960011
Audi A4, Typ 8E (B6/7) Avant, Quattro, 3.0, 2.5 TDI	10.01 >	1230 kg / 1150 kg	35	1, 7, 21, 22	TÜV	960010
Audi A4, Typ 8H, Cabrio, 2.4, 3.0	4.02 > 2.09	1230 kg / 1100 kg	25	1, 21	TÜV	960307
Audi A4, Typ 8K (B8) Lim. / Sedan, 2WD	10.07 >	1180 kg / 1160 kg	35	1, 15, 18, 21	TÜV	960370
Audi A4, Typ 8K (B8) Avant, 2WD	4.08 >	1180 kg / 1235 kg	35	1, 15, 18, 21	TÜV	960371
<b>A5</b>						
Audi A5, Typ 8K (B8), Lim. / Sedan, 2WD	6.07 >	1180 kg / 1160 kg	30/20	1, 15, 18, 21	TÜV	960372
Audi A5, Typ 8K (B8), Lim. / Sedan, Quattro	6.07 >	1180 kg / 1235 kg	30/20	1, 21	TÜV	960373
<b>A6</b>						
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	4.97 > 4.00	1115 kg / 1190 kg	40	1, 12, 15, 18, 21, 48	TÜV	960319
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	4.97 > 4.00	1245 kg / 1190 kg	40	1, 12, 15, 18, 21, 48	TÜV	960321
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	3.98 > 4.00	1115 kg / 1100 kg	40	1, 15, 18, 21, 48	TÜV	960324
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	3.98 > 4.00	1230 kg / 1100 kg	40	1, 15, 18, 21, 48	TÜV	960327
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	5.00 > 5.04	1115 kg / 1190 kg	40	1, 15, 21, 28, 49	TÜV	960124
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	5.00 > 5.04	1245 kg / 1190 kg	40	1, 15, 21, 28, 49	TÜV	960125
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	5.00 > 5.04	1115 kg / 1100 kg	40	1, 15, 18, 21, 49	TÜV	960126
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	5.00 > 5.04	1230 kg / 1100 kg	40	1, 15, 18, 21, 49	TÜV	960127



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>AUDI</b>						
<b>TT</b>						
Audi TT, Typ 8N, FWD, 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	35	1, 15, 21	TÜV	960433
Audi TT, Typ 8N, FWD, Roadster 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	30	1, 15, 21	TÜV	960433
Audi TT, Typ 8J, Coupé, 2WD, VA bis / up to 1060 kg	4.06 >	1060 kg / 885 kg	30	1, 15, 21	TÜV	960374
Audi TT, Typ 8J, Roadster, TTS, Quattro, VA bis / up to 1060 kg	1.07 >	1060 kg / 885 kg	30	1, 21	TÜV	960375
<b>BMW</b>						
<b>1er, E82</b>						
BMW 1 E82, Typ 182, 1C, Coupé	9.04 > 6.12	960 kg / 1120 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960545
<b>1er, E87</b>						
BMW 1 E87, Typ 187, 116i, 118i, 120i, 125i, 130i, 135i, 116d, 118d, 120d, 123d	9.04 > 6.12	960 kg / 1120 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960545
<b>3er, E36 Lim.</b>						
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS, 318TDS	6.92 > 4.98	870 kg / 1045 kg	40/20	1, 2, 6, 15, 21	TÜV	960038
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS	6.92 > 4.98	825 kg / 1045 kg	50/30	1, 2, 15, 17, 21	TÜV	960078
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	40/25	1, 2, 6, 15, 21	TÜV	960039
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	50/30	1, 2, 15, 17, 21	TÜV	960079
BMW 3 E36, Typ 3B/C, 6 cyl., 323i, 325i, 328i	6.92 > 98		40	1, 21		960041
<b>3er, E36 Touring</b>						
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne / without Diesel	5.95 > 8.99	850 kg / 1150 kg	35	1, 21	TÜV	960046
BMW 3 E36, Typ 3/C, Touring, 6 cyl., Diesel	5.95 > 8.99	970 kg / 1150 kg	35	1, 21	TÜV	960047
<b>3er, E36 Compact</b>						
BMW 3 E36, Typ 3C, Compact, 316i, 318i, 318ti, ohne / without Diesel	4.94 > 6.01	850 kg / 1040 kg	35	1, 6, 18, 21	TÜV	960042
BMW 3 E36, Typ 3C, 3/C, 3CG, Compact, 318 TDS, 323ti	5.95 > 6.01	870kg / 1040 kg	35	1, 18, 21	TÜV	960048
<b>3er, E46 Lim.</b>						
BMW 3 E46, Lim. / Sedan, 4 cyl., ohne / without Diesel	4.98 >	970 kg / 1215 kg	35	1, 15, 21	TÜV	960040
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg	4.98 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960045
BMW 3 E46, Lim. / Sedan, 4 cyl., ohne / without Diesel	4.98 >	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	960080
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg	4.98 >	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	960081
<b>3er, E46 Coupé</b>						
BMW 3 E46, nur / only Coupé, 4 cyl., ohne / without Diesel	5.99 >	970 kg / 1215 kg	25	1, 15, 21	TÜV	960040
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 965 kg	5.99 >	970 kg / 1215 kg	25	1, 15, 21	TÜV	960045
BMW 3 E46, nur / only Coupé, 4 cyl., ohne / without Diesel	5.99 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960080
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 965 kg	5.99 >	970 kg / 1215 kg	40	1, 15, 21	TÜV	960081
<b>3er, E46 Cabrio</b>						
BMW 3 E46, Cabrio, 4 cyl., 318ci, VA bis / up to 860 kg	1.01 >	860 kg / 1190 kg	35	1, 21	TÜV	960036
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci	4.01 >	1000 kg / 1190 kg	40	1, 21	TÜV	960037
<b>3er, E46 Touring</b>						
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, VA bis / up to 860 kg	9.99 >	860 kg / 1190 kg	40	1, 21	TÜV	960043
BMW 3 E46, Touring, 6 cyl., Diesel	9.99 >	1000 kg / 1190 kg	40	1, 21	TÜV	960044
<b>3er, E46 Compact</b>						
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti	6.01 >	865 kg / 1040 kg	40/25	1, 2, 18, 21	TÜV	960034
BMW 3 E46, Compact, 6 cyl., 320d, 325ti	6.01 >	935 kg / 1040 kg	40	1, 18, 21	TÜV	960035
<b>3er, E90 Lim.</b>						
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d	4.05 > 1.12	1020 kg / 1200 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960522
<b>3er, E92 Coupé</b>						
BMW 3 E92, Typ 392C, Coupé	9.06 > 5.10	1020 kg / 1200 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960523
<b>3er, E91 Touring</b>						
BMW 3 E91, Typ 392L, Touring	9.05 > 4.12	1020 kg / 1315 kg	40/25	1, 7, 15, 18, 21	TÜV	960546
<b>3er, E93 Cabrio</b>						
BMW 3 E93, Typ 392C, Cabrio	3.07 >	1020 kg / 1315 kg	40/25	1, 7, 12, 15, 18, 21	TÜV	960546
<b>5er, E39</b>						
BMW 5 E39, Lim. / Sedan, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 6.03		30	1, 7, 21	TÜV	960260
<b>5er, E60 / E61</b>						
BMW 5 E60, Typ 560L, Lim. / Sedan, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	6.03 > 5.10	1000 kg / 1400 kg	40/25	1, 15, 21	TÜV	960352
BMW 5 E60, Typ 560L, Lim. / Sedan, 545i, 530d, 535d, VA über / more than 1000 kg	6.03 > 5.10	1070 kg / 1400 kg	40/25	1, 15, 21	TÜV	960353
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	40/25	1, 7, 15, 21	TÜV	960354
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	40/25	1, 7, 15, 21	TÜV	960355
<b>5er, F10</b>						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD, 4WD	1.10 >	1195 kg / 1310 kg	30	1, 15, 21	TÜV	960379
<b>X5</b>						
BMW X5 E53, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.00 > 12.06		35	1, 7, 21		960380
<b>Z4</b>						
BMW Z4, Typ Z85, Roadster	12.02 > 3.09	790 kg / 890 kg	30	1, 21	TÜV	960358
<b>CHEVROLET</b>						
<b>Cruze</b>						
Chevrolet Cruze, Typ KL1J	5.09 >	1220 kg / 1000 kg	30	1, 21	TÜV	960381
<b>CITROEN</b>						
<b>C2</b>						
Citroen C2, Typ J*HFX, J*KFV, J*NFU, J*8HX, J*NFS, J*8HZ, J*KFU	9.03 >	820 kg / 710 kg	35	1, 21	TÜV	960382



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>CITROEN</b>						
<b>C3 / Pluriel</b>						
Citroen C3, Typ F*8HY, F*8HX, F*NFU, F*KFV, F*HFX	4.02 >		30	1, 21	TÜV	960383
Citroen C3 Pluriel, Typ H	4.03 >		30	1, 21	TÜV	960383
<b>C4</b>						
Citroen C4, Typ L, Lim. / Sedan	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	960599
Citroen C4, Typ L, Coupé	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	960261
Citroen C4, Typ N	11.10 >	1050 kg / 900 kg	30	1, 18, 21		960597
<b>DS3</b>						
Citroen DS3, Typ S****, Federbein / strut 47 mm	3.10 >	920 kg / 790 kg	30	1, 21, 79	TÜV	960385
Citroen DS3, Typ S****, Federbein / strut 51 mm	3.10 >	920 kg / 790 kg	30	1, 21, 80	TÜV	960589
<b>Saxo</b>						
Citroen Saxo, Typ S, 1.0, 1.1	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960108
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960028
Citroen Saxo, Typ S, 1.4 Automatik, 1.5 Diesel, 1.6 16V	4.96 >	785 kg / 730 kg	35	1, 19, 21	TÜV	960029
<b>Xsara</b>						
Citroen Xsara, incl. Coupé	8.97 >		35	1, 19, 21		960030
<b>ZX</b>						
Citroen ZX, 1.0, 1.4, 1.6, ohne / without Diesel	9.91 > 6.97		30	1, 19, 21		960026
<b>DACIA</b>						
<b>Logan</b>						
Dacia Logan, Typ SD, 1.4, 1.6, incl. Diesel	5.05 >	850 kg / 880 kg	35	1, 21	TÜV	960184
Dacia Logan Kombi, Typ SD, 1.4, 1.6, incl. Diesel	1.06 >	930 kg / 1080 kg	35	1, 21	TÜV	960185
<b>FIAT</b>						
<b>500</b>						
Fiat 500, Typ 312, 1.2	10.07 >	770 kg / ---	25/35	1, 21	TÜV	960386
Fiat 500, Typ 312, 1.4, incl. Diesel	10.07 >	830 kg / 640 kg	25/35	1, 21	TÜV	960387
<b>Croma</b>						
Fiat Croma, Typ 194, 1.6, 2.0, 2.4 JTD, 2.5D	6.05 > 12.10	1045 kg / 1030 kg	35	1, 21	TÜV	960388
Fiat Croma, Typ 194, 2.5TD, 2.5 V6, 2.2	6.05 > 12.10	1150 kg / 1030 kg	35	1, 21	TÜV	960389
<b>Cinquecento</b>						
Fiat Cinquecento, Typ 170, ohne / without Sporting	10.92 > 3.98	610 kg / 630 kg	35	1, 18, 21	TÜV	960262
<b>Punto</b>						
Fiat Punto, Typ 176, 176C, incl. Cabrio	9.93 > 99	850 kg / 700 kg	35	1, 6, 21	TÜV	960088
Fiat Punto, Typ 188, 1.2 16V, 1.2 8V	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960091
Fiat Punto, Typ 188, 1.8, HGT	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960089
Fiat Punto, Typ 188, Diesel	8.99 >	900 kg / 750 kg	35	1, 21	TÜV	960090
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	35	1, 21	TÜV	960392
Fiat Grande Punto, Typ 199, Evo, 1.3 Diesel, 1.6 Diesel, 1.9 Diesel, Abarth, VA über / more than 850 kg	10.05 >	1000 kg / 950 kg	35	1, 21	TÜV	960393
<b>Seicento</b>						
Fiat Seicento, Typ 187, ohne / without Sporting	3.98 >	610 kg / 630 kg	35	1, 18, 21	TÜV	960263
<b>Stilo</b>						
Fiat Stilo, Typ 192, VA bis / up to 1030 kg, Befestigungslochabstand / mounting hole distance 58 mm	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	960140
Fiat Stilo, Typ 192, VA bis / up to 1030 kg, Befestigungslochabstand / mounting hole distance 72 mm	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	960096
<b>FORD</b>						
<b>Fiesta</b>						
Ford Fiesta, Typ JH1, JD3, VA bis / up to 790 kg	12.01 > 9.08	790 kg / 800 kg	30	1, 21	TÜV	963005
Ford Fiesta, Typ JH1, JD3, VA über / more than 790 kg	12.01 > 9.08	850 kg / 800 kg	30	1, 21	TÜV	963006
<b>Focus</b>						
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.4, 1.6	10.98 > 10.04	840 kg / 880 kg	40	1, 21	TÜV	960086
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.8, 2.0, Diesel	10.98 > 10.04	965 kg / 880 kg	40	1, 21	TÜV	960087
Ford Focus, Typ DNW, Turnier, 1.4, 1.6	1.99 > 12.04	840 kg / 1010 kg	40	1, 21	TÜV	963003
Ford Focus, Typ DNW, Turnier, 1.8, 2.0, Diesel	1.99 > 12.04	960 kg / 1010 kg	40	1, 21	TÜV	963004
Ford Focus, Typ DA3, DB3, Lim. / Sedan, VA bis / up to 985 kg	11.04 >	985 kg / 1090 kg	35	1, 21	TÜV	960308
Ford Focus, Typ DA3, DB3, Lim. / Sedan, VA über / more than 985 kg	11.04 >	1090 kg / 1090 kg	35	1, 21	TÜV	960309
Ford Focus, Typ DA3, DB3, Turnier, VA bis / up to 985 kg	1.05 >	985 kg / 1090 kg	35	1, 21	TÜV	960540
Ford Focus, Typ DA3, DB3, Turnier, VA über / more than 985 kg	1.05 >	1090 kg / 1090 kg	35	1, 21	TÜV	960542
<b>Galaxy</b>						
Ford Galaxy, Typ WGR	9.95 > 2.06	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
Ford Galaxy, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 7, 15, 21	TÜV	960396
<b>Mondeo</b>						
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1005 kg / 1055 kg	35	1, 7, 18, 21	TÜV	960359
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1100 kg / 1055 kg	40	1, 7, 18, 21	TÜV	960360



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>FORD</b>						
Ford Mondeo, Typ BWY, Turnier, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1005 kg / 1150 kg	35/25	1, 7, 18, 21	TÜV	960361
Ford Mondeo, Typ BWY, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1130 kg / 1150 kg	40/30	1, 7, 18, 21	TÜV	960362
Ford Mondeo, Typ BA7, Lim. / Sedan	4.07 >	1060 kg / ---	30	1, 7, 21, 62	TÜV	960397
Ford Mondeo, Typ BA7, Lim. / Sedan, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1100 kg	30	1, 7, 21, 62	TÜV	960398
Ford Mondeo, Typ BA7, Turnier	4.07 >	1060 kg / ---	30	1, 7, 21, 62	TÜV	960399
Ford Mondeo, Typ BA7, Turnier, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1185 kg	30	1, 7, 21, 62	TÜV	960400
<b>Mustang</b>						
Ford Mustang, S197, V6, bis einschl. Modelljahr 2009 / kit incl. shock absorbers up to model year 2009	05 >	1000 kg / 1100 kg	30	1, 21, 73	TÜV	960548
Ford Mustang, S197, GT V8, bis einschl. Modelljahr 2009 / kit incl. shock absorbers up to model year 2009	05 >	1134 kg / 1100 kg	30	1, 21, 73	TÜV	960549
<b>S-Max</b>						
Ford S-Max, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 15, 21	TÜV	960396
<b>HONDA</b>						
<b>Civic</b>						
Honda Civic, Typ, EG3 - 6, 8, 9, EH9, CRX/ V-Tec, Coupé ab / from 1.94, E1, 2, 6, 9, HA Stift-Auge-Befestigung / rear stem-eyering mounting, (nicht / not EU)	11.91 > 10.95		30	1, 21	TÜV	960251
Honda Civic, Typ EJ6, 8, 9, EK 1, 3, 4, bis / up to 118 kW	11.95 > 6.01		35	1, 21, 38	TÜV	960446
<b>Jazz / Fit</b>						
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	3.02 > 3.05	800 kg / 730 kg	40	1, 21	TÜV	960588
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	4.05 > 7.08	800 kg / 730 kg	40	1, 21	TÜV	960550
<b>HYUNDAI</b>						
<b>Coupé</b>						
Hyundai Coupé, Typ RD	9.96 > 3.02	895 kg / 770 kg	35	1, 21	TÜV	960551
Hyundai Coupé, Typ GK	3.02 >	1015kg / 880 kg	35	1, 21	TÜV	960552
<b>Getz</b>						
Hyundai Getz, Typ TB	5.03 >	900 kg / 830 kg	30	1, 21		960581
<b>i20</b>						
Hyundai i20, Typ PBT	1.09 > 6.12	920 kg / 840 kg	30	1, 21		960598
<b>KIA</b>						
<b>Cee'd</b>						
Kia Cee'd, Typ ED, Pro Cee'd	1.07 > 09	1090 kg / 940 kg	35	1, 21	TÜV	960553
<b>MAZDA</b>						
<b>6</b>						
Mazda 6, Typ GG/GY, GG1, Lim. / Sedan, Schrägheck / Hatchback	6.02 > 8.07	1095 kg / 1065 kg	40/25	1, 2, 15, 21	TÜV	960554
Mazda 6, Typ GG/GY, GG1, Break	9.02 > 8.07		40/25	1, 15, 21	TÜV	960555
<b>MX-5 (Miata)</b>						
Mazda MX-5, Typ NB, bis / up to 107 kW	4.98 >	645 kg / 665 kg	35	1, 21	TÜV	966800
<b>MCC / SMART</b>						
<b>Smart</b>						
Smart Typ 452, Coupé, Roadster	4.03 >	465 kg / 610 kg	35/45	1, 21	TÜV	960186
<b>MERCEDES BENZ</b>						
<b>W168/169</b>						
MB A-Klasse, Typ 168, A140, A160, A160CDI, A170CDI	9.97 > 9.04	805 kg / 850 kg	25	1, 21	TÜV	960532
MB A-Klasse, Typ 169, A150, A160CDI, A170, A180CDI, A200, A200CDI, A200Turbo	9.04 > 8.12	980 kg / 900 kg	35	1, 21	TÜV	960533
<b>R170</b>						
MB SLK, Typ R170, 200 + 230 Kompressor, VA bis / up to 845 kg	9.96 > 3.04	950 kg / 850 kg	35	1, 4, 21	TÜV	960141
<b>W202</b>						
MB C-Klasse, Typ W202, Lim. / Sedan, 4 cyl., ohne / without Sportline, ohne / without Diesel	6.93 > 12.95	900 kg / 1110 kg	40/25	1, 2, 4, 7, 21	TÜV	960083
MB C-Klasse, Typ W202, Lim. / Sedan, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	6.93 > 12.95	970 kg / 1110 kg	40	1, 4, 7, 21	TÜV	960082
MB C-Klasse, Typ W202, Lim. / Sedan, T-Modell, 4 cyl., Kompressor, VA bis / up to 920 kg	1.96 > 6.00	920 kg / 1150 kg	40/25	1, 2, 4, 7, 21	TÜV	960084
MB C-Klasse, Typ W202, Lim. / Sedan, T-Modell, 5 cyl. + 6 cyl., VA bis / up to 970 kg	1.96 > 6.00	970 kg / 1150 kg	35	1, 4, 7, 21	TÜV	960085
<b>W203</b>						
MB C-Klasse, Typ W203, Lim. / Sedan, 4 cyl., ohne / without Diesel	6.00 >	1065 kg / 1090 kg	30	1, 4, 7, 15, 18, 21	TÜV	960142
MB C-Klasse, Typ W203, Lim. / Sedan, 6 cyl., Diesel	6.00 > 2.11	1065 kg / 1090 kg	30	1, 4, 7, 15, 18, 21	TÜV	960143
MB C-Klasse, Typ W203, T-Modell, 4 cyl., ohne / without Diesel	3.01 >	1065 kg / 1190 kg	35	1, 4, 7, 15, 18, 21	TÜV	960144
MB C-Klasse, Typ W203, T-Modell, 6 cyl., Diesel	3.01 >	1065 kg / 1190 kg	35	1, 4, 7, 15, 18, 21	TÜV	960145
<b>W204</b>						
MB C-Klasse, Typ W204, Lim. / Sedan, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	3.07 >	1000 kg / 1185 kg	25	1, 15, 18, 21	TÜV	960526
MB C-Klasse, Typ W204, Lim. / Sedan, C220CDI, C350, C320CDI, VA über / more than 1000 kg	3.07 >	1090 kg / 1185 kg	25	1, 15, 18, 21	TÜV	960527
<b>W207</b>						
MB E-Klasse, Typ W207, Coupé, 2WD, VA bis / up to 1000 kg	5.09 >	1000 kg / 1185 kg	20	1, 15, 18, 21	TÜV	960556
MB E-Klasse, Typ W207, Coupé 2WD, E 220/250/350 CDI, E 200/300/350, E 250/350 CGI, VA über / more than 1000 kg	5.09 >	1090 kg / 1185 kg	20	1, 15, 18, 21	TÜV	960557
<b>W208</b>						
MB CLK, Typ W208, 4 cyl., VA bis / up to 960 kg	6.97 > 3.02	960 kg / 1070 kg	35	1, 4, 21	TÜV	969452

## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>MERCEDES BENZ</b>						
MB CLK, Typ W208, 6 cyl., VA bis / up to 1010 kg	6.97 > 3.02	1010 kg / 1070 kg	35	1, 4, 21	TÜV	969453
<b>W209</b>						
MB CLK, W209, 4 cyl., ohne / without Diesel	3.02 >	1065 kg / 1090 kg	35	1, 4, 18, 21	TÜV	960558
MB CLK, W209, 6 cyl., incl. Diesel	3.02 >	1065 kg / 1090 kg	35	1, 4, 18, 21	TÜV	960559
MB CLK, W209, 8 cyl., VA bis / up to 1090 kg	3.02 >	1090 kg / 1195 kg	35	1, 4, 18, 21	TÜV	960560
<b>W210</b>						
MB E-Klasse, Typ W210, Lim. / Sedan, 4 cyl., bis / up to 110 kW, Diesel 70 - 83 kW	6.95 > 5.02	980 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	969447
MB E-Klasse, Typ W210, Lim. / Sedan, 5 cyl., 6 cyl., 8 cyl., bis / up to 162 kW, Diesel 84 - 100 kW	6.95 > 5.02	1025 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	969446
<b>W212</b>						
MB E-Klasse, Typ W212, Lim. / Sedan, VA bis / up to 1000 kg	3.09 >	1000 kg / 1240 kg	40	1, 7, 15, 18, 21	TÜV	960561
MB E-Klasse, Typ W212, Lim. / Sedan, VA über / more than 1000 kg	3.09 >	1195 kg / 1240 kg	40	1, 7, 15, 18, 21	TÜV	960562
<b>MINI</b>						
<b>Mini</b>						
Mini, Typ R50, incl. Cabrio, incl. S	3.02 > 12.06	890 kg / 800 kg	30	1, 21	TÜV	960134
Mini, Typ N, Cooper, Cooper S	11.06 >	905 kg / 810 kg	30	1, 21	TÜV	960528
<b>NISSAN</b>						
<b>Micra</b>						
Nissan Micra, Typ K12	2.03 > 12.10	860 kg / 780 kg	30	1, 21	TÜV	960563
<b>OPEL</b>						
<b>Astra</b>						
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	35	1, 6, 12, 21	TÜV	960098
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	50/30	1, 2, 12, 17, 21	TÜV	960206
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	880 kg / 800 kg	60	1, 12, 17, 21	TÜV	960213
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 885 kg	30	1, 12, 21	TÜV	960210
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	1035 kg / 885 kg	30	1, 12, 21	TÜV	960211
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	960214
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	ab 885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	960215
Opel Astra G Coupé, 1.8 16V, 2.0 16V T, 2.2 16V	3.00 >	ab 885 kg / 845 kg	30	1, 21	TÜV	960097
Opel Astra G Cabrio, 1.8 16V, 2.2 16V	3.01 >	ab 885 kg / 845 kg	40/25	1, 2, 21	TÜV	960097
Opel Astra G, Caravan 1.2, 1.6, 1.6 16V, ohne Niveaugreg. / without self-leveling	3.98 >	885 kg / 960 kg	35	1, 21	TÜV	960314
Opel Astra G, Caravan 1.8, 2.0, 1.7 DTI, 2.0 DTI, ohne Niveaugreg. / without self-leveling	3.98 >	1035 kg / 960 kg	35	1, 21	TÜV	960315
Opel Astra H, 1.4, 1.6, 1.8	4.04 > 12.09	960 kg / 925 kg	35	1, 12, 21	TÜV	960363
Opel Astra H, 1.7 CDTI, 1.9 CDTI, 2.0 T	4.04 > 12.09	1045 kg / 925 kg	35	1, 12, 21	TÜV	960364
Opel Astra H, Caravan, 1.4, 1.6, 1.8	10.04 > 10.10	960 kg / 960 kg	35	1, 21	TÜV	960365
Opel Astra H, Caravan, 1.7 CDTI, 1.9 CDTI, 2.0 T	10.04 > 10.10	1045 kg / 960 kg	35	1, 21	TÜV	960366
Opel Astra H, GTC, VA bis / up to 960 kg	2.05 > 12.10	960 kg / 925 kg	35	1, 21	TÜV	960367
Opel Astra H, GTC, VA über / more than 960 kg	2.05 > 12.10	1045 kg / 925 kg	35	1, 21	TÜV	960368
Opel Astra J, Typ P-J	11.09 >	1155 kg / 1020 kg	40	1, 21, 62	TÜV	960564
<b>Corsa</b>						
Opel Corsa A	8.83 > 2.93	680 kg / 670 kg	35	1, 21	TÜV	960094
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	35	1, 6, 21	TÜV	960205
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	40/25	1, 2, 6, 21	TÜV	960204
Opel Corsa C, VA bis / up to 790 kg, HA-Dämpfer mit M14 Befestigung / rear shock with M14 bolt	9.00 >	790 kg / ---	30	1, 21, 35	TÜV	960207
Opel Corsa C, VA über / more than 790 kg bis / up to 900 kg, HA-Dämpfer mit M14 Befestigung / rear shock with M14 bolt	9.00 >	900 kg / ---	35	1, 21, 35	TÜV	960208
Opel Corsa C, VA bis / up to 790 kg, HA-Dämpfer mit M10 Befestigung / rear shock with M10 bolt	9.00 >	790 kg / ---	30	1, 21, 34	TÜV	960288
Opel Corsa C, VA über / more than 790 kg bis / up to 900 kg, HA-Dämpfer mit M10 Befestigung / rear shock with M10 bolt	9.00 >	900 kg / ---	35	1, 21, 34	TÜV	960289
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	6.06 >	850 kg / 950 kg	30	1, 21	TÜV	960394
Opel Corsa D, Typ S-D, VA über / more than 850 kg	6.06 >	1000 kg / 950 kg	30	1, 21	TÜV	960395
<b>Meriva</b>						
Opel Meriva A, VA bis / up to 885 kg	9.02 > 5.10	885 kg / 975 kg	30	1, 21	TÜV	960565
Opel Meriva A, VA bis / up to 1045 kg, ohne / without OPC	9.02 > 5.10	1045 kg / 975 kg	30	1, 21	TÜV	960566
<b>Signum</b>						
Opel Signum, Typ Z-C/S, Z-C/SW, VA bis / up to 1100 kg	3.03 > 8.08	1100 kg / 1080 kg	40	1, 18, 21	TÜV	960567
Opel Signum, Typ Z-C/S, Z-C/SW, VA über / more than 1100 kg	3.03 > 8.08	1230 kg / 1080 kg	40	1, 18, 21	TÜV	960568
<b>Vectra</b>						
Opel Vectra A, ACC, GL, GLS, CD, GT, ohne / without V6, ohne / without 16V	9.88 > 10.95	945 kg / 840 kg	30	1, 15, 21, 37	TÜV	960099
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.95 > 4.02		35/25	1, 2, 12, 21	TÜV	969459
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 6 cyl., Diesel	10.95 > 4.02		40/25	1, 12, 21	TÜV	969460
Opel Vectra B, Typ J96, Caravan, 4 cyl., ohne / without Diesel, ohne Niveaugreg. / without self-leveling	10.96 > 10.03	975 kg / ---	35/20	1, 21	TÜV	960148
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg, Baujahr / year < 8.04, ohne / without 2.0T, 3.0V6 CDTI, IDS	4.02 > 8.04	1000 kg / 1020 kg	30	1, 12, 21	TÜV	960534
Opel Vectra C, Lim. / Sedan, 6 cyl., Diesel, VA über / more than 1000 kg, Baujahr / year < 8.04, ohne / without 2.0T, 3.0V6 CDTI, IDS	4.02 > 8.04	1165 kg / 1020 kg	30	1, 12, 21	TÜV	960535
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg, Baujahr / year > 9.04, ohne / without 2.0T, 3.0V6 CDTI, IDS	9.04 >	1000 kg / 1020 kg	30	1, 12, 21	TÜV	960590



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>OPEL</b>						
Opel Vectra C, Lim. / Sedan, 6 cyl., Diesel, VA über / more than 1000 kg, Baujahr / year > 9.04, ohne / without 2.0T, 3.0V6 CDTi, IDS	9.04 >	1165 kg / 1020 kg	30	1, 12, 21	TÜV	960591
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year < 8.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	10.03 > 8.04	1100 kg / 1080 kg	40	1, 7, 21	TÜV	960536
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year < 8.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	10.03 > 8.04	1230 kg / 1080 kg	40	1, 7, 21	TÜV	960537
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year > 9.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	9.04 >	1100 kg / 1080 kg	40	1, 7, 21	TÜV	960592
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaureg. / without self-leveling, Baujahr / year > 9.04, ohne / without 2.0T, 3.0 V6 CDTi, IDS	9.04 >	1230 kg / 1080 kg	40	1, 7, 21	TÜV	960593
<b>Zafira</b>						
Opel Zafira B, Typ A-H, 1.6, 1.8	6.05 >	1045 kg / 1030 kg	30	1, 21, 62	TÜV	960569
Opel Zafira B, Typ A-H, 2.0 T, 2.2, 1.9 DTI	6.05 >	1150 kg / 1030 kg	30	1, 21, 62	TÜV	960570
<b>PEUGEOT</b>						
<b>106</b>						
Peugeot 106, Typ 1C, 1A, 1.0, 1.1	9.91 >	710 kg / 680 kg	35	1, 19, 21	TÜV	960108
Peugeot 106, Typ 1C, 1A, 1.4, ohne / without 16V	9.91 >	785 kg / 730 kg	40	1, 19, 21	TÜV	960105
<b>205</b>						
Peugeot 205, Typ 741, A/B/C, 20 A/C/D, incl. 16V, Cabrio, 33 - 94 kW, ohne / without Rallye, TD, Genty, CT, CTI, GTI	2.83 > 8.98	750 kg / 680 kg	30	1, 19, 21	TÜV	960013
Peugeot 205, Typ 741, A/C, 20 A/C, 1.0, 1.1, ohne / without Rallye, TD, Genty, CT, CTI, GTI	2.83 > 8.98	710 kg / 680 kg	35	1, 19, 21	TÜV	960019
<b>206</b>						
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, ohne / without Diesel	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960023
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, 1.4 HDI, 2.0 HDI	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960024
Peugeot 206, Typ 2, 1.1, 1.4, ohne / without Automatik	10.98 >	875 kg / 780 kg	60	1, 19, 21	TÜV	960033
Peugeot 206, Typ 2, 1.4 HDI, 1.6 16V, 2.0 HDI, incl. Automatik	10.98 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	960033
Peugeot 206 CC, Typ NFU, RFN	1.01 >		35	1, 19, 21	TÜV	960015
Peugeot 206 CC, Typ NFU, RFN	1.01 >	875 kg / 780 kg	60	1, 19, 21	TÜV	960104
Peugeot 206, SW, ohne / without Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	960016
<b>207</b>						
Peugeot 207, 207 CC, Federbein / strut 47 mm	12.05 > 3.12	1050 kg / 900 kg	45	1, 21, 79	TÜV	960587
Peugeot 207, 207 CC, Federbein / strut 51 mm	12.05 > 3.12	1050 kg / 900 kg	45	1, 21, 80	TÜV	960571
<b>306</b>						
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, ohne / without 2.0, VA bis / up to 950 kg	1.93 > 2.97	950 kg / ---	35	1, 19, 21	TÜV	960487
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, ohne / without 2.0, VA bis / up to 950 kg	3.97 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	960488
<b>307</b>						
Peugeot 307, Lim. / Sedan, 1.4, 1.6, 2.0, 2.0 HDI	9.01 >	1000 kg / 880 kg	35	1, 21	TÜV	960264
Peugeot 307, SW, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960265
Peugeot 307, Break, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960266
Peugeot 307, CC	10.03 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	960267
<b>407</b>						
Peugeot 407, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 >	1100 kg / 1120 kg	35	1, 12, 21	TÜV	960572
Peugeot 407, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 >	1200 kg / 1120 kg	35	1, 12, 21	TÜV	960573
Peugeot 407, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 >	1100 kg / 1120 kg	35	1, 21	TÜV	960574
Peugeot 407, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 >	1200 kg / 1120 kg	35	1, 21	TÜV	960575
<b>PORSCHE</b>						
<b>Boxster</b>						
Porsche Boxster, Typ 987, ohne / without PASM	11.04 >	785 kg / 940 kg	30	1, 21		960524
Porsche Boxster, Typ 987, mit / with PASM	11.04 >	785 kg / 940 kg	30	1, 21		960525
<b>Cayman</b>						
Porsche Cayman S, Typ 987, ohne / without PASM	11.05 >	785 kg / 940 kg	30	1, 21		960524
Porsche Cayman S, Typ 987, mit / with PASM	11.05 >	785 kg / 940 kg	30	1, 21		960525
<b>Carrera</b>						
Porsche Carrera 911, Typ 993, 2WD, 2, 2S, 4, 4S	10.93 > 98	760 kg / 1080 kg	30	1, 15, 21	TÜV	960452
Porsche Carrera 911, Typ 996, 2WD, Coupé bis / up to 254 kW, 3.4 Carrera, 3.6 Carrera	97 >		30	1, 15, 21		960454
Porsche Carrera 911, Typ 996, 4WD, Coupé bis / up to 254 kW, 3.4 Carrera 4, 3.6 Carrera 4, 3.6 Turbo 4	97 >		30	1, 21		960529
Porsche Carrera 911, Typ 996, 2WD, Carrera II, Cabrio, Targa, bis / up to 254 kW, 3.4 Carrera, 3.6 Carrera	97 >		30	1, 15, 21		960530
Porsche Carrera 911, Typ 996, 4WD, Carrera II, Cabrio, Targa, bis / up to 254 kW, 3.4 Carrera 4, 3.6 Carrera 4, 3.6 Turbo 4	97 >		30	1, 21		960531
<b>RENAULT</b>						
<b>Mégane</b>						
Renault Mégane, Typ BA, DA, LA, EA, Coach, Classic, Cabrio, Benzin bis / petrol up to 84 kW, Diesel bis / up to 74 kW, 1.6 16V, ohne / without 2.0 16V	1.96 > 12.02	1050 kg / 1080 kg	40	1, 19, 21	TÜV	960050
Renault Mégane, Typ M, Lim. / Sedan, HA bis / up to 930 kg	6.03 > 9.08	1060 kg / 930 kg	35	1, 21	TÜV	969483
Renault Mégane, Typ M, Grandtour, CC, HA bis / up to 1010 kg	6.03 > 9.08	1060 kg / 1010 kg	35	1, 21	TÜV	969004

## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>RENAULT</b>						
<b>Clio</b>						
Renault Clio I, Typ B/C 57, incl. 16V, Befestigungslochabstand / mounting hole distance 52 mm	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	960049
Renault Clio I, Typ B/C 57, incl. 16V, Befestigungslochabstand / mounting hole distance 54 mm	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	960253
Renault Clio II, Typ B, ohne / without 1.2, ohne / without Sport, bis / up to 79 kW, VA bis / up to 860 kg	9.98 > 6.05	860 kg / 785 kg	35	1, 21	TÜV	960103
Renault Clio III, Typ R, ohne / without 2.0 16V	8.05 > 6.10	950 kg / 880 kg	35	1, 18, 21	TÜV	960576
<b>Twingo</b>						
Renault Twingo, Typ C06	6.93 >	700 kg / 690 kg	35	1, 17, 21	TÜV	960155
Renault Twingo, Typ N, bis / up to 75 kW	7.07 >	810 kg / 710 kg	20/30	1, 21	TÜV	960577
<b>SEAT</b>						
<b>Altea</b>						
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI, Dämpfer / strut 50 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 42	TÜV	960187
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI, Dämpfer / strut 55 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 43	TÜV	960188
<b>Exeo</b>						
Seat Exeo, Typ 3R, 1.6, 2.0 FSI	11.00 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960008
Seat Exeo, Typ 3R, 2.0 TFSI, 2.0 TDI	11.00 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
Seat Exeo, Typ 3R, 6RN, Sports Tourer, 1.6, 2.0 FSI, VA bis / up to 1065 kg	10.01 >	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	960000
Seat Exeo, Typ 3R, 6RN, Sports Tourer, 2.0 TFSI, 2.0 TDI, VA über / more than 1065 kg	10.01 >	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	960001
<b>Ibiza / Cordoba / Cupra</b>						
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	8.93 > 12.95	910 kg / 790 kg	40	1, 21	TÜV	960063
Seat Ibiza, Cordoba, Typ 6K, 6K/C	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	960062
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	960063
Seat Ibiza, Cordoba, Typ 6L, VA bis / up to 890 kg	4.02 >	890 kg / 810 kg	30	1, 21	TÜV	960268
Seat Ibiza, Cordoba, Typ 6L, VA über / more than 890 kg	4.02 >	960 kg / 810 kg	30	1, 21	TÜV	960269
Seat Ibiza, Typ 6J, VA bis / up to 860 kg	9.08 >	860 kg / 870 kg	30	1, 18, 21	TÜV	960578
Seat Ibiza, Typ 6J, VA über / more than 860 kg	9.08 >	950 kg / 870 kg	30	1, 18, 21	TÜV	960579
<b>Leon</b>						
Seat Leon, Typ 1M, 1.4, 1.6, 1.8	9.99 >	900 kg / 965 kg	35	1, 15, 21	TÜV	960070
Seat Leon, Typ 1M, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 >	995 kg / 965 kg	35	1, 15, 21	TÜV	960071
Seat Leon, Typ 1M, 1.4, 1.6, 1.8	9.99 >	910 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960068
Seat Leon, Typ 1M, 1.8 T, V5, 1.9 SDI, 1.9 TDI	9.99 >	995 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	960069
Seat Leon, Typ 1P, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	960189
Seat Leon, Typ 1P, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	960190
Seat Leon, Typ 1P, VA über / more than 1020 kg, Dämpfer / strut 50 mm	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	960191
Seat Leon, Typ 1P, VA über / more than 1020 kg, Dämpfer / strut 55 mm	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	960192
<b>Toledo</b>						
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 795 kg, HA bis / up to 740 kg	9.91 > 2.99	795 kg / 740 kg	40	1, 21	TÜV	960056
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 840 kg, HA bis / up to 740 kg	9.91 > 2.99	840 kg / 740 kg	60	1, 17, 21	TÜV	960246
Seat Toledo, Typ 1M, 1.6, 1.8	3.99 > 9.04	910 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	960068
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	960069
Seat Toledo, Typ 5P, Dämpfer / strut 50 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 42	TÜV	960193
Seat Toledo, Typ 5P, Dämpfer / strut 55 mm	12.04 >	1106 kg / 1015 kg	40	1, 21, 43	TÜV	960194
<b>Arosa</b>						
Seat Arosa, Typ 6H, 6HS	4.97 >	800 kg / 695 kg	40	1, 21	TÜV	960061
<b>Alhambra</b>						
Seat Alhambra, Typ 7MS	9.95 >	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
<b>SKODA</b>						
<b>Fabia</b>						
Skoda Fabia, Typ 6Y, 1.4, 1.4 16V, incl. Kombi	1.00 >	900 kg / 840 kg	40	1, 21	TÜV	960270
Skoda Fabia, Typ 6Y, 2.0, 1.9 SDI, 1.9 TDI, incl. RS + Kombi	1.00 >	960 kg / 840 kg	40	1, 21	TÜV	960271
Skoda Fabia, Typ 5J, 1.2, 1.4, 1.6, VA bis / up to 920 kg	4.07 >	900 kg / 840 kg	30	1, 21	TÜV	960594
Skoda Fabia, Typ 5J, 1.4 TDI, 1.9 TDI, VA über / more than 920 kg	1.08 >	960 kg / 840 kg	30	1, 21	TÜV	960595
<b>Octavia</b>						
Skoda Octavia, Typ 1U, 1.6, VA bis / up to 910 kg	1.97 > 5.04	910 kg / ---	35	1, 12, 15, 21	TÜV	960072
Skoda Octavia, Typ 1U, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	1.97 > 5.04	ab 910 kg / ---	35	1, 12, 15, 21	TÜV	960073
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / ---	35	1, 15, 21	TÜV	960074
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	6.98 > 5.04	ab 910 kg / ---	35	1, 15, 21	TÜV	960077
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>SKODA</b>						
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
Skoda Octavia, Typ 1Z, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
Skoda Octavia, Typ 1Z, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
Skoda Octavia, Typ 1Z, Kombi, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
Skoda Octavia, Typ 1Z, Kombi, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.04 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
Skoda Octavia, Typ 1Z, Kombi, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
Skoda Octavia, Typ 1Z, Kombi, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.04 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
<b>SUZUKI</b>						
<b>Splash</b>						
Suzuki Splash, Typ EX	5.05 >	835 kg / 800 kg	40	1, 21	TÜV	960580
<b>Swift</b>						
Suzuki Swift, Typ MZ	5.05 > 8.10	835 kg / 800 kg	40	1, 21	TÜV	960580
<b>TOYOTA</b>						
<b>Auris</b>						
Toyota Auris	3.07 >	1100 kg / 1010 kg	35	1, 21		960582
<b>Camry</b>						
Toyota Camry, Typ V30, 2.4, 3.0	11.01 > 12.06	1200 kg / 1200 kg	40	1, 21		960583
Toyota Corolla, Typ E10, E11, E11 U, bis / up to 85 kW	5.92 > 1.02	925 kg / 925 kg	35	1, 21	TÜV	960351
Toyota Corolla, Typ E12 U, J, T, J1, Lim. / Sedan, Kombi, Verso	1.02 >		35	1, 21	TÜV	960157
<b>Yaris</b>						
Toyota Yaris, Typ P1, P2 Verso	4.99 > 10.05		35	1, 21	TÜV	969001
Toyota Yaris, Typ P1, P2, 1.5T Sport	4.99 > 10.05		35	1, 21	TÜV	960547
Toyota Yaris, Typ XP9, XP9F	11.05 > 09.11		35	1, 21	TÜV	960584
<b>VW</b>						
<b>Beetle</b>						
VW Beetle, Typ 9C, 1.8 T, 2.0, 1.9 TDI	9.98 > 7.10	1020 kg / 800 kg	40	1, 21	TÜV	960220
<b>Beetle Cabrio</b>						
VW Beetle Cabrio, Typ 1Y	3.02 >	1030 kg / 840 kg	40	1, 21	TÜV	960223
<b>Bora</b>						
VW Bora, Typ 1J, Lim. / Sedan, 1.6, 1.6 16V	11.98 > 9.05	910 kg / 950 kg	40	1, 12, 21, 23	TÜV	960221
VW Bora, Typ 1J, Lim. / Sedan, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	11.98 > 9.05	1005 kg / 950 kg	40	1, 12, 15, 21, 23	TÜV	960222
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V	4.99 >	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960237
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 >	1005 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960238
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
<b>Eos</b>						
VW Eos, Typ 1F, VA bis / up to 1070 kg	1.06 >	1070 kg / 1060 kg	35	1, 21	TÜV	960195
VW Eos, Typ 1F, VA über / more than 1070 kg	1.06 >	1200 kg / 1060 kg	35	1, 21	TÜV	960196
<b>Fox</b>						
VW Fox, Typ 5Z, VA bis / up to 870 kg	5.05 > 7.11	900 kg / 840 kg	40	1, 21	TÜV	960596
<b>Golf I / Jetta I</b>						
VW Golf I / Jetta I, Typ 17, ohne / without Diesel, ohne / without Automatik	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960216
VW Golf I / Jetta I, Typ 17, 17CK, GTI, Diesel, Automatik, 37 - 82 kW	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960217
VW Golf I Cabrio, Typ 155, 37 - 82 kW	9.77 > 8.93	785 kg / 640 kg	40	1, 14, 21, 37	TÜV	960217
<b>Golf II / Jetta II</b>						
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 6, 15, 21	TÜV	960101
VW Golf II / Jetta II, Typ 19E, 16V, Diesel, ohne / without G60	8.83 > 10.91	840 kg / 740 kg	40	1, 15, 21	TÜV	960219
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	960229
VW Golf II / Jetta II, Typ 19E, 16V, Diesel, ohne / without G60	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	960230
VW Golf II / Jetta II, Typ 19E, bis / up to 85 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60	1, 15, 17, 21	TÜV	960246
<b>Golf III / Vento</b>						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 85 kW, GTI, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	40/25	1, 2, 6, 12, 15, 21	TÜV	960100
VW Golf III / Vento, Typ 1HX0, 1EX0, 16V, VR6, Diesel, inkl. Cabrio	9.91 > 8.94	980 kg / 840 kg	35	1, 5, 12, 15, 21	TÜV	960227
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	50/30	1, 2, 12, 15, 17, 21	TÜV	960233
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	840 kg / 740 kg	60	1, 12, 15, 17, 21	TÜV	960246
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, incl. Cabrio bis / up to 4.95, bis / up to 85 kW, GTI, ohne / without Diesel	9.94 > 10.97	920 kg / 800 kg	40	1, 6, 12, 15, 16, 21	TÜV	960226
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, 1E, 16V, VR6, Diesel, incl. Cabrio bis / up to 4.95	9.94 > 10.97	980 kg / 840 kg	35	1, 11, 12, 15, 16, 21	TÜV	960120
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97		50/30	1, 2, 12, 15, 16, 17, 21	TÜV	960121

## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>VW</b>						
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	960247
VW Golf III Cabrio, Typ 1EX0, 1E	4.95 > 6.02	980 kg / 840 kg	35	1, 21	TÜV	960228
<b>Golf IV</b>						
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 965 kg	35	1, 12, 15, 21, 23	TÜV	960234
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	960249
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23	TÜV	960231
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 965 kg	40	1, 12, 15, 21, 23	TÜV	960122
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	960250
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, V5	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23	TÜV	960232
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V	6.98 > 5.04	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960235
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1000 kg	40	1, 15, 21, 23	TÜV	960236
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960075
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	960076
<b>Golf V / Golf V Plus</b>						
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
<b>Golf VI / Golf VI Plus</b>						
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960290
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960291
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1140 kg / 1020 kg	35	1, 15, 21, 42	TÜV	960292
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1140 kg / 1020 kg	35	1, 15, 21, 43	TÜV	960293
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960294
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960295
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960296
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960297
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.08 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960298
VW Golf VI, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.08 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960299
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.08 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960300
VW Golf VI, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.08 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960301
VW Golf VI GTI, GTD, Typ 1K	3.09 >	1100 kg / 1100 kg	25	1, 15, 21	TÜV	969003
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
<b>Jetta</b>						
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960276
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960277
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 42	TÜV	960278
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1140 kg / 1150 kg	35	1, 15, 21, 43	TÜV	960279
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960280
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960281
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 42	TÜV	960282
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50/30	1, 15, 21, 43	TÜV	960283
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 50 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960284
VW Jetta, Typ 1KM, 1.4, 1.6, VA bis / up to 1020 kg, Dämpfer / strut 55 mm	10.03 >	1020 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960285
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 50 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 42	TÜV	960286
VW Jetta, Typ 1KM, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg, Dämpfer / strut 55 mm	10.03 >	1100 kg / 1100 kg	50	1, 15, 21, 43	TÜV	960287
<b>Lupo</b>						
VW Lupo, Typ 6X, ohne / without GTI, ohne / without Diesel	9.98 > 4.05	820 kg / 700 kg	40	1, 21	TÜV	960218
<b>Passat</b>						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaugreg. / without self-leveling	4.97 > 9.99	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	960335



## CLUB LOWERING SUSPENSION KITS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>VW</b>						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	4.97 > 9.99	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	960336
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.98 > 9.99	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	960337
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	3.98 > 9.99	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	960338
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	10.99 > 3.05	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	960159
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	10.99 > 3.05	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	960160
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	10.99 > 8.05	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	960161
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	10.99 > 8.05	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	960162
VW Passat, Typ 3C (B6), Lim. / Sedan, VA bis / up to 1070 kg, Dämpfer / strut 55 mm	3.05 >	1070 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	960197
VW Passat, Typ 3C (B6), Lim. / Sedan, VA über / more than 1070 kg, Dämpfer / strut 55 mm	3.05 >	1200 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	960198
VW Passat, Typ 3C (B6), Variant, VA bis / up to 1070 kg, Dämpfer / strut 55 mm	8.05 >	1070 kg / 1090 kg	40	1, 8, 15, 21	TÜV	960199
VW Passat, Typ 3C (B6), Variant, VA über / more than 1070 kg, Dämpfer / strut 55 mm	8.05 >	1180 kg / 1100 kg	40	1, 8, 15, 21	TÜV	960200
<b>Polo</b>						
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	800 kg / 750 kg	35	1, 21	TÜV	960225
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 750 kg	50/30	1, 2, 17, 21	TÜV	960243
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 730 kg	60	1, 17, 21	TÜV	960242
VW Polo, Typ 6N, 44 - 74 kW	10.99 > 11.01	850 kg / 820 kg	35	1, 21	TÜV	960240
VW Polo, Typ 9N, 1.2, 1.4, 1.4 FSI, 1.6, ohne / without Automatik, VA bis / up to 890 kg	11.01 >	890 kg / 815 kg	35	1, 21	TÜV	960272
VW Polo, Typ 9N, 1.4 TDI, 1.9 SDI, 1.9 TDI, ohne / without GTI, VA 890 kg bis / up to 930 kg	11.01 >	930 kg / 815 kg	40	1, 21	TÜV	960273
VW Polo, Typ 6R, VA bis / up to 860 kg, ohne / without Diesel, ohne / without GTI	9.09 >	860 kg / 800 kg	30/50	1, 18, 21	TÜV	960586
VW Polo, Typ 6R, VA über / more than 860 kg, ohne / without Diesel, inkl. GTI, inkl. WRC	9.09 >	960 kg / 800 kg	30/50	1, 18, 21	TÜV	960585
VW Polo, Typ 6R, Diesel	9.09 >	960 kg / 800 kg	30/50	1, 18, 21	TÜV	960384
<b>Scirocco</b>						
VW Scirocco I + II, Typ 53/ 53B, GLI, GT + 16V	9.74 > 91	785 kg / 640 kg	30	1, 14, 21, 37	TÜV	960217
VW Scirocco, Typ 13, inkl. DCC	8.08 >	1080 kg / 770 kg	25	1, 21	TÜV	960201
<b>Sharan</b>						
VW Sharan, Typ 7M	9.95 >	1280 kg / 1330 kg	35	1, 15, 21	TÜV	960501
<b>T4 / T5</b>						
VW T4, ohne / without Classic, Allstar, Atlantis, VA bis / up to 1510 kg	91 > 3.03	1510 kg / 1300 kg	40	1, 15, 20, 21	TÜV	960274
VW T5, Typ 7HM	3.03 >	1575 kg / 1630 kg	30	1, 21	TÜV	960600
<b>Tiguan</b>						
VW Tiguan, Typ 5N, VA bis / up to 1130 kg, Dämpfer / strut 55 mm	11.07 >	1130 kg / ---	35	1, 15, 21, 43	TÜV	960203
VW Tiguan, Typ 5N, VA über / more than 1130 kg, Dämpfer / strut 55 mm	11.07 >	1190 kg / 1130 kg	35	1, 15, 21, 43	TÜV	960209
<b>Touran</b>						
VW Touran, Typ 1T, 1.6 FSI, VA bis / up to 1060 kg, Dämpfer / strut 55 mm	2.03 >	1130 kg / ---	35	1, 15, 21, 43	TÜV	960302
VW Touran, Typ 1T, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1060 kg, Dämpfer / strut 55 mm	2.03 >	1190 kg / 1130 kg	35	1, 15, 21, 43	TÜV	960350



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>ACURA</b>						
<b>CL / TL</b>						
Acura 2.2 CL, 2.3 CL	96 > 99		45	1, 21		957075
Acura 2.5 TL	95 > 98		40	1, 21		957075
Acura 3.2 CL	01 > 03		40	1, 21		957094
<b>Integra</b>						
Acura Integra	90 > 93		45	1, 21		957013
Acura Integra	94 > 01		45	1, 21		957007
Acura Integra Typ R, Typ DC2	96 > 01		30	1, 21		957007
<b>Legend</b>						
Acura Legend, Typ KA7, KA8	91 > 95		30	1, 21		957070
<b>RSX</b>						
Acura RSX	02 > 04		40	1, 21		957014
Acura RSX	05 >		40	1, 21		957042
<b>TSX</b>						
Acura TSX	04 > 08		35	1, 21		957032
<b>ALFA ROMEO</b>						
<b>145 / 146</b>						
Alfa Romeo 145, 146, Typ 930, 1.4 - 2.0, QV, ohne / without Diesel	6.94 > 11.00		35	1, 21	TÜV	959115
Alfa Romeo 145, 146, Typ 930, nur / only Diesel	3.98 > 11.00		35	1, 21		959150
<b>147</b>						
Alfa Romeo 147, Typ 937, ohne / without Diesel	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	959153
Alfa Romeo 147, Typ 937, 1.9 JTD	11.00 > 6.10	1040 kg / 980 kg	30	1, 21	TÜV	959104
<b>155</b>						
Alfa Romeo 155, Typ 167, 1.6 - 2.0, 4 cyl.	3.92 > 10.97		40	1, 15, 21	TÜV	959101
Alfa Romeo 155, Typ 167, 2.5 V6, 1.9 TD, 2.5 TD	3.92 > 10.97		40	1, 15, 21	TÜV	959125
<b>156</b>						
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 4 cyl., 1.6 - 2.0, 1.9 JTD	10.97 > 10.05		40	1, 7, 15, 21	TÜV	959140
Alfa Romeo 156, Typ 932, Lim. / Sedan, Sport Wagon, 5 cyl. + 6 cyl., 2.5 V6, 2.4 JTD, 3.2 GTA	10.97 > 10.05		40	1, 7, 15, 21	TÜV	959145
<b>159 / Brera</b>						
Alfa Romeo 159 / Brera, Typ 939, 1.9 JTS, 2.2 JTS, 1.9 JTDM	9.05 > 10.11		35	1, 21		959105
Alfa Romeo 159 / Brera, Typ 939, 2WD, 2.4 JTDM	9.05 > 10.11		35	1, 21		959106
Alfa Romeo 159, Typ 939, Sport Wagon, 1.9 JTS, 2.2 JTS, 1.9 JTDM	9.05 > 10.11		35	1, 21		959122
Alfa Romeo 159, Typ 939, Sport Wagon, 2.4 JTDM, 3.2 JTS	9.05 > 10.11		35	1, 21		959107
Alfa Romeo 159 / Brera, Typ 939, Lim. / Sedan, 3.2 JTS	9.05 > 10.11		35	1, 21		959107
<b>Giulietta</b>						
Alfa Romeo Giulietta, Typ 940	7.10 >	1100 kg / 890 kg	30	1, 21		959127
<b>GT</b>						
Alfa Romeo GT, Typ 937, ohne / without Diesel	1.04 > 3.10	1040 kg / 980 kg	30	1, 15, 21	TÜV	959153
Alfa Romeo GT, Typ 937, nur / only Diesel	1.04 > 3.10	1040 kg / 980 kg	30	1, 15, 21	TÜV	959104
<b>MiTo</b>						
Alfa Romeo MiTo, Typ 955, 1.4, 1.4 TB, VA bis / up to 850 kg	8.08 >	850 kg / 850 kg	25	1, 21	TÜV	954008
Alfa Romeo MiTo, Typ 955, Diesel, VA über / more than 850 kg	8.08 >	1000 kg / 850 kg	25	1, 21	TÜV	954009
<b>Spider / GTV</b>						
Alfa Romeo Spider, Typ 916, GTV, Coupé, bis / up to 162 kW	3.94 > 12.05		35	1, 21	TÜV	959102
Alfa Romeo Spider, Typ 939, 2.4 JTS, 3.2 JTS	9.06 > 7.10		20	1, 21		959105
<b>AUDI</b>						
<b>80 / 90</b>						
Audi 80 / 90, Typ 89 (B3), Lim. / Sedan, Coupé, 4 cyl., 48 - 83 kW, ohne / without Diesel	9.86 > 8.91	880 kg / 830 kg	40	1, 15, 18, 21	TÜV	950025
Audi 80 / 90, Typ 89 (B3), Lim. / Sedan, Coupé, 5 cyl. + 6 cyl., 37 - 128 kW, Diesel	9.86 > 8.91	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	950035
Audi 80, Typ 89 (B3), Cabrio, 4 cyl. + 5 cyl.	6.91 > 10.01	1050 kg / 870 kg	40	1, 15, 18, 21	TÜV	950033
Audi 80, Typ 8C (B4), Lim. / Sedan, 4 cyl., ohne / without Diesel	9.91 > 10.94	1000 kg / 900 kg	35	1, 15, 18, 21	TÜV	950039
Audi 80, Typ 8C (B4), Lim. / Sedan, 5 cyl. + 6 cyl., Diesel	9.91 > 10.94	1050 kg / 990 kg	35	1, 15, 18, 21	TÜV	950036
Audi 80, Typ 8C (B4), Avant, 4 cyl. + 5 cyl., ohne / without Diesel	10.92 > 12.95	1000 kg / 1030 kg	35	1, 15, 18, 21	TÜV	950075
Audi 80, Typ 8C (B4), Avant, 6 cyl., Diesel	10.92 > 12.95	1080 kg / 1030 kg	35	1, 15, 18, 21	TÜV	950077
<b>100</b>						
Audi 100, Typ 4A (C4), A6, Quattro, Lim. / Sedan, Avant, bis / up to 128 kW, ohne Niveaugreg./ without self-leveling	12.90 > 4.97	1160 kg / 1200 kg	35	1, 18, 21, AV	TÜV	950046
<b>A1</b>						
Audi A1, Typ 8X, 1.2 TFSI, 1.4 TFSI, 1.6 TDI	9.10 >	960 kg / 775 kg	30	1, 15, 21	TÜV	950038
<b>A3</b>						
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	915 kg / ---	30	1, 15, 21, 23	TÜV	950055
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / ---	30	1, 15, 21, 23	TÜV	950060
Audi A3, Typ 8L, 1.6, 1.8, ohne / without S3	9.96 > 5.03	910 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	956650
Audi A3, Typ 8L, 1.8 T, 1.9 Diesel, 1.9 TDI, ohne / without S3	9.96 > 5.03	1020 kg / 930 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	956660
Audi A3, S3, Typ 8L, Quattro, VA bis / up to 1040 kg	2.99 > 4.03	1040 kg / 1050 kg	25	1, 7, 21, 23	TÜV	950003
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1125 kg	35	1, 15, 21	TÜV	950007
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1155 kg / 1125 kg	35	1, 15, 21	TÜV	950008
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>AUDI</b>						
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
Audi A3, Typ 8P, incl. Sportback, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1020 kg	50/30	1, 15, 21	TÜV	950020
Audi A3, Typ 8P, incl. Sportback, VA über / more than 1020 kg	5.03 > 5.12	1130 kg / 1020 kg	50/30	1, 15, 21	TÜV	950021
Audi A3, Typ 8P Quattro, incl. Sportback, 2.0 TDI, 2.0 TFSI, VA bis / up to 1020 kg	5.03 > 5.12	1020 kg / 1125 kg	20	1, 21, 59	TÜV	950022
Audi A3, Typ 8P Quattro, incl. Sportback, 3.2, incl. S3, VA bis / up to 1155 kg	5.03 > 5.12	1155 kg / 1125 kg	20	1, 21, 59	TÜV	950023
Audi A3, Typ 8P, Cabrio, VA bis / up to 1020 kg	1.08 >	1020 kg / 1125 kg	30	1, 21	TÜV	950029
Audi A3, Typ 8P, Cabrio, VA über / more than 1020 kg	1.08 >	1155 kg / 1125 kg	30	1, 21	TÜV	950037
Audi A3, Typ 8V, incl. Sportback, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi link rear axle	8.12 >	1010 kg / 1000 kg	30	1, 15, 21, 71	TÜV	951709
Audi A3, Typ 8V, incl. Sportback, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi link rear axle	8.12 >	1055 kg / 1000 kg	30	1, 15, 21, 71	TÜV	951710
Audi A3, Typ 8V, Sportback, Lim. / Sedan, Cabrio, 1.2 TFSI, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist beam rear axle	8.12 >	930 kg / 1050 kg	30	1, 15, 21, 72	TÜV	956139
Audi A3, Typ 8V Quattro, incl. Sportback, incl. Lim. / Sedan, ohne / without Magnetic Ride	5.12 >	1090 kg / 1030 kg	35	1, 21, 59, 62, 71	i.V. / i.d.	951714
Audi A3, S3, Typ 8V, Quattro, incl. Sportback, Lim. / Sedan, Cabrio	5.13 >	1075 kg / 1030 kg	20	1, 21, 59	i.V. / i.d.	951716
<b>A4</b>						
Audi A4, Typ 8D (B5), Lim. / Sedan, 4 cyl., ohne / without Diesel	11.94 > 11.00	1020 kg / 1000 kg	35	1, 15, 21	TÜV	950047
Audi A4, Typ 8D (B5), Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 1120 kg	11.94 > 11.00	1120 kg / 1020 kg	40	1, 15, 21	TÜV	950048
Audi A4, Typ 8D (B5), Lim. / Sedan, Quattro, 4 cyl., ohne Niveaureg. / without self-leveling	11.94 > 11.00	1020 kg / 1070 kg	35	1, 7, 21, 59	TÜV	950065
Audi A4, Typ 8D (B5), Lim. / Sedan, Quattro, 6 cyl., bis / up to 142 kW, Diesel, ohne / without 2.5 TDI, ohne Niveaureg. / without self-leveling	11.94 > 11.00	1100 kg / 1070 kg	35	1, 7, 21, 59	TÜV	950070
Audi A4, Typ 8D (B5), Avant, 4 cyl., ohne / without Diesel	11.94 > 10.01	1020 kg / 1000 kg	35	1, 7, 15, 21	TÜV	950072
Audi A4, Typ 8D (B5), Avant, 6 cyl., Diesel, VA bis / up to 1120 kg	11.94 > 10.01	1120 kg / 1020 kg	40	1, 7, 15, 21	TÜV	950073
Audi A4, Typ 8E (B6/7), Lim. / Sedan, 1.8 T, 2.0, VA bis / up to 1065 kg	11.00 > 11.07	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	950074
Audi A4, Typ 8E (B6/7), Lim. / Sedan, 3.0, 1.9 TDI, VA über / more than 1065 kg	11.00 > 11.07	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	950086
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 1.8 T, 1.9 TDI	11.00 > 11.07	1145 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950097
Audi A4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 3.0, 2.5 TDI	11.00 > 11.07	1230 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950096
Audi A4, Typ 8E (B6/7), Avant, 1.8 T, 2.0, VA bis / up to 1065 kg	10.01 > 3.08	1065 kg / 1136 kg	35	1, 7, 15, 21	TÜV	950002
Audi A4, Typ 8E (B6/7), Avant, 3.0, 1.9 TDI, VA über / more than 1065 kg	10.01 > 3.08	1220 kg / 1136 kg	40	1, 7, 8, 15, 21	TÜV	950006
Audi A4, Typ 8E (B6/7), Avant, Quattro, 1.8 T, 1.9 TDI	10.01 > 3.08	1145 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950097
Audi A4, Typ 8E (B6/7), Avant, Quattro, 3.0, 2.5 TDI	10.01 > 3.08	1230 kg / 1150 kg	30	1, 7, 21, 59	TÜV	950096
Audi A4, S4, Typ 8E (B6/7), Lim. / Sedan, Quattro, 4.2	4.03 > 09	1250 kg / 1150 kg	25	1, 7, 21, 59		950054
Audi A4, Typ 8H, Cabrio	4.02 > 2.09	1230 kg / 1100 kg	25	1, 15, 21	TÜV	950098
Audi A4, Typ 8K (B8), Lim. / Sedan, 2WD	10.07 >	1180 kg / 1160 kg	35	1, 15, 21	TÜV	950026
Audi A4, Typ 8K (B8), Avant, 2WD	4.08 >	1180 kg / 1235 kg	35	1, 15, 21	TÜV	950028
Audi A4, S4, Typ 8K (B8), Lim. / Sedan, Quattro	10.07 >	1175 kg / 1160 kg	30	1, 21, 59	TÜV	950028
Audi A4, Typ 8K (B8), Avant, Quattro	3.08 >	1180 kg / 1235 kg	30	1, 21, 59	TÜV	950028
<b>A5</b>						
Audi A5, Typ 8K (B8), Coupé, Sportback, 2WD	6.07 >	1180 kg / 1105 kg	30/20	1, 15, 21	TÜV	950026
Audi A5, Typ 8K (B8), Coupé, Sportback, Quattro incl. S5	6.07 >	1205 kg / 1170 kg	30/20	1, 21, 59	TÜV	950028
<b>A6</b>						
Audi A6, Typ 4B (C5), Lim. / Sedan, VA bis / up to 1115 kg	4.97 > 6.04	1115 kg / 1190 kg	40	1, 7, 15, 21	TÜV	950080
Audi A6, Typ 4B (C5), Lim. / Sedan, VA über / more than 1115 kg	4.97 > 6.04	1245 kg / 1190 kg	40	1, 7, 15, 21	TÜV	950085
Audi A6, Typ 4B (C5), Lim. / Sedan, Quattro, VA bis / up to 1200 kg	4.97 > 6.04	1200 kg / 1170 kg	40	1, 7, 21, 59	TÜV	950092
Audi A6, Typ 4B (C5), Lim. / Sedan, Quattro, VA über / more than 1200 kg	4.97 > 6.04	1295 kg / 1170 kg	40	1, 7, 21, 59	TÜV	950093
Audi A6, Typ 4B (C5), Avant, VA bis / up to 1115 kg	3.98 > 6.04	1115 kg / 1100 kg	40	1, 7, 15, 21	TÜV	950090
Audi A6, Typ 4B (C5), Avant, VA über / more than 1115 kg	3.98 > 6.04	1230 kg / 1100 kg	40	1, 7, 15, 21	TÜV	950095
Audi A6, Typ 4B (C5), Avant, Quattro	3.98 > 6.04	1295 kg / 1200 kg	40	1, 7, 21, 59	TÜV	950089
Audi A6, Typ 4F (C6), Lim. / Sedan, incl. Quattro, VA bis / up to 1215 kg	6.04 > 3.11	1215 kg / 1330 kg	40	1, 7, 21	TÜV	950012
Audi A6, Typ 4F (C6), Lim. / Sedan, incl. Quattro, VA über / more than 1215 kg	6.04 > 3.11	1305 kg / 1330 kg	40	1, 7, 21	TÜV	950013
Audi A6, Typ 4F (C6), Avant, incl. Quattro, VA bis / up to 1215 kg	1.05 > 3.11	1215 kg / 1330 kg	40	1, 7, 21	TÜV	950012
Audi A6, Typ 4F (C6), Avant, incl. Quattro, VA über / more than 1215 kg	1.05 > 3.11	1305 kg / 1330 kg	40	1, 7, 21	TÜV	950013
Audi A6, Typ 4G (C7), Lim. / Sedan, 2WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 15, 21	i.V. / i.d.	951703
Audi A6, Typ 4G (C7), Lim. / Sedan, 2WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 15, 21	i.V. / i.d.	951704
Audi A6, Typ 4G (C7), Lim. / Sedan, 4WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 21, 59	i.V. / i.d.	951705
Audi A6, Typ 4G (C7), Lim. / Sedan, 4WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 21, 59	i.V. / i.d.	951706
Audi A6, Typ 4G (C7), Avant, 2WD, 4WD, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	35	1, 21	i.V. / i.d.	951707
Audi A6, Typ 4G (C7), Avant, 2WD, 4WD, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	35	1, 21	i.V. / i.d.	951708
<b>A7</b>						
Audi A7, Typ 4G, VA bis / up to 1185 kg	3.11 >	1185 kg / 1190 kg	20	1, 21	i.V. / i.d.	951705
Audi A7, Typ 4G, VA über / more than 1185 kg	3.11 >	1210 kg / 1190 kg	20	1, 21	i.V. / i.d.	951706
<b>Q3</b>						
Audi Q3, Typ 8U1, 2WD	10.11 >	1165 kg / 1185 kg	35	1, 7, 21	i.V. / i.d.	951719
Audi Q3, Typ 8U Quattro, 8U1, 4WD incl. RS	10.11 >		40/50	1, 7, 21, 59	i.V. / i.d.	951720
<b>Q5</b>						
Audi Q5, Typ 8R, 8R1, 2.0 TDI, 2.0 TFSI, 3.2 FSI	3.11 >	1235 kg / 1345 kg	30	1, 7, 21		951700
Audi Q5, Typ 8R, 8R1, 3.0 TDI	3.11 >	1280 kg / 1345 kg	30	1, 7, 21		951701
<b>TT</b>						
Audi TT, Typ 8N, 1.8 T, bis / up to 132 kW	10.98 > 4.06	1005 kg / 755 kg	35	1, 15, 21	TÜV	950091

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>AUDI</b>						
Audi TT, Typ 8N, Roadster 1.8 T, bis / up to 132 kW	10.98 > 5.06	1005 kg / 755 kg	30	1, 15, 21	TÜV	950091
Audi TT, Typ 8N, Coupé, Roadster, Quattro, VA bis / up to 1040 kg	10.98 > 5.06	1040 kg / 850 kg	25	1, 21, 23	TÜV	950003
Audi TT, Typ 8J, Coupé, 2WD, VA bis / up to 1060 kg	4.06 >	1060 kg / 885 kg	30	1, 15, 21	TÜV	950024
Audi TT, Typ 8J, Roadster, TTS, Quattro, VA bis / up to 1060 kg	1.07 >	1060 kg / 885 kg	30	1, 21	TÜV	950027
<b>BMW</b>						
<b>1er, E82</b>						
BMW 1 E82, Typ 182, 1C, Coupé	10.07 >	960 kg / 1120 kg	40/25	1, 7, 15, 21	TÜV	951028
<b>1er, E81 / E87</b>						
BMW 1 E81 / E87, Typ 187, 1K2, 1K4, 116i, 118i, 120i, 125i, 130i, 135i, 116d, 118d, 120d, 123d	9.04 > 6.12	920 kg / 1170 kg	40/25	1, 7, 15, 21	TÜV	951028
BMW 1 E81 / E87, Typ 187, 1K2, 1K4, 116i, 118i, 120i, 125i, 130i, 135i, ohne / without Diesel, nur VA-Feder / only front spring	9.04 > 6.12	895 kg / ---	40/0	1, 7, 15, 19, 21	TÜV	951067
<b>1er, E88</b>						
BMW 1 E88, Typ 182, 1C, Cabrio	3.08 >	920 kg / 1170 kg	40/25	1, 7, 15, 21	TÜV	951028
<b>1er, F20 / F21</b>						
BMW 1 F20 / F21, Typ 1K2, 1K4, incl. EDE	10.11 >	905 kg / 1090 kg	15	1, 21		951612
BMW 1 F20 / F21, Typ 1K2, 1K4, incl. EDE	10.11 >	905 kg / 1090 kg	35	1, 21	TÜV	951600
BMW 1 F20 / F21, Typ 1K2, 1K4, 118xd, 120xd	10.11 >		30	1, 21, 59		951625
BMW 1 F20 / F21, Typ 1K2, 1K4, M135i, incl. xDrive	9.12 >	960 kg / 1110 kg	25	21		951626
<b>2er, F22 Coupé</b>						
BMW 2 F22, Typ 1C, Coupé, 218d, 220i, 228i, 220d, 225d	11.13 >	970 kg / 1040 kg	35/25	1, 21	TÜV	951621
BMW 2 F22, Typ 1C, Coupé, M235i	11.13 >	970 kg / 1080 kg	15	21	TÜV	951628
BMW 2 F22, Typ 1C, Coupé, M235i xDrive	11.13 >		15	21		951629
<b>3er, E30 / E36 Lim.</b>						
BMW 3 E30, Typ 3/1, 3/R, Lim. / Sedan, Cabrio, 4 cyl.	11.82 > 12.90	865 kg / 1030 kg	40	1, 15, 21	TÜV	951017
BMW 3 E30, Typ 3/1, 3/R, Lim. / Sedan, Cabrio, 6 cyl., Diesel	11.82 > 12.90	865 kg / 1030 kg	40	1, 15, 21	TÜV	951018
<b>3er, E36 Lim. / Sedan, Coupé, Cabrio</b>						
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS, 318TDS, Stabilhalterung am Querlenker / anti-roll bar mounting on frame	12.90 > 4.98	870 kg / 1045 kg	40/20	1, 2, 6, 21	TÜV	951055
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, 325TD, 325TDS	12.90 > 5.92	880 kg / 1030 kg	35	1, 21	TÜV	951056
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	40/25	1, 2, 6, 21	TÜV	951057
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., 316i, 318i, 318iS	6.92 > 4.98	825 kg / 1045 kg	50/30	1, 2, 17, 21	TÜV	951656
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., 320i, 323i, 325i, TD, TDS	6.92 > 4.98	890 kg / 1060 kg	50/30	1, 2, 17, 21	TÜV	951657
BMW 3 E36, Typ 3B/C, 6 cyl., 323i, 325i, 328i	6.92 > 98		40	1, 21		951063
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	6.92 > 4.98	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3B/C, Lim. / Sedan, Coupé, Cabrio, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	6.92 > 4.98	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
<b>3er, E36 Touring</b>						
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne / without Diesel	5.95 > 8.99	850 kg / 1150 kg	35	1, 21	TÜV	951080
BMW 3 E36, Typ 3/C, Touring, 6 cyl., Diesel	5.95 > 8.99	970 kg / 1150 kg	35	1, 21	TÜV	951085
BMW 3 E36, Typ 3/C, Touring, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 8.99	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3/C, Touring, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 8.99	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
<b>3er, E36 Compact</b>						
BMW 3 E36, Typ 3C, Compact, 316i, 318i, 318ti, ohne / without Diesel	4.94 > 6.01	850 kg / 1040 kg	35	1, 6, 21	TÜV	951065
BMW 3 E36, Typ 3C, 3/C, 3CG, Compact, 318 TDS, 323ti	5.95 > 6.01	870kg / 1040 kg	35	1, 6, 21	TÜV	951094
BMW 3 E36, Typ 3C, Compact, 4 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	4.94 > 6.01	870 kg / ---	40/0	1, 7, 19, 21	TÜV	951009
BMW 3 E36, Typ 3C, Compact, 6 cyl., ohne Niveaureg. / without self-leveling, nur VA-Feder / only front spring	5.95 > 6.01	890 kg / ---	40/0	1, 7, 19, 21	TÜV	951004
<b>3er, E46 Lim. / Sedan</b>						
BMW 3 E46, Lim. / Sedan, 4 cyl.	4.98 > 2.05	970 kg / 1215 kg	35	1, 15, 21	TÜV	951060
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 970 kg	4.98 > 2.05	970 kg / 1215 kg	40	1, 15, 21	TÜV	951075
BMW 3 E46, Lim. / Sedan, 4 cyl., nur VA-Feder / only front spring	4.98 > 2.05	935 kg / 1215 kg	35/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 970 kg, nur VA-Feder / only front spring	4.98 > 2.05	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951039
BMW 3 E46, Lim. / Sedan, 4 cyl.	4.98 > 2.05	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	951660
BMW 3 E46, Lim. / Sedan, 6 cyl., Diesel, VA bis / up to 965 kg, ohne / without 330d	4.98 > 2.05	970 kg / 1215 kg	50/30	1, 2, 15, 17, 21	TÜV	951675
<b>3er, E46 Coupé</b>						
BMW 3 E46, nur / only Coupé, 4 cyl.	5.99 > 8.06	970 kg / 1215 kg	25	1, 15, 21	TÜV	951060
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg	5.99 > 8.06	970 kg / 1215 kg	25	1, 15, 21	TÜV	951075
BMW 3 E46, nur / only Coupé, 4 cyl.	5.99 > 8.06	970 kg / 1215 kg	40	1, 15, 21	TÜV	951660
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg	5.99 > 8.06	970 kg / 1215 kg	40	1, 15, 21	TÜV	951675
BMW 3 E46, nur / only Coupé, 4 cyl., nur VA-Feder / only front spring	5.99 > 8.06	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951013
BMW 3 E46, nur / only Coupé, 6 cyl., Diesel, VA bis / up to 970 kg, nur VA-Feder / only front spring	5.99 > 8.06	970 kg / 1215 kg	40/0	1, 15, 19, 21	TÜV	951019
<b>3er, E46 Cabrio</b>						
BMW 3 E46, Cabrio, 4 cyl., 318ci, VA bis / up to 860 kg	1.01 > 07	860 kg / 1190 kg	35	1, 15, 21	TÜV	951043



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>BMW</b>						
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci	4.01 > 07	1000 kg / 1190 kg	40	1, 15, 21	TÜV	951044
BMW 3 E46, Cabrio, 4 cyl., 318ci, nur VA-Feder / only front spring	1.01 > 07	860 kg / 1190 kg	35/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Cabrio, 6 cyl., 320ci, 323ci, 325ci, 330ci, nur VA-Feder / only front spring	4.01 > 07	1000 kg / 1190 kg	40/0	1, 15, 19, 21	TÜV	951039
<b>3er, E46 Compact</b>						
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti	6.01 > 12.04	865 kg / 1040 kg	40/25	1, 2, 15, 21	TÜV	951015
BMW 3 E46, Compact, 6 cyl., 320d, 325ti	6.01 > 12.04	935 kg / 1040 kg	40	1, 15, 21	TÜV	951016
BMW 3 E46, Compact, 4 cyl., 316ti, 318ti, nur VA-Feder / only front spring	6.01 > 12.04	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951013
BMW 3 E46, Compact, 6 cyl., 320d, 325ti, nur VA-Feder / only front spring	6.01 > 12.04	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951019
<b>3er, E46 Touring</b>						
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, VA bis / up to 860 kg	9.99 > 10.05	860 kg / 1190 kg	40	1, 15, 21	TÜV	951068
BMW 3 E46, Touring, 6 cyl., Diesel	9.99 > 10.05	1000 kg / 1190 kg	40	1, 15, 21	TÜV	951069
BMW 3 E46, Touring, 4 cyl., ohne / without Diesel, nur VA-Feder / only front spring	9.99 > 10.05	935 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951023
BMW 3 E46, Touring, 6 cyl., Diesel, nur VA-Feder / only front spring	9.99 > 10.05	970 kg / 970 kg	40/0	1, 15, 19, 21	TÜV	951039
<b>3er, E46 M3</b>						
BMW 3 E46, M3, 3.2, Lim. / Sedan, Cabrio	6.00 > 06	990 kg / 1170 kg	30/20	1, 2, 21		951022
<b>3er, E90 Lim. / Sedan</b>						
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d	4.05 > 1.12	1020 kg / 1200 kg	40/25	1, 7, 15, 21	TÜV	951035
BMW 3 E90, Typ 390L, Lim. / Sedan, 318i - 330i, 316d - 335d, nur VA-Feder / only front spring	4.05 > 1.12	1020 kg / 1200 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
<b>3er, E90 M3</b>						
BMW 3 E90, Typ M3, M390, Lim. / Sedan	9.07 >	1060 kg / 1190 kg	30	1, 21		951604
<b>3er, E91 Touring</b>						
BMW 3 E91, Touring	9.05 > 4.12	1020 kg / 1315 kg	40/25	1, 7, 15, 21	TÜV	951037
BMW 3 E91, Touring, nur VA-Feder / only front spring	9.05 > 4.12	1020 kg / 1315 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
<b>3er, E92 Coupé</b>						
BMW 3 E92, Typ 392C, Coupé	9.06 > 5.10	1020 kg / 1200 kg	40/25	1, 7, 15, 21	TÜV	951035
BMW 3 E92, Typ 392C, Coupé, nur VA-Feder / only front spring	9.06 > 5.10	1020 kg / 1200 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
<b>3er, E92 M3</b>						
BMW 3 E92, Typ M3, M390, Coupé	9.07 >	1060 kg / 1190 kg	30	1, 21		951604
<b>3er, E93 Cabrio</b>						
BMW 3 E93, Typ 392C, Cabrio	3.07 >	1020 kg / 1315 kg	40/25	1, 7, 15, 21	TÜV	951037
BMW 3 E93, Typ 392C, Cabrio, nur VA-Feder / only front spring	3.07 >	1020 kg / 1315 kg	40/0	1, 7, 15, 19, 21	TÜV	951067
<b>3er, F30</b>						
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	15	1, 15, 21		951610
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	30	1, 15, 21	TÜV	951602
BMW 3 F30, Typ 3L, Lim. / Sedan, 2WD	2.12 >	990 kg / 1160 kg	45	1, 15, 21	i.V. / i.d.	951676
BMW 3 F30, Typ 3L, Lim. / Sedan, 4WD, xDrive, 320xi, 328xi, 335xi, 320xd, 325xd, 335xd	13 >	1060 kg / 1280 kg	35	1, 21, 59	i.V. / i.d.	951663
<b>3er, F80 M3</b>						
BMW M3 F80, Typ M3, Lim. / Sedan	14 >	990 kg / 1170 kg	30/20	12, 21		951668
<b>3er, F31</b>						
BMW 3 F31, Typ 3K, Touring, 2WD, ohne / without 330d	5.12 >	990 kg / 1345 kg	25	1, 15, 21	i.V. / i.d.	951665
<b>4er, F32</b>						
BMW 4 F32, Typ 3C, Coupé, 2WD, incl. EDE, 420i, 420d, 425d, 428i, 430d, 435i	10.13 >	1015 kg / 1120 kg	35/25	1, 15, 21	i.V. / i.d.	951677
BMW 4 F32, Typ 3C, Coupé, 2WD, incl. EDE, 420i, 420d, 425d, 428i, 430d, 435i	10.13 >	985 kg / 1120 kg	25/20	1, 15, 21	TÜV	951603
BMW 4 F32, Typ 3C, Coupé, 4WD, xDrive, 420xi, 428xi, 435xi, 420xd, 425xd, 435xd	13 >	1050 kg / 1135 kg	20	1, 21, 59	i.V. / i.d.	951664
<b>4er, F82 M4</b>						
BMW M4 F82, Typ M3, Coupé	4.14 >	970 kg / 1130 kg	35	1, 15, 21	TÜV	951678
<b>5er, E34</b>						
BMW 5 E34, Typ 5/H, Lim. / Sedan, Touring, 518i, 520i, ohne / without M5, ohne Niveaureg. / without self-leveling	7.90 > 3.97	1060 kg / 1300 kg	40/20	1, 2, 15, 21	TÜV	951024
BMW 5 E34, Typ 5/H, Lim. / Sedan, Touring, ab / from 525i, ohne / without M5, ohne Niveaureg. / without self-leveling	7.90 > 3.97	1060 kg / 1300 kg	40/20	1, 2, 15, 21	TÜV	951026
<b>5er, E39</b>						
BMW 5 E39, Lim. / Sedan, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 6.03		30	1, 7, 21	TÜV	951027
BMW 5 E39, Lim. / Sedan, 8 cyl., VA bis / up to 1100 kg, ohne / without EDC	4.96 > 6.03		30	1, 7, 21		951002
BMW 5 E39, Touring, 6 cyl., ohne / without 530d, ohne / without EDC	12.95 > 8.04		30	1, 7, 21		951007
BMW 5 E39, Touring, 6 cyl., nur VA-Feder / only front spring, ohne / without 530d, ohne / without EDC	12.95 > 8.04		30	1, 19, 21		951011
BMW 5 E39, Touring, 8 cyl., nur VA-Feder / only front spring, VA bis / up to 1100 kg, ohne / without EDC	3.97 > 8.04		30	1, 19, 21		951008
<b>5er, E60 / E61</b>						
BMW 5 E60, Typ 560L, Lim. / Sedan, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	6.03 > 5.10	1000 kg / 1400 kg	40/25	1, 2, 15, 21	TÜV	951077
BMW 5 E60, Typ 560L, Lim. / Sedan, 545i, 530d, 535d, VA über / more than 1000 kg	6.03 > 5.10	1070 kg / 1400 kg	40/25	1, 2, 15, 21	TÜV	951078
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	40/25	1, 2, 7, 15, 21	TÜV	951077
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	40/25	1, 2, 7, 15, 21	TÜV	951078
BMW 5 E61, Typ 560L, Touring, 520i, 523i, 525i, 530i, HA-Serie (nur Luftfeder) / rear OE (only air suspension), VA bis / up to 1000 kg	8.04 > 5.10	1000 kg / 1400 kg	30	1, 15, 21	TÜV	951083
BMW 5 E61, Typ 560L, Touring, 545i, 530d, 535d, HA-Serie (nur Luftfeder) / rear OE (only air suspension), VA über / more than 1000 kg	8.04 > 5.10	1070 kg / 1400 kg	30	1, 15, 21	TÜV	951084
<b>5er, F10</b>						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	1.10 >	1195 kg / 1310 kg	30	1, 7, 12, 15, 21	TÜV	951092

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>BMW</b>						
BMW 5 F10, Typ 5L, Lim. / Sedan, 2WD	1.10 >	1195 kg / 1310 kg	15	1, 7, 12, 15, 21		951614
<b>Ser, F10, M5</b>						
BMW M5 F10, Typ M5, Lim. / Sedan	9.11 >	1180 / 1260 kg	25/15	1, 21		951081
<b>7er, E38</b>						
BMW 7 E38, 730i - 750i, iL-Version, ohne Niveaureg. / without self-leveling	6.94 > 11.01	1220 kg / 1470 kg	30	1, 7, 21	TÜV	951095
<b>7er, F01</b>						
BMW 7 F01, Typ 701, 730(L)d, 740d, 740d xdrive, 740(L)i	11.08 >	1375 kg / 1480 kg	40	1, 7, 21		951066
<b>X3</b>						
BMW X3 E51, Typ X83, 2.0d, 3.0i, 3.0d	1.04 >	1185 kg / 1285 kg	40/20	1, 21		951046
BMW X3 F25, Typ X3, xDrive	11.10 >		35	1, 21, 59	i.V. / i.d.	951666
<b>X4</b>						
BMW X4 F26, Typ X4, xDrive	7.14 >		35	1, 21, 59	i.V. / i.d.	951666
<b>X5</b>						
BMW X5 E53, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.00 > 12.06		35	1, 7, 21		951042
BMW X5 E70, Typ X70, X5, VA bis / up to 1250 kg	2.07 > 8.13		35	1, 7, 21		951087
BMW X5 E70, Typ X70, X5, VA über / more than 1250 kg	2.07 > 8.13		35	1, 7, 21		951088
<b>X6</b>						
BMW X6 E71, Typ X70, M7X, VA bis / up to 1250 kg, HA bis / up to 1630 kg	5.08 >		35	1, 7, 21		951087
BMW X6 E71, Typ X70, M7X, VA über / more than 1250 kg, HA bis / up to 1630 kg	5.08 >		35	1, 7, 21		951088
<b>Z4</b>						
BMW Z4, Typ Z85, Roadster	12.02 > 3.09	790 kg / 890 kg	30	1, 21	TÜV	951076
BMW Z4, Typ Z89	4.09 >	870 kg / 1000 kg	30	1, 21	i.V. / i.d.	951086
<b>CADILLAC</b>						
<b>BLS</b>						
Cadillac BLS	9.03 >		40	1, 21		955147
<b>CHEVROLET</b>						
<b>Aveo</b>						
Chevrolet Aveo, 4 cyl.	04 > 06	840 kg / 810 kg	30	1, 21		955917
Chevrolet Aveo, Typ KLAS	5.08 >	840 kg / 810 kg	35	1, 21		955917
Chevrolet Aveo, Typ KL1T	8.11 >		25/35	1, 21		955914
<b>Cavalier</b>						
Chevrolet Cavalier	95 > 03		45	1, 21		959205
<b>Camaro</b>						
Chevrolet Camaro, Gen III V8	82 > 92		30	1, 21		959212
Chevrolet Camaro, Gen IV, V8, (Firebird)	93 > 02		30	1, 21		959213
Chevrolet Camaro, Gen V, Coupé, Cabrio, incl. Facelift	10 >	1100 kg / 1300 kg	35	1, 21		959226
<b>Cruze</b>						
Chevrolet Cruze, Typ KL1J	5.09 >	1220 kg / 1000 kg	30	1, 21	TÜV	959232
<b>Espero</b>						
Chevrolet Espero, Typ KLEJ, bis / up to 77 kW	3.95 > 6.97	860 kg / 890 kg	30	1, 21	TÜV	955916
<b>G2X</b>						
Chevrolet G2X (Korea)	06 >	880 kg / 900 kg	30	1, 21		955016
<b>Impala</b>						
Chevrolet Impala SS, B - Body	94 > 96		30	1, 21		959215
<b>Kalos</b>						
Chevrolet Kalos, Lanos, Typ KLAS	3.02 > 1.07	840 kg / 810 kg	35	1, 21		955917
<b>Lacetti</b>						
Chevrolet Lacetti	12.03 > 12.10		35	1, 21		959222
<b>Malibu</b>						
Chevrolet Malibu Maxx, 4 cyl.	04 >		40	1, 21		955089
Chevrolet Malibu Maxx, 6 cyl.	04 >		40	1, 21		955072
Chevrolet Malibu, Typ KL1G, VA bis / up to 1160 kg	7.12 >		25	1, 21		955088
<b>Monte Carlo</b>						
Chevrolet Monte Carlo SS, (Impala SS, 99 >) W-Car	99 > 03		35	1, 21		959206
<b>Nexia</b>						
Chevrolet Nexia, Typ KLETN, bis / up to 66 kW	3.95 > 6.97	830 kg / 830 kg	40	1, 21	TÜV	955915
<b>Nubira</b>						
Chevrolet Nubira	7.03 > 12.10		35	1, 21		959222
<b>Optra</b>						
Chevrolet Optra	7.03 > 12.10		35	1, 21		959222
<b>CHRYSLER</b>						
<b>300 C</b>						
Chrysler 300C, Typ LX	6.04 >	1275 kg / 1275 kg	35	1, 21		950314
<b>Crossfire</b>						
Chrysler Crossfire, Typ SRT6, incl. Roadster	9.03 >	950 kg / 850 kg	35	1, 21		952070
<b>Neon</b>						
Chrysler Neon	00 >	995 kg / 825 kg	40	1, 21		950308



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>CHRYSLER</b>						
<b>Sebring</b>						
Chrysler Sebring, Typ JL, 4 cyl. + 6 cyl.	95 > 98		40	1, 21		950309
Chrysler Sebring, Typ ST, Coupé	01 > 06		35	1, 21		951151
Chrysler Sebring, Typ JS, Lim. / Sedan	07 >		40	1, 21		950317
<b>CITROEN</b>						
<b>C1</b>						
Citroen C1, Typ P	7.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
<b>C2</b>						
Citroen C2, Typ J*HFX, J*KFV, J*NFU, J*8HX, J*NFS, J*8HZ, J*KFU	9.03 >	820 kg / 710 kg	35	1, 21	TÜV	950122
<b>C3 / Pluriel</b>						
Citroen C3, Typ F*8HY, F*8HX, F*NFU, F*KFV, F*HFX	4.02 >		30	1, 21	TÜV	950121
Citroen C3 Pluriel, Typ H	4.03 >		30	1, 21	TÜV	950121
<b>C4 / Cactus</b>						
Citroen C4, Typ L, Lim. / Sedan	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	950156
Citroen C4, Typ L, Coupé	10.04 >	1065 kg / 1105 kg	40/20	1, 21	TÜV	950158
Citroen C4, Typ N	11.10 >	1050 kg / 900 kg	30	1, 21		950162
Citroen C4 Cactus	09.14 >		25			950167
<b>C5</b>						
Citroen C5, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 > 3.08	1100 kg / ---	40	1, 12, 21		950112
Citroen C5, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 > 3.08	1200 kg / ---	40	1, 12, 21		950113
Citroen C5, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 > 3.08	1100 kg / ---	40	1, 21		950114
Citroen C5, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 > 3.08	1200 kg / ---	40	1, 21		950115
<b>DS3</b>						
Citroen DS3, Typ S*****	3.10 >	920 kg / 790 kg	30	1, 21	TÜV	950124
<b>DS4</b>						
Citroen DS4, Typ N	5.11 >	1170 kg / 900 kg	30	1, 21		950147
<b>DS5</b>						
Citroen DS5, Typ K, KF	1.12 >	1200 kg / 1190 kg	30	1, 21		950118
<b>Evasion</b>						
Citroen Evasion	6.94 >	1230 kg / 1300 kg	35	1, 21, AV		950225
<b>Jumpi</b>						
Citroen Jumpi, Kombi	6.94 >	1230 kg / 1100 kg	35	1, 21, AV		950230
<b>Saxo</b>						
Citroen Saxo, Typ S, 1.0, 1.1	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950150
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950215
Citroen Saxo, Typ S, 1.4 Automatik, 1.5 Diesel, 1.6 16V	4.96 >	785 kg / 730 kg	35	1, 19, 21	TÜV	950220
Citroen Saxo, Typ S, 1.4, ohne / without 16V	4.96 >	785 kg / 730 kg	60	1, 17, 19, 21	TÜV	950149
<b>Xsara</b>						
Citroen Xsara, incl. Coupé	8.97 >		35	1, 19, 21		950235
Citroen Xsara, incl. Coupé	8.97 >	950 kg / ---	50	1, 17, 19, 21		950625
Citroen Xsara Picasso	9.99 >		35	1, 19, 21		950240
<b>ZX</b>						
Citroen ZX, 1.0, 1.4, 1.6, ohne / without Diesel	9.91 > 6.97		30	1, 19, 21		950205
<b>DACIA</b>						
<b>Logan</b>						
Dacia Logan, Typ SD, 1.4, 1.6, incl. Diesel	5.05 >	850 kg / 880 kg	35	1, 21	TÜV	951222
Dacia Logan Kombi, Typ SD, 1.4, 1.6, incl. Diesel	1.06 >	930 kg / 1080 kg	35	1, 21	TÜV	951223
<b>Sandero</b>						
Dacia Sandero, Typ SD	7.08 > 12	850 kg / 880 kg	40/50	1, 21		951225
<b>DAIHATSU</b>						
<b>Cuore</b>						
Daihatsu Cuore, Typ L501, L5	93 > 2.99		35	1, 21	TÜV	950300
Daihatsu Cuore, Typ L275	8.07 >		30	1, 21		950323
<b>Materia</b>						
Daihatsu Materia, Typ M4	1.07 >		40	1, 21		950315
<b>Move</b>						
Daihatsu Move, Typ L6	97 > 9.99		35	1, 21	TÜV	950320
<b>Sirion</b>						
Daihatsu Sirion, Typ M3	05 >		40	1, 21		950315
<b>DODGE</b>						
<b>Avenger</b>						
Dodge Avenger, Typ JL, 4 cyl. + 6 cyl.	95 > 98		40	1, 21		950309
Dodge Avenger, Typ JS	07 >		40	1, 21		950317
<b>Challenger</b>						
Dodge Challenger	08 > 11		35	1, 21		950321
<b>Dart</b>						
Dodge Dart	13 >		25	1, 21		950324

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>DODGE</b>						
<b>Neon</b>						
Dodge Neon, Typ PL	00 >		30	1, 21		950308
<b>Stealth</b>						
Dodge Stealth RT, ohne / without ES	10.90 > 8.94		35	1, 21		951106
<b>Stratus</b>						
Dodge Stratus, Typ ST	01 >		35	1, 21		951151
<b>Talon</b>						
Dodge Talon (Eagle), 2WD	89 > 94		30	1, 15, 21		951140
Dodge Talon (Eagle), AWD	95 > 99		35	1, 21		951145
Dodge Talon (Eagle), 2WD	95 >		35	1, 21		951150
<b>FIAT</b>						
<b>500</b>						
Fiat 500, Typ 312, 0.8, 1.2	10.07 >	770 kg / ---	25/35	1, 21	TÜV	954050
Fiat 500, Typ 312, 1.4, und / and Diesel	10.07 >	830 kg / 640 kg	25/35	1, 21	TÜV	954051
Fiat 500, Typ 312, 1.4, Diesel, nur / only A + CH	10.07 >	830 kg / 640 kg	20/35	1, 21	TÜV	954052
Fiat 500, Typ 312, Abarth	10.07 >	830 kg / 640 kg	20/25	1, 21		954022
Fiat 500, Typ 312, USA-Version	1.11 >		25/35	1, 21		954026
Fiat 500L, Typ 199	10.12 >	1050 kg / 1000 kg	35	1, 21	TÜV	954027
<b>Bravo / Brava</b>						
Fiat Bravo / Brava, Typ 182, 55 - 113 kW, ohne / without TDI, ohne / without HGT	9.95 > 10.01	970 kg / 1000 kg	35	1, 21	TÜV	954040
Fiat Bravo / Brava, Typ 182, nur / only TDI + HGT	9.95 > 10.01		35	1, 21		954044
Fiat Bravo, Typ 198	3.07 >	1090 kg / 860 kg	30/40	1, 21	TÜV	954017
<b>Cinquecento</b>						
Fiat Cinquecento, Typ 170	10.92 > 3.98	610 kg / 630 kg	35	1, 18, 21	TÜV	954025
<b>Coupé</b>						
Fiat Coupé, 16V, ohne / without 16V Turbo, 20V, 20V Turbo	6.94 > 12.00		35	1, 21		954055
<b>Croma</b>						
Fiat Croma, Typ 194, 1.6, 2.0, 2.4 JTD, 2.5D	6.05 > 12.10	1045 kg / 1030 kg	35	1, 21	TÜV	955006
Fiat Croma, Typ 194, 2.5TD, 2.5 V6, 2.2	6.05 > 12.10	1150 kg / 1030 kg	35	1, 21	TÜV	955007
<b>Linea</b>						
Fiat Linea, Typ 323	6.07 >	1000 kg / 900 kg	30	1, 21		954014
<b>Panda</b>						
Fiat Panda, Typ 169	10.03 > 2.12	750 kg / 660 kg	40	1, 21	TÜV	954048
Fiat Panda, Typ 312	3.12 >		40	1, 21		954029
<b>Punto</b>						
Fiat Punto, Typ 176, 176C, incl. Cabrio, bis / up to 65 kW	9.93 > 99	850 kg / 700 kg	35	1, 6, 21	TÜV	954035
Fiat Punto, Typ 188, 1.2, 1.4	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954038
Fiat Punto, Typ 188, 1.8, HGT	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954036
Fiat Punto, Typ 188, Diesel	8.99 > 9.05	900 kg / 750 kg	35	1, 21	TÜV	954037
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	35	1, 21	TÜV	954008
Fiat Grande Punto, Typ 199, Evo, 1.3 Diesel, 1.6 Diesel, 1.9 Diesel, Abarth, VA über / more than 850 kg	10.05 >	1000 kg / 950 kg	35	1, 21	TÜV	954009
Fiat Grande Punto, Typ 199, Evo, 1.2, 1.4, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	50/40	1, 21		954023
<b>Scudo</b>						
Fiat Scudo	1.96 > 12.06	1230 kg / 1100 kg	35	1, 21, AV		954085
<b>Seicento</b>						
Fiat Seicento, Typ 187	3.98 >	610 kg / 630 kg	35	1, 18, 21	TÜV	954075
<b>Stilo</b>						
Fiat Stilo, Typ 192, VA bis / up to 1030 kg	10.01 >	1030 kg / 940 kg	35	1, 12, 21	TÜV	954002
Fiat Stilo, Typ 192, Weekend, SW	2.03 > 12.06		30	1, 21		954007
<b>Tempra</b>						
Fiat Tempra, Typ 159, ohne / without Station Wagon, ohne / without TD	3.91 > 8.96	950 kg / 950 kg	35	1, 12, 15, 21	TÜV	954015
Fiat Tempra, Typ 159, nur / only TD	3.91 > 8.96		35	1, 12, 15, 21		954044
<b>Ulysse</b>						
Fiat Ulysse	94 >	1230 kg / 1300 kg	35	1, 21, AV		954080
<b>FORD</b>						
<b>C-Max</b>						
Ford C-Max, Typ DM2, Benzin / petrol, VA bis / up to 990 kg	11.03 > 10.10	990 kg / ---	40	1, 21	TÜV	953102
Ford C-Max, Typ DM2, Benzin / petrol, Diesel, VA über / more than 990 kg	11.03 > 10.10	1070 kg / 1070 kg	40	1, 21	TÜV	953103
<b>Contour</b>						
Ford Contour, 4 cyl.	6.97 >		40	1, 21		953070
Ford Contour V6, incl. SVT	6.97 >		40	1, 21		953075
<b>Cougar</b>						
Ford Cougar, 4 cyl.	10.98 > 8.02		40	1, 21		953077
Ford Cougar, 6 cyl.	10.98 > 8.02		40	1, 21		953078
<b>Fiesta</b>						
Ford Fiesta, Typ GFJ, bis / up to 96 kW	89 > 1.94	820 kg / 700 kg	30	1, 21, AV	TÜV	953015
Ford Fiesta, Typ JAS, JBS, Benzin / petrol bis / up to 76 kW	11.95 > 9.99		30	1, 21	TÜV	953016
Ford Fiesta, Typ JAS, JBS, Diesel bis / up to 76 kW	11.95 > 9.99		30	1, 21	TÜV	953017



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>FORD</b>						
Ford Fiesta, Typ JAS, JBS, Benzin / petrol bis / up to 76 kW	10.99 > 4.02		30	1, 21	TÜV	953039
Ford Fiesta, Typ JAS, JBS, Diesel bis / up to 76 kW	10.99 > 4.02		30	1, 21	TÜV	953042
Ford Fiesta, Typ JH1, JD3, VA bis / up to 790 kg	12.01 > 9.08	790 kg / 800 kg	30	1, 21	TÜV	953047
Ford Fiesta, Typ JH1, JD3, VA über / more than 790 kg, ohne / without ST, ohne / without 1.6 Diesel	12.01 > 9.08	850 kg / 800 kg	30	1, 21	TÜV	953048
Ford Fiesta, Typ JA8, incl. Facelift 2013	10.08 >	850 kg / 840 kg	30	1, 21	TÜV	953113
Ford Fiesta ST, Typ JA8	13 >	850 kg / 785 kg	25	1, 21	TÜV	953113
<b>Focus</b>						
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.4	10.98 > 10.04	840 kg / 880 kg	40	1, 21	TÜV	953055
Ford Focus, Typ DAW, DBW, DFW, Lim. / Sedan, 1.6, 1.8, 2.0, Diesel	10.98 > 10.04	965 kg / 880 kg	40	1, 21	TÜV	953065
Ford Focus, Typ DNW, Turnier, 1.4, 1.6	1.99 > 12.04	840 kg / 1010 kg	40	1, 21	TÜV	953030
Ford Focus, Typ DNW, Turnier, 1.8 Diesel	1.99 > 12.04	960 kg / 1010 kg	40	1, 21	TÜV	953035
Ford Focus, Typ DA3, DB3, Lim. / Sedan, Benzin / gasoline, VA bis / up to 985 kg	11.04 > 3.11	985 kg / 1090 kg	35	1, 12, 21	TÜV	953024
Ford Focus, Typ DA3, DB3, Lim. / Sedan, Diesel, VA über / more than 985 kg	11.04 > 3.11	1090 kg / 1090 kg	35	1, 12, 21	TÜV	953031
Ford Focus, Typ DA3, DB3, Lim. / Sedan	11.04 > 3.11		50/30	1, 12, 21		953123
Ford Focus ST, Typ DA3, Lim. / Sedan, incl. Facelift	12.05 > 11	1050 kg / 915 kg	25	1, 12, 21	TÜV	953031
Ford Focus, Typ DA3, DB3, Turnier, VA bis / up to 985 kg	1.05 > 3.11	985 kg / 1090 kg	35	1, 21	TÜV	953043
Ford Focus, Typ DA3, DB3, Turnier, VA über / more than 985 kg	1.05 > 3.11	1090 kg / 1090 kg	35	1, 21	TÜV	953049
Ford Focus (USA)	06 >		35	1, 21		953099
Ford Focus, Lim. / Sedan, Typ DYB, 1.6, 2.0, 1.6 Diesel, VA bis / up to 1030 kg	4.11 >	985 kg / 1025 kg	30	1, 12, 21	TÜV	953118
Ford Focus, Lim. / Sedan, Typ DYB, 2.0 Diesel, VA über / more than 1030 kg	4.11 >	1100 kg / 1025 kg	30	1, 12, 21	TÜV	953119
Ford Focus ST Lim. / Sedan, Typ DYB	8.12 >	1100 kg / 1025 kg	30	1, 12, 21		953126
Ford Focus, Turnier, Typ DYB, 1.6, 2.0, 1.6 Diesel, VA bis / up to 1030 kg	4.11 >	1030 kg / 1135 kg	30	1, 21	i.V. / i.d.	953124
Ford Focus, Turnier, Typ DYB, 2.0 Diesel, VA über / more than 1030 kg	4.11 >	1100 kg / 1135 kg	30	1, 21	i.V. / i.d.	953125
<b>Fusion (USA)</b>						
Ford Fusion, 4 cyl. (USA)	06 > 09		35	1, 21		958027
Ford Fusion, 6 cyl. (USA)	06 > 09		35	1, 21		958029
Ford Fusion, 4 cyl. (USA)	10 > 12		35	1, 21		953120
Ford Fusion, 6 cyl. (USA)	10 > 12		35	1, 21		953121
<b>Galaxy</b>						
Ford Galaxy, Typ WGR	9.95 > 2.06	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
Ford Galaxy, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 7, 15, 21	TÜV	953106
<b>KA</b>						
Ford KA, Typ RBT, bis / up to 44 kW	10.96 > 3.00		35	1, 21	TÜV	953060
Ford KA, Typ RBT, model 2000	4.00 >		35	1, 21	TÜV	953032
Ford KA, Typ RU8	11.08 >	830 kg / 640 kg	35	1, 21		953112
Ford Street KA, Typ RL2	7.03 > 7.05	760 kg / 570 kg	30	1, 21	TÜV	953009
<b>Mondeo</b>						
Ford Mondeo, Typ BAP, BFP, GBP, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.96 > 11.00	1050 kg / 910 kg	40	1, 7, 21	TÜV	953070
Ford Mondeo, Typ BAP, BFP, GBP, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	10.96 > 11.00	1050 kg / 910 kg	40	1, 7, 21	TÜV	953075
Ford Mondeo, Typ BNP, Turnier, 4 cyl., ohne / without Diesel	10.96 > 3.01	1050 kg / 1050 kg	40	1, 7, 21	TÜV	953080
Ford Mondeo, Typ BNP, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	10.96 > 3.01	1050 kg / 1050 kg	40	1, 7, 21	TÜV	953085
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1005 kg / 1055 kg	35	1, 7, 21	TÜV	953036
Ford Mondeo, Typ B4Y, B5Y, Lim. / Sedan, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	11.00 > 3.07	1100 kg / 1055 kg	40	1, 7, 21	TÜV	953038
Ford Mondeo, Typ BWY, Turnier, 4 cyl., ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1005 kg / 1150 kg	35/25	1, 7, 21	TÜV	953081
Ford Mondeo, Typ BWY, Turnier, 6 cyl., Diesel, ohne Niveaureg. / without self-leveling	3.01 > 3.07	1130 kg / 1150 kg	40/30	1, 7, 21	TÜV	953082
Ford Mondeo, Typ BA7, Lim. / Sedan	4.07 >	1060 kg / ---	30	1, 7, 21	TÜV	953108
Ford Mondeo, Typ BA7, Lim. / Sedan, 2.0, 2.2, 2.5, incl. Diesel	4.07 >	1190 kg / 1100 kg	30	1, 7, 21	TÜV	953109
Ford Mondeo, Typ BA7, Turnier	4.07 >	1060 kg / ---	30	1, 7, 21	TÜV	953110
Ford Mondeo, Typ BA7, Turnier, 2.0, 2.2, 2.5 und Diesel	4.07 >	1190 kg / 1185 kg	30	1, 7, 21	TÜV	953111
<b>Mustang</b>						
Ford Mustang, Capri, V8, ohne / without Convertible	79 > 93		30	1, 21		953066
Ford Mustang, V8 Convertible	83 > 93		30	1, 21		953067
Ford Mustang, SN-95, V8 incl. Cobra 94 - 98, ohne / without Convertible	94 > 04		35	1, 21		953068
Ford Mustang, SN-95, V8, Convertible, incl. Cobra 94 - 98	94 > 04		35	1, 21		953069
Ford Mustang, Cobra SN 95 I.R.S, incl. Convertible	99 > 02		35	1, 21		953064
Ford Mustang, Cobra SN 95 I.R.S, incl. Convertible	03 > 04		35	1, 21		953061
Ford Mustang, S197, V6	05 > 14	1000 kg / 1100 kg	30	1, 21	TÜV	953083
Ford Mustang, S197, GT V8	05 > 14	1134 kg / 1100 kg	30	1, 21	TÜV	953084
Ford Mustang Shelby GT500, incl. Convertible	07 > 14	1134 kg / 1100 kg	30	1, 21	TÜV	953094
Ford Mustang, S550, GT, V8 Fastback	15 >		35		i.V. / i.d.	953129
Ford Mustang, S550, GT, V8 Fastback	15 >		25		i.V. / i.d.	953128
Ford Mustang, S550, V6, Ecoboost Fastback	15 >		25		i.V. / i.d.	953130
Ford Mustang, S550, GT Convertible	15 >		35		i.V. / i.d.	953133
Ford Mustang, S550, GT Convertible	15 >		25		i.V. / i.d.	953131
Ford Mustang, S550, V6 Convertible, Ecoboost Convertible	15 >		25		i.V. / i.d.	953132



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>FORD</b>						
<b>Probe</b>						
Ford Probe, Typ ECP, T22	93 > 97	980 kg / 850 kg	35	1, 21		953044
<b>Puma</b>						
Ford Puma, Typ ECT	9.97 > 4.02	770 kg / 670 kg	35	1, 21, AV	TÜV	953050
<b>S-Max</b>						
Ford S-Max, Typ WA6	5.06 >	1295 kg / 1350 kg	35	1, 21	TÜV	953106
<b>Thunder Bird</b>						
Ford Thunder Bird, MN - 12, V6, SC, V8	89 > 98		40	1, 21		953058
<b>HONDA</b>						
<b>Accord</b>						
Honda Accord, Typ CA4, CA5, 65 -101 kW	1.86 > 11.89	875 kg / 845 kg	30	1, 21, AV	TÜV	957015
Honda Accord, Typ CB3, CB7, CB8, Accord 2000, 2200, Aerodeck, 2200, bis / up to 110 kW	12.89 > 5.91	1000 kg / 1010 kg	30	1, 21, AV	TÜV	957035
Honda Accord, Typ CC1, 7, 9, CE1, 2, 7, 8, CE9, CD7, CF1, Coupé, Aerodeck ab / from 4.94	10.89 > 10.98	970 kg / 955 kg	30	1, 21	TÜV	957075
Honda Accord, 6 cyl. (Asien / Asia)	10.98 > 02		40	1, 21		957094
Honda Accord, 4 cyl. (Asien / Asia)	10.98 > 02		40	1, 21		957194
Honda Accord, Typ CL7, 9, CN1, bis / up to 2.0	2.03 > 7.08	1050 kg / 920 kg	30	1, 12, 21	TÜV	957033
Honda Accord, Typ CL7, 9, CN1, über / more than 2.0, incl. Diesel	2.03 > 7.08	1100 kg / 920 kg	30	1, 12, 21	TÜV	957032
Honda Accord, Lim. / Sedan, Typ CU1, 2, 3, VA bis / up to 1045 kg, 2.0	7.08 >	1045 kg / 950 kg	40	1, 21	TÜV	957046
Honda Accord, Lim. / Sedan, Typ CU1, 2, 3, VA über / more than 1045 kg, 2.2 Diesel, 2.4	7.08 >	1130 kg / 950 kg	40	1, 21	TÜV	957047
Honda Accord, Kombi, Typ CW1, 2, 3, VA bis / up to 1045 kg, 2.0	11.08 >	1045 kg / 1000 kg	40	1, 21	TÜV	957048
Honda Accord, Kombi, Typ CW1, 2, 3, VA über / more than 1045 kg, 2.2 Diesel, 2.4	11.08 >	1130 kg / 1000 kg	40	1, 21	TÜV	957049
<b>Civic</b>						
Honda Civic, Typ AF, AS, CRX 1.6i, Coupé CRX	10.87 > 10.88	690 kg / 640 kg	35	1, 20, 21, AV	TÜV	957055
Honda Civic, Typ EC, ED, EE, CRX/ V-Tec, EC8, 9, ED2, 3, 4, 6, 7, 9, EE8, 9	11.88 > 10.91	850 kg / 770 kg	35	1, 21, AV	TÜV	957005
Honda Civic, Typ EJ, EH, EG, CRX/ V-Tec, Coupé ab / from 1.94, EJ1, 2, 6, 9, EG2, 3, 4, 5, 6, 8, 9, EH6, 9	11.91 > 10.95		30	1, 21	TÜV	957060
Honda Civic, Typ EJ6, 8, 9, EK 1, 3, 4, bis / up to 118 kW	11.95 > 6.01		35	1, 21	TÜV	957050
Honda Civic, Typ EM2, ES4, 5, 6, 7, EU5, 6, 7, 8, EP 1, 2	6.01 > 12.05	855 kg / 820 kg	35	1, 21	TÜV	957012
Honda Civic, Typ EM2, ES4, 5, 6, 7, EU5, 6, 7, 8, EP 1, 2	6.01 > 12.05	855 kg / 820 kg	50/30	1, 21		957043
Honda Civic, Typ FD1, FK1, 2, 3, FN1, 2, 3, 4, VA bis / up to 940 kg, nur EU-Modelle / only EU-models	1.06 >	940 kg / 835 kg	35	1, 21	TÜV	957037
Honda Civic, Typ FD1, FK1, 2, 3, FN1, 2, 3, 4, VA über / more than 940 kg, nur EU-Modelle / only EU-models	1.06 >	1085 kg / 835 kg	35	1, 21	TÜV	957039
Honda Civic, Asien und US-Modelle / Asia and US-models	1.06 > 11		35	1, 21		957042
Honda Civic, Asien und US-Modelle / Asia and US-models	1.06 > 11		50	1, 21		957053
Honda Civic SI Coupé	12 >		40	1, 21		957056
<b>FR-V</b>						
Honda FR-V, Typ BE1, BE3, BE5	2.05 >	1150 kg / 990 kg	35	1, 21	TÜV	957028
<b>Integra</b>						
Honda Integra, Typ R	3.98 >		30	1, 21		957007
<b>Jazz / Fit</b>						
Honda Jazz / Fit, Typ GD1, GD5, GE2, GE3	12.01 > 10.08	800 kg / 730 kg	40	1, 21	TÜV	957023
Honda Jazz / Fit, Typ GG1, 2, 3, GE6	11.08 >		35	1, 21	TÜV	957009
<b>Legend</b>						
Honda Legend, Typ KA7, KA8, Coupé, Lim. / Sedan, Legend 3200	5.91 > 95	1100 kg / 1090 kg	30	1, 21		957070
<b>Prelude</b>						
Honda Prelude, Typ BB1, 2, 3, BB6, 8, 9	4.92 >	980 kg / 825 kg	30	1, 15, 21	TÜV	957090
<b>S 2000</b>						
Honda S 2000, Typ AP 1	10.99 > 6.09	710 kg / 840 kg	25	1, 21	TÜV	957310
<b>HYUNDAI</b>						
<b>Accent</b>						
Hyundai Accent, Typ MC	6.06 >		35	1, 21		957209
<b>Coupé</b>						
Hyundai S Coupé, SLC, X-2	9.91 > 8.96		35	1, 21		950520
Hyundai Coupé, Typ RD	9.96 > 3.02	895 kg / 770 kg	35	1, 21	TÜV	950525
Hyundai Coupé, Typ GK	3.02 > 09	1015kg / 880 kg	35	1, 21	TÜV	950516
<b>Elantra / Avante</b>						
Hyundai Elantra / Avante	07 >		30	1, 21		950532
<b>Getz</b>						
Hyundai Getz, Typ TB	5.03 >	900 kg / 830 kg	30	1, 21		950513
<b>i20</b>						
Hyundai i20, Typ PBT	1.09 > 6.12	920 kg / 840 kg	30	1, 21		950521
Hyundai i20, Typ PB/PBT, Facelift 2012	7.12 >	920 kg / 840 kg	30	1, 21	i.V. / i.d.	950523
<b>i30</b>						
Hyundai i30, Typ FD	9.07 > 8.09	1090 kg / 940 kg	35	1, 21	TÜV	957206
Hyundai i30 CW, Typ FD	4.08 > 8.09	1090 kg / 1020 kg	35	1, 21	TÜV	957208
Hyundai i30, Typ FDH	10 > 3.12	1010 kg / 1020 kg	35	1, 21	i.V. / i.d.	950524
Hyundai i30, Typ GDH, Lim. / Sedan	3.12 >	1090 kg / 1020 kg	35	1, 21	i.V. / i.d.	950528
<b>ix35 / Tucson</b>						
Hyundai ix35 / Tucson, Typ LM, 2WD	09 > 13	1010 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	950533



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>HYUNDAI</b>						
<b>Lantra</b>						
Hyundai Lantra, Typ J-1	9.91 > 8.95		35	1, 21		950510
Hyundai Lantra, Typ J-2, Lim. / Sedan, Kombi	9.95 > 5.00		35	1, 21		950515
<b>Matrix</b>						
Hyundai Matrix, Typ FC, 1.6, 1.8, 1.5 CRDi	9.01 >	1030 kg / 970 kg	30	1, 21		950517
<b>Sonata</b>						
Hyundai Sonata (Sonica), Typ NF, 2.0, 2.4	1.05 >	1200 kg / 1070 kg	35	1, 21		950529
Hyundai Sonata (Sonica), Typ NF, 2.7, 3.3, 2.0 CRDi	1.05 >	1200 kg / 1070 kg	35	1, 21		950530
<b>Tiburon</b>						
Hyundai Tiburon	03 >		45	1, 21		950527
<b>INFINITI</b>						
<b>20 / 30 / 35 / 45</b>						
Infiniti G20, Typ P11	96 > 02	990 kg / 855 kg	35	1, 12, 21		952135
Infiniti I30 / I35, Lim. / Sedan	00 > 04		35	1, 21		952107
<b>KIA</b>						
<b>Cee'd</b>						
Kia Cee'd, Typ ED, Pro Cee'd	1.07 > 09	1090 kg / 940 kg	35	1, 21	TÜV	957206
Kia Cee'd, Typ ED, Sporty Wagon (Kombi)	8.07 > 09	1055 kg / 1050 kg	35	1, 21	TÜV	957208
Kia Cee'd, Typ ED, Pro Cee'd	09 >	1090 kg / 940 kg	35	1, 21		957207
Kia Cee'd, Typ JD, Pro Cee'd, VA bis / up to 960 kg	4.12 >	960 kg / 960 kg	25/40	1, 15, 21	i.V. / i.d.	957213
Kia Cee'd, Typ JD, Pro Cee'd, incl. GT, VA über / more than 960 kg	4.12 >	1050 kg / 960 kg	25/40	1, 15, 21	i.V. / i.d.	957214
Kia Cee'd, Typ JD, Sporty Wagon (Kombi), VA bis / up to 960 kg	4.12 >	960 kg / 1050 kg	25/30	1, 15, 21	i.V. / i.d.	957215
Kia Cee'd, Typ JD, Sporty Wagon (Kombi), VA über / more than 960 kg	4.12 >	1050 kg / 1050 kg	25/30	1, 15, 21	i.V. / i.d.	957216
<b>Cerato</b>						
Kia Cerato, Typ FE	6.04 > 8.09		35	1, 21		957202
<b>Optima</b>						
Kia Optima, Typ TF, 2.0, 1.7D	3.12 >	1130 kg / 1110 kg	25	1, 21		957217
<b>Rio</b>						
Kia Rio, Typ DE	8.05 > 7.11	910 kg / 850 kg	35	1, 21		957209
Kia Rio, Typ UB	8.11 >	945 kg / 840 kg	35	1, 21		957211
<b>Sephia</b>						
Kia Sephia, Typ FA	94 >		35	1, 21		957205
<b>LANCIA</b>						
<b>Dedra</b>						
Lancia Dedra, Typ 835, Lim. / Sedan, 1.6i.e., 2.0i.e., 2000 T, incl. Diesel	1.90 > 12.97	975 kg / 975 kg	35	1, 15, 21, AV		954115
Lancia Dedra, Kombi	12.94 > 12.97	975 kg / 975 kg	35	1, 15, 21, AV		954120
<b>Delta</b>						
Lancia Delta, Typ 836, HF Turbo	9.93 >		35	1, 15, 21, AV		954145
Lancia Delta, Typ 844	8.08 >	1150 kg / 950 kg	30/40	1, 15, 21	TÜV	954017
<b>K</b>						
Lancia K, Typ 838, Lim. / Sedan, 4 cyl. + 6 cyl., bis / up to 150 kW	1.95 >		35	1, 21, AV		954135
<b>Y / Ypsilon</b>						
Lancia Y, Typ 840	1.96 > 10.03	800 kg / 750 kg	40	1, 21	TÜV	954130
Lancia Ypsilon, Typ 843	10.03 >	850 kg / 850 kg	40	1, 21		954113
<b>Zeta</b>						
Lancia Zeta	5.95 >	1230 kg / 1300 kg	35	1, 21, AV		954155
<b>LEXUS</b>						
<b>IS / ES / GS / SC</b>						
Lexus ES 300, ES 330	97 > 06		40	1, 21		959080
Lexus ES 350	07 >		35	1, 21		959042
Lexus IS 200 2.0i, (IS 300, Export)	4.99 >	900 kg / 1020 kg	35	1, 21	TÜV	959098
Lexus GS 300, GS 350, GS 400, GS 430	98 >		25	1, 21		959087
Lexus GS 300	93 > 97		30	1, 21		959094
Lexus SC 430, Typ Z4	9.01 >		30	1, 21		959023
<b>MAZDA</b>						
<b>121</b>						
Mazda 121, Typ JASM, JBSM, Benzin bis / petrol up to 76 kW	3.96 > 5.03		35	1, 21	TÜV	958035
Mazda 121, Typ JASM, JBSM, Diesel bis / up to 76 kW	3.96 > 5.03		35	1, 21	TÜV	958040
<b>2</b>						
Mazda 2	5.03 > 7.07	850 kg / 755 kg	35	1, 21		958096
<b>323</b>						
Mazda 323, GT + Kombi	86 > 11.89		35	1, 21, AV		958005
Mazda 323, Typ BA, 54 - 84 kW	9.94 > 9.98	960 kg / 820 kg	30	1, 15, 21	TÜV	958070
Mazda 323, Typ BA, 54 - 84 kW	9.94 > 9.98	960 kg / 820 kg	50	1, 15, 17, 21	TÜV	958670
Mazda 323, 323 F, Typ BJ, Stufen-, Schrägheck / Notch-, Hatchback, 4 cyl.	10.98 > 10.03	945 kg / 860 kg	30	1, 15, 21	TÜV	958090
<b>3</b>						
Mazda 3, Typ BK, Benzin / petrol, ohne / without MPS, VA bis / up to 970 kg	10.03 > 2.09	970 kg / 890 kg	40	1, 21	TÜV	958028
Mazda 3, Typ BK, 1.6 Diesel + MPS, VA über / more than 970 kg	10.03 > 2.09	1135 kg / 915 kg	40	1, 21		958012

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>MAZDA</b>						
Mazda 3, Typ BL, VA bis / up to 994 kg	3.09 > 13	994 kg / 925 kg	40	1, 21		958013
Mazda 3, Typ BL, VA über / more than 995 kg incl. MPS	3.09 > 13	1135 kg / 925 kg	40	1, 21		958014
Mazda 3, Typ BL (BM), nur / only Benzin / petrol, 2WD	13 >	1075 kg / 945 kg	30/45	1, 15, 21	i.V. / i.d.	958016
Mazda 3, Typ BL (BM), nur / only Diesel, 2WD	13 >	1075 kg / 945 kg	30/45	1, 15, 21	i.V. / i.d.	958017
<b>5</b>						
Mazda 5, Typ CR1, 2WD (Premacy, I-Max), Benzin / petrol	3.05 >	1130 kg / 1205 kg	40	1, 21		958045
Mazda 5, Typ CW, 2WD, Benzin / petrol	10.10 >	1020 kg / 1205 kg	30	1, 21		958046
<b>626</b>						
Mazda 626, Typ GE, GF, 4 cyl., ohne / without Diesel	1.92 > 6.02		35	1, 12, 15, 21, AV		958075
Mazda 626, Typ GE, GF, 6 cyl., Diesel	1.92 > 6.02		35	1, 12, 15, 21, AV		958080
<b>6</b>						
Mazda 6, Typ GG/GY, GG1, Lim. / Sedan, Schrägheck / Hatchback	6.02 > 8.07	1095 kg / 1065 kg	40/25	1, 2, 15, 21	TÜV	958026
Mazda 6, Typ GG/GY, GG1, Break	9.02 > 8.07	1095 kg / 1065 kg	40/25	1, 15, 21	TÜV	958027
Mazda 6, Typ GH, Lim. / Sedan, 2WD, VA bis / up to 1040 kg	2.08 > 12.12	1040 kg / 1090 kg	35	1, 12, 15, 21	i.V. / i.d.	958032
Mazda 6, Typ GH, Lim. / Sedan, 2WD, VA über / more than 1040 kg	2.08 > 12.12	1180 kg / 1090 kg	35	1, 12, 15, 21	i.V. / i.d.	958033
Mazda 6, Typ GH, Kombi, VA bis / up to 1040 kg, 2WD	2.08 > 12.12	1040 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	958034
Mazda 6, Typ GH, Kombi, VA über / more than 1040 kg, 2WD	2.08 > 12.12	1180 kg / 1090 kg	35	1, 15, 21	i.V. / i.d.	958036
<b>CX-7</b>						
Mazda CX-7, Typ ER	4.07 >		35	1, 21		958008
<b>MPV</b>						
Mazda MPV, Typ LW	5.02 >	1205 kg / 1310 kg	30	1, 21	TÜV	958002
<b>MX-5 (Miata)</b>						
Mazda MX-5, Typ NA	90 > 3.98	625 kg / 645 kg	35	1, 21	TÜV	958055
Mazda MX-5, Typ NB, bis / up to 107 kW	4.98 > 7.05	645 kg / 665 kg	35	1, 21	TÜV	958095
Mazda MX-5, Typ NC	8.05 >	670 kg / 705 kg	30	1, 21	TÜV	958006
<b>MX-6</b>						
Mazda MX-6, 4 cyl., V6	93 > 97		35	1, 21		953044
<b>RX-8</b>						
Mazda RX 8, Typ SE	3.04 > 6.12		35	1, 21		958003
<b>Xedos</b>						
Mazda Xedos, Typ 6 CA	6.92 >		35	1, 21, AV		958085
<b>MCC / SMART</b>						
<b>Smart</b>						
Smart, Typ 452, Coupé, Roadster	4.03 >	465 kg / 610 kg	35/45	1, 21	TÜV	950403
Smart, Typ MC01	01 >		30	1, 21		950403
Smart Fortwo, Typ 451, Coupé, Cabrio	4.07 >		20/30	1, 21		950404
Smart Fortwo, Typ 453	7.14 >		20/30	1, 21	i.V. / i.d.	950405
<b>MERCEDES BENZ</b>						
<b>W117</b>						
MB CLA-Klasse, Typ W117, VA bis / up to 1025 kg	1.13 >	1025 kg / 985 kg	25	21	TÜV	952201
MB CLA-Klasse, Typ W117, VA über / more than 1025 kg	1.13 >	1140 kg / 985 kg	25	21	TÜV	952202
<b>W124</b>						
MB Typ W124, W124C, 53 - 100 kW, 200D, 230CE, E200 - E230	1.85 > 5.95	1070 kg / 1230 kg	35 - 45	1, 4, 15, 21	TÜV	952015
MB Typ W124, W124T, W124C, 53 - 162 kW, 200 - 300, E280, E320, 320T, 300TE, 300CE, 320CE, ohne / without V8	1.85 > 5.95	1070 kg / 1230 kg	35 - 45	1, 4, 15, 21	TÜV	952025
<b>W163</b>						
MB M-Klasse, Typ W163	8.98 > 6.05	1430 kg / 1600 kg	40	1, 4, 20, 21	TÜV	952024
<b>W164</b>						
MB M-Klasse, Typ W164, ML280, 320, 420CDI, ML350	7.05 > 6.11	1470 kg / 1600 kg	35	1, 21		952062
<b>W166</b>						
MB M-Klasse, Typ W166, ML250, ML350	7.11 >		35	1, 21		952064
<b>W168</b>						
MB A-Klasse, Typ W168, A140, A160, A160CDI, A170CDI	9.97 > 9.04	805 kg / 850 kg	25	1, 21	TÜV	952018
<b>W169</b>						
MB A-Klasse, Typ W169, A150, A160CDI, A170, A180CDI, A200, A200CDI, A200Turbo	9.04 > 8.12	980 kg / 900 kg	35	1, 21	TÜV	952007
<b>R170</b>						
MB SLK, Typ R170, 200 + 230 Kompressor, VA bis / up to 845 kg	9.96 > 3.04	845 kg / 820 kg	35	1, 4, 21	TÜV	952070
<b>R171</b>						
MB SLK, Typ R171, VA bis / up to 840 kg, HA bis / up to 935 kg	3.04 >	910 kg / 940 kg	30	1, 4, 21	TÜV	952006
<b>R172</b>						
MB SLK, Typ R172, SLK200/250/350	3.11 >	940 kg / 970 kg	25	1, 21	i.V. / i.d.	952207
<b>W176</b>						
MB A-Klasse, Typ W176, VA bis / up to 1025 kg	9.12 >	1025 kg / 985 kg	40	1, 15, 21	TÜV	952088
MB A-Klasse, Typ W176, VA über / more than 1025 kg	9.12 >	1140 kg / 985 kg	40	1, 15, 21	TÜV	952089
<b>W201</b>						
MB 190 E, Typ W201, 4 cyl., ohne / without Automatik	12.82 > 5.93	900 kg / 930 kg	45/25	1, 2, 4, 21	TÜV	952055
MB 190 E, Typ W201, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	12.82 > 5.93	900 kg / 930 kg	40	1, 4, 21	TÜV	952035



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>MERCEDES BENZ</b>						
<b>W202</b>						
MB C-Klasse, Typ W202, Lim. / Sedan, 4 cyl., ohne / without Sportline, ohne / without Diesel	6.93 > 12.95	900 kg / 1110 kg	40/25	1, 2, 4, 7, 21	TÜV	952077
MB C-Klasse, Typ W202, Lim. / Sedan, 5 cyl. + 6 cyl., Diesel, ohne / without Sportline	6.93 > 12.95	970 kg / 1110 kg	40	1, 4, 7, 21	TÜV	952075
MB C-Klasse, Typ W202, T-Modell, 4 cyl., Kompressor, VA bis / up to 920 kg	1.96 > 6.00	920 kg / 1150 kg	40/25	1, 2, 4, 21	TÜV	952078
MB C-Klasse, Typ W202, T-Modell, 5 cyl. + 6 cyl., VA bis / up to 970 kg	1.96 > 6.00	970 kg / 1150 kg	35	1, 4, 21	TÜV	952079
<b>W203</b>						
MB C-Klasse, Typ W203, Lim. / Sedan, 4 cyl., ohne / without Diesel	6.00 > 2.07	1065 kg / 1090 kg	30	1, 7, 15, 18, 21	TÜV	952068
MB C-Klasse, Typ W203, Lim. / Sedan, 6 cyl. und / and Diesel	6.00 > 2.07	1065 kg / 1090 kg	30	1, 7, 15, 18, 21	TÜV	952069
MB C-Klasse, Typ W203CL, VA bis / up to 995 kg	6.00 > 2.11	995 kg / 1020 kg	30	1, 7, 15, 18, 21	TÜV	952069
MB C-Klasse, Typ W203, T-Modell, 4 cyl., ohne / without Diesel	3.01 > 7.07	1065 kg / 1190 kg	35	1, 7, 15, 18, 21	TÜV	952027
MB C-Klasse, Typ W203, T-Modell, 6 cyl., Diesel	3.01 > 7.07	1065 kg / 1190 kg	35	1, 7, 15, 18, 21	TÜV	952028
<b>W204</b>						
MB C-Klasse, Typ W204, Lim. / Sedan, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	3.07 > 14	1000 kg / 1185 kg	25	1, 7, 15, 21	TÜV	952048
MB C-Klasse, Typ W204, Lim. / Sedan, C220CDI, C350, C320CDI, VA über / more than 1000 kg	3.07 > 14	1090 kg / 1185 kg	25	1, 7, 15, 21	TÜV	952049
MB C-Klasse, Typ W204, T-Modell, C180K, C200K, C230, C280, C200CDI, VA bis / up to 1000 kg	8.07 > 14	1000 kg / 1230 kg	25	1, 7, 15, 21	TÜV	952059
MB C-Klasse, Typ W204, T-Modell, C220CDI, C350, C320CDI, VA über / more than 1000 kg	8.07 > 14	1110 kg / 1230 kg	25	1, 7, 15, 21	TÜV	952061
<b>W204 AMG</b>						
MB C-Klasse, Typ W204 AMG, Lim. / Sedan, T-Modell, C63 AMG	07 > 14	1090 kg / 1135 kg	20	15, 21		952206
<b>W205</b>						
MB C-Klasse, Typ W205, Lim. / Sedan, incl. Agility Control	2.14 >	1055 kg / 1125 kg	40/30	1, 7, 15, 18, 21	i.V. / i.d.	952204
<b>X204</b>						
MB GLK, Typ X204, 4WD, GLK280 - GLK350	10.08 >	1220 kg / ---	40	1, 21		952042
MB GLK, Typ X204, 4WD, GLK 320 CDI	10.08 >	1270 kg / ---	40	1, 21		952043
<b>W207</b>						
MB E-Klasse, Typ W207, Coupé, 2WD, VA bis / up to 1000 kg	5.09 >	1000 kg / 1130 kg	20	1, 15, 21	TÜV	952048
MB E-Klasse, Typ W207, Coupé, 2WD, E 220/250/350 CDI, E 200/300/350, E 250/350 CGI, VA über / more than 1000 kg	5.09 >	1110 kg / 1130 kg	20	1, 15, 21	TÜV	952049
<b>W208</b>						
MB CLK, Typ W208, 4 cyl., VA bis / up to 960 kg	6.97 > 3.02	960 kg / 1070 kg	35	1, 4, 21	TÜV	952013
MB CLK, Typ W208, 6 cyl., VA bis / up to 1010 kg	6.97 > 3.02	1010 kg / 1070 kg	35	1, 4, 21	TÜV	952014
<b>W209</b>						
MB CLK, W209, 4 cyl., ohne / without Diesel	3.02 >	1085 kg / 1120 kg	30	1, 4, 21	TÜV	952068
MB CLK, W209, 6 cyl., incl. Diesel	3.02 >	1085 kg / 1120 kg	30	1, 4, 21	TÜV	952069
MB CLK, W209, 8 cyl., VA bis / up to 1090 kg	3.02 >	1090 kg / 1195 kg	30	1, 4, 21	TÜV	952073
<b>W210</b>						
MB E-Klasse, Typ W210, Lim. / Sedan, 4 cyl., bis / up to 110 kW, Diesel 70 - 83 kW	6.95 > 5.02	980 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	952080
MB E-Klasse, Typ W210, Lim. / Sedan, 5 cyl., 6 cyl., 8 cyl., bis / up to 162 kW, Diesel 84 - 100 kW	6.95 > 5.02	1025 kg / 1145 kg	40	1, 4, 7, 15, 21	TÜV	952085
MB E-Klasse, Typ W210K, T-Modell, VA bis / up to 970 kg, HA bis / up to 1300 kg	6.95 >	970 kg / 1300 kg	35 - 45	1, 4, 15, 21	TÜV	952030
MB E-Klasse, Typ W210K, T-Modell, VA über / more than 970 kg, HA bis / up to 1300 kg	6.95 >	1040 kg / 1300 kg	35 - 45	1, 4, 15, 21	TÜV	952036
<b>W211</b>						
MB E-Klasse, Typ W211, Lim. / Sedan, 200K, E240, 200CDI, 220CDI	5.02 >	1195 kg / 1225 kg	40	1, 4, 7, 15, 21	TÜV	952037
MB E-Klasse, Typ W211, Lim. / Sedan, E320, 280CDI, 320CDI	5.02 >	1195 kg / 1225 kg	40	1, 4, 7, 15, 21	TÜV	952038
MB E-Klasse, Typ W211, T-Modell, nur VA-Feder / only front spring, E320, E350, 280CDI, 320CDI	4.03 >	1195 kg / 1225 kg	35/0	1, 4, 15, 19, 21	TÜV	952034
<b>W212</b>						
MB E-Klasse, Typ W212, Lim. / Sedan, VA bis / up to 1000 kg	3.09 >	1000 kg / 1240 kg	40	1, 7, 15, 21	TÜV	952044
MB E-Klasse, Typ W212, Lim. / Sedan, VA über / more than 1000 kg	3.09 >	1195 kg / 1240 kg	40	1, 7, 15, 21	TÜV	952053
<b>W212 AMG</b>						
MB E-Klasse, Typ W212 AMG, Lim. / Sedan, T-Modell, E63 AMG, inkl. Niveaugreg. / incl. self-leveling	8.09 >	1195 kg / 1365 kg	20	15, 21		952206
<b>W218</b>						
MB CLS, Typ W218, 350, 250 CDI, 350 CDI	1.11 >	1160 kg / 1200 kg	25	1, 7, 15, 21	TÜV	952039
<b>W245</b>						
MB B-Klasse, Typ W245	6.05 > 10.11	1005 kg / 935 kg	35	1, 21	TÜV	952046
<b>W246</b>						
MB B-Klasse, Typ W246, VA bis / up to 1025 kg, HA bis / up to 985 kg	11.11 >	1025 kg / 985 kg	40	1, 21	TÜV	952088
MB B-Klasse, Typ W246, VA über / more than 1025 kg, HA bis / up to 985	11.11 >	1140 kg / 985 kg	40	1, 21	TÜV	952089
<b>MERCURY</b>						
<b>Capri</b>						
Mercury Capri, V8	79 > 86		30	1, 21		953066
<b>Cougar</b>						
Mercury Cougar, 4 cyl.	10.98 > 9.01		40	1, 21		953077
Mercury Cougar, 6 cyl.	10.98 > 9.01		40	1, 21		953078
Mercury Cougar XR-7, SC, V8	89 > 98		40	1, 21		953058
<b>Mystique</b>						
Mercury Mystique, 4 cyl.	6.97 >	1050 kg / 910 kg	40	1, 21		953070
Mercury Mystique, 6 cyl.	6.97 >	1050 kg / 910 kg	40	1, 21		953075

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>MINI</b>						
<b>Mini</b>						
Mini, Typ R50, incl. Cabrio, incl. S	3.02 >	890 kg / 800 kg	30	1, 21	TÜV	951099
Mini, Typ N, R55/57, incl. UKL-L, UKL-C, Cooper, Cooper S	11.06 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Cooper Cabrio, Typ N, R57, incl. UKL-L, UKL-C	08 >	905 / 810 kg	15	1, 21		951617
Mini Cooper Cabrio, Typ N, R57, incl. UKL-L, UKL-C	08 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Clubman, Typ N, R55, incl. UKL-K	10.07 >	905 kg / 810 kg	30	1, 21	i.V. / i.d.	951049
Mini Countryman, Typ UKL-X, R60, 2WD + 4WD	11.10 >	1040 kg / 930 kg	35	1, 21	i.V. / i.d.	951608
Mini Countryman, Typ UKL-X, R60, 2WD + 4WD	11.10 >	1040 kg / 930 kg	10/15	1, 21		951619
Mini Paceman, Typ UKL-C/X, R61, 2WD + 4WD	11.10 >	1025 kg / 890 kg	35	1, 21	i.V. / i.d.	951608
Mini Coupé, Typ UKL-C, R58	8.11 >	905 kg / 810 kg	30	1, 21	TÜV	951047
Mini Roadster, Typ UKL-C, R59	3.12 >	905 kg / 810 kg	25	1, 21	TÜV	951047
Mini, Typ UKL-L, F56	3.14 >	930 kg / 770 kg	30	1, 7, 21	TÜV	951623
<b>MITSUBISHI</b>						
<b>3000 GT</b>						
Mitsubishi 3000 GT, ohne / without Spyder, ohne / without Targa	10.90 > 8.94		35	1, 21		951106
Mitsubishi 3000 GT, Typ Z10, ohne / without Spyder, ohne / without Targa	9.94 > 10.99		35	1, 21		951103
<b>Carisma</b>						
Mitsubishi Carisma, Typ DA0, 1.6	7.95 > 10.99	900 kg / 875 kg	35	1, 21	TÜV	951115
Mitsubishi Carisma, Typ DA0, 1.8	7.95 > 10.99	900 kg / 875 kg	35	1, 21	TÜV	951120
Mitsubishi Carisma GT, Typ CT9A	1.02 > 6.03	960 kg / 870 kg	25	1, 21		951114
<b>Colt</b>						
Mitsubishi Colt, Lancer, Typ C50, C60	8.88 > 3.92	840 kg / 820 kg	35	1, 21, AV	TÜV	951105
Mitsubishi Colt, Mirage, Typ CA-0, ohne / without GTI 16V	4.92 > 1.96		35	1, 21		951110
Mitsubishi Colt, Typ Z30, 1.1 - 1.5	6.04 >	750 kg / 745 kg	35	1, 21	TÜV	951108
<b>Diamante</b>						
Mitsubishi Diamante, ES, LS	97 > 01		35	1, 21		951107
<b>Eclipse</b>						
Mitsubishi Eclipse, Typ D20, D22A	1.92 > 11.95		45	1, 15, 21		951140
Mitsubishi Eclipse, Typ D30, AWD	11.95 > 99		35	1, 21		951145
Mitsubishi Eclipse, Typ D30, D32, 2WD	95 > 99		35	1, 21		951150
Mitsubishi Eclipse	00 > 05		35	1, 21		951151
<b>EVO VII</b>						
Mitsubishi EVO VII, Typ CT9A, Carisma	1.02 > 6.03	960 kg / 870 kg	25	1, 21		951114
<b>EVO VIII / IX</b>						
Mitsubishi EVO VIII / IX, Typ CTO, Lancer	6.03 >	1015 kg / 900 kg	25	1, 21		951113
<b>Galant</b>						
Mitsubishi Galant, Typ E50, Lim. / Sedan, 4 cyl. + 6 cyl.	3.93 > 2.97	1005 kg / 1035 kg	35	1, 21, AV	TÜV	951125
Mitsubishi Galant, Typ EA0, Lim. / Sedan, 4 cyl. + 6 cyl., bis / up to 120 kW	3.97 >	1005 kg / 855 kg	35	1, 21	TÜV	951130
Mitsubishi Galant, nur US-Version / only US-version	99 > 03		35	1, 21		951104
<b>Lancer</b>						
Mitsubishi Lancer, Typ CA0, ohne / without GTI 16V	4.92 > 1.96		35	1, 21		951135
Mitsubishi Lancer, Lim. / Sedan, Typ C50, 1.3, 1.6, 2.0	10.03 >		35	1, 12, 15, 21		951126
Mitsubishi Lancer, Typ CY0, Benzin / petrol	11.07 >		35	1, 21		951133
<b>NISSAN</b>						
<b>350 Z</b>						
Nissan 350 Z, Typ Z33	9.03 > 12.08	935 kg / 975 kg	30	1, 21	TÜV	952155
Nissan 350 Z, Roadster	11.04 > 8.09	975 kg / 900 kg	25	1, 21	TÜV	952156
<b>370 Z</b>						
Nissan 370 Z, Typ Z 34, Roadster, Coupé	12.08 >		25	1, 21		952164
<b>Almera</b>						
Nissan Almera, Typ N15, 1.4	9.95 > 3.00		35	1, 21		952133
Nissan Almera, Typ N15, incl. Diesel, bis / up to 105 kW	9.95 > 3.00	900 kg / 815 kg	35	1, 21	TÜV	952125
Nissan Almera, Typ N16, bis / up to 84 kW	3.00 > 11.06		35	1, 21	TÜV	952148
<b>Altima</b>						
Nissan Altima U13, U14, incl. GLE, GXE, SE, SX	93 > 01		30	1, 21		952116
Nissan Altima, 4 cyl. + 6 cyl.	02 > 06		35	1, 21		952118
Nissan Altima, Lim. / Sedan, 4 cyl.	07 >		35	1, 21		952123
Nissan Altima, Lim. / Sedan, 6 cyl.	07 >		35	1, 21		952124
Nissan Altima, Coupé, 4 cyl.	07 >		35	1, 21		952105
Nissan Altima, Coupé, 6 cyl.	07 >		35	1, 21		952119
<b>Maxima</b>						
Nissan Maxima, Typ A32, QX, bis / up to 142, kW	3.95 > 99		35	1, 21		952145
Nissan Maxima, Typ A33, QX	00 > 03		35	1, 21		952107
Nissan Maxima, Typ A34	04 > 08		35	1, 21		952163
<b>Micra</b>						
Nissan Micra, Typ K11	11.92 > 3.98	760 kg / 750 kg	35	1, 21	TÜV	952130
Nissan Micra, Typ K11	3.98 > 1.03	760 kg / 750 kg	35	1, 21	TÜV	952153
Nissan Micra, Typ K12	2.03 > 12.10	860 kg / 780 kg	30	1, 21	TÜV	952154



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>NISSAN</b>						
Nissan Micra C+C, Typ K12	2.06 > 3.09		30	1, 21		952154
Nissan Micra, Typ K13	1.11 >	825 kg / 750 kg	20/30	1, 21		952157
<b>Note</b>						
Nissan Note, Typ E11	2.06 >		40	1, 21		952104
<b>Primera</b>						
Nissan Primera, Typ P10, 1.6, ohne / without Diesel	11.90 > 9.96		35	1, 12, 21		952150
Nissan Primera, Typ P10, 2.0, incl. Diesel	11.90 > 9.96		35	1, 12, 21		952140
Nissan Primera, Typ P11, ohne / without Diesel	9.96 > 2.02	990 kg / 855 kg	35	1, 12, 21	TÜV	952135
Nissan Primera, Typ P12, Lim. / Sedan, ohne / without Diesel	2.02 > 5.07		40	1, 21		952134
Nissan Primera, Typ P12, Lim. / Sedan, Diesel	2.02 > 5.07		40	1, 21		952136
Nissan Primera, Typ P12, Break, ohne / without Diesel	2.02 > 5.07		40	1, 21		952137
Nissan Primera, Typ P12, Break, Diesel	2.02 > 5.07		40	1, 21		952138
<b>Sentra</b>						
Nissan Sentra, Typ B14, (USA 200 SX, 95 > 98)	95 > 99		40	1, 21		952110
Nissan Sentra, Typ B15, SER / SPEC V (02 >) Club Spec	00 > 06		40	1, 21		952111
<b>Sunny</b>						
Nissan Sunny, Typ N14, CN14, EN14, 2.0, GTI	3.91 > 9.95	930 kg / 810 kg	30	1, 12, 21		952120
<b>SX</b>						
Nissan 240 SX, Typ S13, (Asia also 200 SX)	89 > 94		30	1, 21		952112
Nissan 240 SX, Typ S14, (Asia also 200 SX)	95 > 98		35	1, 21		952113
Nissan 200 SX, Typ S15	99 > 02		30	1, 21		952117
<b>Versa</b>						
Nissan Versa (USA)	2.06 >		40	1, 21		952104
<b>OPEL</b>						
<b>Adam</b>						
Opel Adam, Typ S-D	1.13 >	820 kg / 730 kg	25	1, 18, 21	i.V. / i.d.	955157
<b>Agila</b>						
Opel Agila, Typ H-B	3.08 >	835 kg / 800 kg	30	1, 21	TÜV	959605
<b>Astra</b>						
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	35	1, 6, 12, 21	TÜV	955055
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	900 kg / 800 kg	50/30	1, 2, 12, 17, 21	TÜV	955090
Opel Astra F, incl. Cabrio, 16V	10.91 > 3.98	880 kg / 800 kg	60	1, 12, 17, 21	TÜV	955655
Opel Astra F, nur / only Diesel	10.91 > 3.98	855 kg / 800 kg	35	1, 12, 21		955156
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 885 kg	30	1, 12, 21	TÜV	955190
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	1035 kg / 885 kg	30	1, 12, 21	TÜV	955195
Opel Astra G-CC, 1.2, 1.6, 1.6 16V	3.98 > 4.04	885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	955690
Opel Astra G-CC, OPC, 1.8, 2.0, 1.7 DTI, 2.0 DTI	3.98 > 4.04	ab 885 kg / 845 kg	50/30	1, 2, 12, 17, 21	TÜV	955695
Opel Astra G Coupé, Cabrio, 1.8 16V, 2.0 16V T, 2.2 16V	3.00 > 12.04	ab 885 kg / 845 kg	30	1, 21	TÜV	955054
Opel Astra G Cabrio, 1.8 16V, 2.2 16V	3.01 > 12.04	ab 885 kg / 845 kg	40/25	1, 2, 21	TÜV	955054
Opel Astra G, Caravan 1.2, 1.6, 1.6 16V, ohne Niveaugreg. / without self-leveling	3.98 > 10.04	885 kg / 960 kg	35	1, 7, 21	TÜV	955196
Opel Astra G, Caravan 1.8, 2.0, 1.7 DTI, 2.0 DTI, ohne Niveaugreg. / without self-leveling	3.98 > 10.04	1035 kg / 960 kg	35	1, 7, 21	TÜV	955197
Opel Astra G, Typ T98, CC, Coupé, Cabrio, VA bis / up to 885 kg, nur VA-Feder / only front spring	3.98 > 10.05	885 kg / ---	40/0	1, 19, 21	TÜV	955102
Opel Astra G, Typ T98, CC, Coupé, Cabrio, VA über / more than 885 kg, nur VA-Feder / only front spring	3.98 > 10.05	1035 kg / ---	40/0	1, 19, 21	TÜV	955103
Opel Astra H, 1.4, 1.6, 1.8	4.04 > 12.09	960 kg / 925 kg	35	1, 12, 21	TÜV	955002
Opel Astra H, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T	4.04 > 12.09	1045 kg / 925 kg	35	1, 12, 21	TÜV	955003
Opel Astra H, Lim. / Sedan, Caravan, 1.4, 1.6, 1.8, nur VA-Feder / only front spring	4.04 > 10.10	960 kg / 925 kg	35/0	1, 19, 21	TÜV	955004
Opel Astra H, Lim. / Sedan, Caravan, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T, nur VA-Feder / only front spring	4.04 > 10.10	1045 kg / 925 kg	35/0	1, 19, 21	TÜV	955009
Opel Astra H, Caravan, 1.4, 1.6, 1.8	10.04 > 10.10	960 kg / 960 kg	35	1, 21	TÜV	955012
Opel Astra H, Caravan, 1.3 CDTI, 1.7 CDTI, 1.9 CDTI, 2.0 T	10.04 > 10.10	1045 kg / 960 kg	35	1, 21	TÜV	955013
Opel Astra H, GTC, VA bis / up to 960 kg	2.05 > 12.10	960 kg / 925 kg	35	1, 12, 21	TÜV	955002
Opel Astra H, GTC, VA über / more than 960 kg	2.05 > 12.10	1045 kg / 925 kg	35	1, 12, 21	TÜV	955003
Opel Astra H, Twin Top, VA bis / up to 960 kg	2.06 > 11.10	960 kg / 960 kg	35	1, 21	TÜV	955012
Opel Astra H, Twin Top, VA über / more than 960 kg	2.06 > 11.10	1045 kg / 960 kg	35	1, 21	TÜV	955013
Opel Astra J, Typ P-J	11.09 >	1155 kg / 1020 kg	40	1, 21	TÜV	955026
Opel Astra J, Typ P-J, Sports Tourer	11.10 >	1175 kg / 1060 kg	40	1, 21	i.V. / i.d.	955027
Opel Astra J, Typ P-J, GTC, VA bis / up to 1080 kg	11.11 >	1080 kg / 930 kg	30	1, 21	i.V. / i.d.	955029
Opel Astra J, Typ P-J, GTC, VA über / more than 1080 kg	11.11 >	1180 kg / 930 kg	30	1, 21	i.V. / i.d.	955018
<b>Cascada</b>						
Opel Cascada, Typ P-J/SWF, VA bis / up to 1160 kg	4.13 >	1160 kg / 1110 kg	30	1, 21,	i.V. / i.d.	955032
<b>Corsa</b>						
Opel Corsa A, incl. GSI (Kit ohne / without GSI)	8.83 > 2.93	680 kg / 670 kg	35	1, 21	TÜV	955025
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	35	1, 6, 21	TÜV	955085
Opel Corsa B, Typ S93, Benzin / petrol	3.93 > 9.00	840 kg / 745 kg	40/25	1, 2, 6, 21	TÜV	955084
Opel Corsa C, VA bis / up to 790 kg	9.00 >	790 kg / ---	30	1, 21	TÜV	955094
Opel Corsa C, VA über / more than 790 kg	9.00 >	900 kg / ---	35	1, 21	TÜV	955095
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	6.06 >	850 kg / ---	30	1, 21	TÜV	954008
Opel Corsa D, Typ S-D, VA über / more than 850 kg	6.06 >	990 kg / 845 kg	30	1, 21	TÜV	954009
Opel Corsa D, Typ S-D, VA bis / up to 850 kg	10.05 >	850 kg / 950 kg	50/40	1, 21		954023

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>OPEL</b>						
<b>GT</b>						
Opel GT	5.07 > 7.09	880 kg / 900 kg	30	1, 21	TÜV	955016
<b>Insignia</b>						
Opel Insignia, Typ OG-A, Lim. / Sedan, 2WD	11.08 >	1140 kg / 1070 kg	30	1, 21	TÜV	955022
Opel Insignia, Typ OG-A, Sports Tourer, 2WD	11.08 >	1140 kg / 1160 kg	30	1, 21	i.V. / i.d.	955023
<b>Meriva</b>						
Opel Meriva A, VA bis / up to 885 kg	9.02 > 5.10	885 kg / 975 kg	30	1, 21	TÜV	955113
Opel Meriva A, VA bis / up to 1045 kg, ohne / without OPC	9.02 > 5.10	1045 kg / 975 kg	30	1, 21	TÜV	955114
<b>Signum</b>						
Opel Signum, Typ Z-C/S, Z-C/SW, VA bis / up to 1100 kg	3.03 > 8.08	1100 kg / 1080 kg	40	1, 21	TÜV	955089
Opel Signum, Typ Z-C/S, Z-C/SW, VA über / more than 1100 kg	3.03 > 8.08	1230 kg / 1080 kg	40	1, 21	TÜV	955072
<b>Tigra Twin Top</b>						
Opel Tigra Twin Top, Typ X-C, Roadster, VA bis / up to 790 kg	10.04 > 8.09	790 kg / 805 kg	35	1, 21	TÜV	955094
Opel Tigra Twin Top, Typ X-C, Roadster, VA über / more than 790 kg	10.04 > 8.09	900 kg / 805 kg	35	1, 21	TÜV	955095
<b>Vectra</b>						
Opel Vectra A, ACC, GL, GLS, CD, GT, ohne / without V6, ohne / without 16V	9.88 > 10.95	945 kg / 840 kg	30	1, 15, 21	TÜV	955065
Opel Vectra A, V6	3.93 > 10.95		35	1, 15, 21		955067
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 4 cyl., ohne / without Diesel	10.95 > 4.02		35/25	1, 2, 12, 21	TÜV	955130
Opel Vectra B, B-CC, Typ J96, Lim. / Sedan, 6 cyl., Diesel	10.95 > 4.02		40/25	1, 12, 21	TÜV	955135
Opel Vectra B, Typ J96, Caravan, 4 cyl., ohne / without Diesel, ohne Niveaugreg. / without self-leveling	10.96 > 10.03	975 kg / ---	35/20	1, 2, 21	TÜV	955140
Opel Vectra C, Lim. / Sedan, 4 cyl., VA bis / up to 1000 kg	4.02 > 8.08	1000 kg / 1020 kg	30	1, 12, 21	TÜV	955146
Opel Vectra C, Lim. / Sedan, 2.0T, 6 cyl., Diesel, VA über / more than 1000 kg	4.02 > 8.08	1165 kg / 1020 kg	30	1, 12, 21	TÜV	955147
Opel Vectra C, Caravan, VA bis / up to 1100 kg, ohne Niveaugreg. / without self-leveling	10.03 > 10.08	1100 kg / 1140 kg	40	1, 21	TÜV	955089
Opel Vectra C, Caravan, VA über / more than 1100 kg, ohne Niveaugreg. / without self-leveling	10.03 > 10.08	1205 kg / 1140 kg	40	1, 21	TÜV	955072
<b>Zafira</b>						
Opel Zafira B, Typ A-H, 1.6, 1.8	6.05 >	1045 kg / 1140 kg	30	1, 21	TÜV	955006
Opel Zafira B, Typ A-H, 2.0 T, 2.2, 1.9 DTI	6.05 >	1155 kg / 1140 kg	30	1, 21	TÜV	955007
<b>PEUGEOT</b>						
<b>106</b>						
Peugeot 106, Typ 1C, 1A, 1.0, 1.1	9.91 >	710 kg / 680 kg	35	1, 19, 21	TÜV	950150
Peugeot 106, Typ 1C, 1A, 1.4, ohne / without 16V	9.91 >	785 kg / 730 kg	40	1, 19, 21	TÜV	950106
Peugeot 106, Typ 1C, 1A, 1.4, Rally, Sport	9.91 >		60	1, 17, 19, 21	TÜV	950149
Peugeot 106, Typ 1C, 1A, 1.5 Diesel, 16V, (16V - 20 mm)	9.91 >	785 kg / 730 kg	35	1, 19, 21	TÜV	950170
<b>107 / 108</b>						
Peugeot 107 / 108, Typ P	5.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
<b>205</b>						
Peugeot 205, Typ 741, A/B/C, 20 A/C/D, incl. 16V, Cabrio, 33 - 94 kW	2.83 > 8.98	750 kg / 680 kg	30	1, 19, 21	TÜV	950105
Peugeot 205, Typ 741, A/C, 20 A/C, 1.0, 1.1	2.83 > 8.98		35	1, 19, 21		950150
Peugeot 205, Typ 741, A/C, 20 A/C, 1.4, 1.6	2.83 > 8.98		60	1, 17, 19, 21		950149
<b>206</b>						
Peugeot 206, Typ 2, 1.1, 1.4, ohne / without Automatik	10.98 >	875 kg / 780 kg	60	1, 19, 21	TÜV	950680
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, ohne / without Diesel	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950180
Peugeot 206, Typ 2, HFZ, HFX, KFW, WJY, 8HX, HFY, KFX, NFZ, RFR, WJZ, RHY, 1.4 HDI, 2.0 HDI	10.98 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950185
Peugeot 206, Typ 2, 1.4 HDI, 1.6 16V, 2.0 HDI, incl. Automatik	10.98 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	950680
Peugeot 206 CC, Typ NFU, RFN	1.01 >		35	1, 19, 21	TÜV	950146
Peugeot 206 CC, Typ NFU, RFN	1.01 >	875 kg / 780 kg	60	1, 17, 19, 21	TÜV	950681
Peugeot 206, SW, ohne / without Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950148
Peugeot 206, SW, Diesel	6.02 >	890 kg / 780 kg	35	1, 19, 21	TÜV	950185
<b>207</b>						
Peugeot 207, 207 CC	12.05 > 3.12	1050 kg / 900 kg	40	1, 21	TÜV	950123
<b>208</b>						
Peugeot 208, Typ C, incl. GTI	4.12 >	1000 kg / 900 kg	30	1, 21	TÜV	950127
<b>309 / 306</b>						
Peugeot 309, Typ 3A, 3C, 10A, 10C	2.86 > 2.93	750 kg / 750 kg	40	1, 19, 21	TÜV	950105
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, ohne / without 2.0, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	950104
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, ohne / without 2.0, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	35	1, 19, 21	TÜV	950125
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Break, ohne / without Diesel, VA bis / up to 950 kg	3.93 > 6.02		50	1, 17, 19, 21		950625
Peugeot 306, Typ 7A, Lim. / Sedan, Cabrio, Diesel, VA bis / up to 950 kg	3.93 > 6.02		50	1, 17, 19, 21		950625
Peugeot 306, Typ 7A, Break, VA bis / up to 950 kg	3.93 > 6.02	950 kg / ---	30	1, 19, 21	TÜV	950145
<b>307</b>						
Peugeot 307, Lim. / Sedan, 1.4, 1.6, 2.0, 2.0 HDI	9.01 >	1000 kg / 880 kg	35	1, 21	TÜV	950156
Peugeot 307, SW, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950157
Peugeot 307, Break, 1.6, 2.0 HDI	6.02 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950158
Peugeot 307, CC	10.03 >	1065 kg / 1105 kg	40/30	1, 21	TÜV	950157
<b>308</b>						
Peugeot 308, Typ 4, Lim. / Sedan, CC	9.07 >	1200 kg / 960 kg	35/20	1, 21	TÜV	950116
<b>405 / 406</b>						
Peugeot 405, Typ 4B/E, 15 B/E, incl. Break, ohne / without 16V	9.87 > 9.95	850 kg / ---	30	1, 19, 21, AV	TÜV	950107



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>PEUGEOT</b>						
Peugeot 406, Lim. / Sedan, 1.6, 1.8, ohne / without Diesel	10.95 > 5.04		35	1, 21		950130
Peugeot 406, Lim. / Sedan, 2.0, Diesel	1.97 > 5.04		35	1, 21		950140
Peugeot 406, Break, 1.6, 1.8	1.97 > 10.04		35	1, 21		950135
Peugeot 406, Break, 2.0, Diesel	1.97 > 10.04		35	1, 21		950155
<b>407</b>						
Peugeot 407, Lim. / Sedan, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	5.04 >	1100 kg / 1120 kg	35	1, 12, 21	TÜV	950112
Peugeot 407, Lim. / Sedan, 2.0 HDI, 2.2, VA über / more than 1100 kg	5.04 >	1200 kg / 1120 kg	35	1, 12, 21	TÜV	950113
Peugeot 407, SW, Break, 1.8, 2.0, 1.6 HDI, VA bis / up to 1100 kg	10.04 >	1100 kg / 1120 kg	35	1, 21	TÜV	950114
Peugeot 407, SW, Break, 2.0 HDI, 2.2, VA über / more than 1100 kg	10.04 >	1200 kg / 1120 kg	35	1, 21	TÜV	950115
<b>806</b>						
Peugeot 806	9.94 > 8.02	1230 kg / 1300 kg	35	1, 21, AV		950160
<b>1007</b>						
Peugeot 1007	5.05 > 12.09		35	1, 21		950121
<b>PONTIAC</b>						
<b>Firebird</b>						
Pontiac Firebird V8 / Trans Am	82 > 92		30	1, 21		959212
Pontiac Firebird V8 / Trans Am	93 > 02		30	1, 21		959213
<b>Grand Prix W-car</b>						
Pontiac Grand Prix W-car	97 > 03		35	1, 21		959206
<b>Solstice</b>						
Pontiac Solstice	06 >		30	1, 21		955016
<b>Sunfire</b>						
Pontiac Sunfire	95 > 04		45	1, 21		959205
<b>U-Van</b>						
Pontiac U-Van, Trans Sport	90 > 96		30	1, 21		959200
<b>Vibe</b>						
Pontiac Vibe	95 > 04		45	1, 21		959013
<b>PORSCHE</b>						
<b>Boxster</b>						
Porsche Boxster, Typ 986, incl. S	10.96 > 10.04	775 kg / 940 kg	30	1, 21	TÜV	950703
Porsche Boxster, Typ 987	11.04 > 3.12	785 kg / 940 kg	30	1, 21		950706
Porsche Boxster, Typ 981, incl. S, PASM	4.12 >	785 kg / 930 kg	35	1, 18, 21	i.V. / i.d.	950710
<b>Carrera</b>						
Porsche Carrera 911, Typ 993, incl. 4S, ohne / without Turbo	10.93 > 98	760 kg / 1080 kg	30	1, 21	TÜV	950702
Porsche Carrera 911, Typ 996, 2WD, Coupé bis / up to 254 kW	97 >		30	1, 15, 21		950701
Porsche Carrera 911, Typ 996, Carrera II, Cabrio, Targa, bis / up to 254 kW	97 >		30	1, 21		950704
Porsche Carrera 911, Typ 996, 4S, Turbo	00 >		25	1, 21		950705
Porsche Carrera 911, Typ 997, 2WD, incl. S, Cabrio, PASM	7.04 >		30	1, 15, 21		950707
Porsche Carrera 911, Typ 991, 2WD, incl. S, Cabrio, PASM	12 >		30	1, 15, 21		950708
<b>Cayman</b>						
Porsche Cayman, Typ 987, incl. S	11.05 >		30	1, 21		950706
Porsche Cayman, Typ 981, incl. S, PASM	5.12 >	785 kg / 945 kg	35	1, 18, 21	i.V. / i.d.	950710
<b>PROTON</b>						
<b>Kancell</b>						
Proton Kancell, 660, 850	94 >		40	1, 21		952515
<b>Perdana</b>						
Proton Perdana	03 >		35	1, 21		952511
<b>Saga</b>						
Proton Saga, 1.3, 1.5	85 > 07		40	1, 21, AV		952500
Proton Saga	08 >		40	1, 21		952513
<b>Satria Neo</b>						
Proton Satria Neo	06 >		30	1, 21		952520
<b>Wira</b>						
Proton Wira, 1.6, 1.8	94 >		40	1, 21		952510
<b>RENAULT</b>						
<b>Clio</b>						
Renault Clio I, Typ B/C 57, incl. 16V	90 > 9.98	770 kg / 725 kg	40	1, 19, 21	TÜV	951211
Renault Clio II, Typ B, ohne / without Diesel	9.98 >	860 kg / 785 kg	40	1, 21		951266
Renault Clio II, Typ B, bis / up to 79 kW, VA bis / up to 860 kg	9.98 >	860 kg / 785 kg	35	1, 21	TÜV	951260
Renault Clio III, Typ R, bis / up to 6.10	8.05 > 6.10	950 kg / 880 kg	35	1, 21	TÜV	951224
Renault Clio III, Typ R	7.10 > 6.12	950 kg / 880 kg	35	1, 21	TÜV	951226
Renault Clio IV, Typ R, Lim. / Sedan, Grandtour, 2WD	11.12 >	960 kg / 891 kg	30	1, 7, 15, 21	TÜV	951227
<b>Laguna</b>						
Renault Laguna, Typ B56, K56, Lim. / Sedan, Grandtour, 1.6, 1.8, 2.0	1.94 > 3.01		35	1, 19, 21	TÜV	951270
Renault Laguna, Typ B56, K56, Lim. / Sedan, Grandtour, 1.9 Diesel, 2.2 Diesel, 3.0	1.94 > 3.01		35	1, 19, 21	TÜV	951275
Renault Laguna, Typ G, Lim. / Sedan, Grandtour, VA bis / up to 1070 kg	3.01 > 9.07	1190 kg / 1070 kg	35	1, 21	TÜV	951267



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>RENAULT</b>						
Renault Laguna, Typ G, Lim. / Sedan, Grandtour, VA über / more than 1070 kg	3.01 > 9.07	1190 kg / 1070 kg	35	1, 21	TÜV	951268
Renault Laguna, Typ T	10.07 >	1280 kg / 1110 kg	35			951204
<b>Mégane</b>						
Renault Mégane, Typ BA, DA, LA, EA, Coach, Classic, Cabrio, Benzin bis / petrol up to 84 kW, Diesel bis / up to 74 kW, incl. 1.6 16V, ohne / without 2.0 16V	1.96 > 12.02	1050 kg / 1080 kg	40	1, 19, 21	TÜV	951250
Renault Mégane, Grandtour ab / from 9.97, nur / only 2.0 16V	1.96 > 6.03		30	1, 19, 21		951280
Renault Mégane, Grandtour bis / up to 84 kW	9.97 > 6.03		40	1, 19, 21		951285
Renault Mégane, Typ M, Lim. / Sedan, HA bis / up to 930 kg	6.03 > 9.08	1060 kg / 930 kg	35	1, 21	TÜV	951253
Renault Mégane, Typ M, Grandtour, CC, HA über / more than 930 kg	6.03 > 9.08	1060 kg / 1010 kg	35	1, 21	TÜV	951254
Renault Mégane, Typ Z, Lim. / Sedan, Coupé, 2.0, 1.9 dCi, 3.0 dCi, VA ab / from 990 kg	10.08 >	1102 kg / 962 kg	30	1, 21	TÜV	951206
<b>Scénic</b>						
Renault Scénic, Typ JA, bis / up to 102 kW	1.97 > 6.03	1050 kg / 1000 kg	40	1, 19, 21	TÜV	951255
Renault Scénic, Typ JM	6.03 > 2.09	1130 kg / 1025 kg	35	1, 21	TÜV	951254
Renault Scénic, Typ JZ, 1.2, 1.4, 1.6, 2.0, 1.5dCi, 1.6dCi, 1.9dCi, 2.0dCi	2.09 >	1230 kg / 1235 kg	35			951256
<b>Twingo</b>						
Renault Twingo, Typ C06	6.93 > 6.01	700 kg / 690 kg	35	1, 21	TÜV	951212
Renault Twingo, Typ C06	6.01 > 6.07	700 kg / 690 kg	35	1, 21	TÜV	951203
Renault Twingo, Typ N, bis / up to 75 kW	7.07 > 14	810 kg / 710 kg	20/30	1, 21	TÜV	951219
Renault Twingo, Typ AH	9.14 >	610 kg / 790 kg	35	1, 21	TÜV	951240
<b>ROVER</b>						
<b>200 / 400 / 600</b>						
Rover 200, 400, Typ XW	5.90 > 5.96	900 kg / 790 kg	30	1, 21, AV	TÜV	957093
Rover 200, Typ RF	5.96 > 3.00		35	1, 21		957095
Rover 600, Typ RH, 375, 376, 377, 620i bis / up to 623Si, 77 - 147 kW	8.93 > 2.99	990 kg / 950 kg	30	1, 21, AV	TÜV	957083
<b>SATURN</b>						
<b>Sky</b>						
Saturn Sky	06 > 09		30	1, 21		955016
<b>SCION</b>						
<b>Xa / Xb / Tc</b>						
Scion Xa / Xb	04 > 07		30	1, 21		959025
Scion Tc	05 >		40/30	1, 21		959084
<b>FR-S</b>						
Scion FR-S	3.12 >		25	1, 21		959056
<b>SAAB</b>						
<b>900</b>						
Saab 900	7.93 > 12.97	1040 kg / 980 kg	35	1, 21		951820
<b>9-3 / 9-5</b>						
Saab 9-3, Typ YS3DXXXX, incl. Cabrio	3.98 > 7.02	1045 kg / 875 kg	35	1, 21	TÜV	951815
Saab 9-3, Typ YS3FXXXX, Lim. / Sedan, VA bis / up to 1000 kg	9.02 >	1000 kg / 1010 kg	35	1, 12, 21	TÜV	951808
Saab 9-3, Typ YS3FXXXX, Lim. / Sedan, VA über / more than 1000 kg	9.02 >	1125 kg / 1010 kg	35	1, 12, 21	TÜV	951809
Saab 9-3, Typ YS3FXXXX, Sport Combi, VA bis / up to 1100 kg	6.05 >	1100 kg / 1100 kg	40	1, 21	TÜV	955089
Saab 9-3, Typ YS3FXXXX, Sport Combi, VA über / more than 1100 kg	6.05 >	1125 kg / 1000 kg	40	1, 21	TÜV	955072
Saab 9-3, Typ YS3FX7XXX, Cabrio, VA bis / up to 1000 kg	5.03 >	1000 kg / 1010 kg	35	1, 12, 21	TÜV	951811
Saab 9-3, Typ YS3FX7XXX, Cabrio, VA über / more than 1000 kg	5.03 >	1125 kg / 1010 kg	35	1, 12, 21	TÜV	951812
Saab 9-5, Typ YS3EXXX	10.97 > 10		35	1, 12, 21		951810
<b>SEAT</b>						
<b>Alhambra</b>						
Seat Alhambra, Typ 7MS	9.95 > 3.10	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
Seat Alhambra, Typ 7N	6.10 >	1300 kg / 1340 kg	30	1, 21	i.V. / i.d.	956179
<b>Altea</b>						
Seat Altea, Typ 5P, 1.6, 2.0 FSI, 1.9 TDI, 2.0 TDI	5.04 >	1106 kg / 1015 kg	40	1, 21	TÜV	956118
<b>Arosa</b>						
Seat Arosa, Typ 6H, 6HS	4.97 > 6.04	800 kg / 695 kg	40	1, 21	TÜV	951340
<b>Exeo</b>						
Seat Exeo, Typ 3R, 1.6, 1.8	3.09 >	1065 kg / 1136 kg	40	1, 21	TÜV	951305
Seat Exeo, Typ 3R, 2.0 TFSI, 2.0 TDI	3.09 >	1220 kg / 1136 kg	40	1, 21	TÜV	951306
Seat Exeo, Typ 3R, 3RN, Sports Tourer, 1.6, 1.8	11.09 >	1065 kg / 1136 kg	40	1, 21	TÜV	951305
Seat Exeo, Typ 3R, 3RN, Sports Tourer, 2.0 TFSI, 2.0 TDI	11.09 >	1220 kg / 1136 kg	40	1, 21	TÜV	951306
<b>Ibiza / Cordoba / Cupra</b>						
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	8.93 > 12.95	910 kg / 790 kg	40	1, 21	TÜV	951351
Seat Ibiza Cupra, Typ 6K, 6K/C	96 > 99	910 kg / 790 kg	25	1, 21	TÜV	951350
Seat Ibiza, Cordoba, Typ 6K, 6K/C	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	951350
Seat Ibiza, Cordoba, Typ 6K, 6K/C, nur / only Diesel	96 > 8.99	910 kg / 790 kg	40	1, 21	TÜV	951351
Seat Cordoba Varío, nur / only TDI	6.97 > 8.99		35	1, 21		951356
Seat Ibiza, Typ 6L, VA bis / up to 890 kg	4.02 >	890 kg / 810 kg	30	1, 21	TÜV	951318
Seat Ibiza, Typ 6L, VA über / more than 890 kg	4.02 >	960 kg / 810 kg	30	1, 21	TÜV	951319
Seat Cordoba, Typ 6L, VA bis / up to 890 kg	5.03 >	890 kg / 845 kg	35	1, 15, 21	TÜV	951323
Seat Cordoba, Typ 6L, VA über / more than 890 kg	5.03 >	960 kg / 845 kg	35	1, 15, 21	TÜV	951324



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>SEAT</b>						
Seat Ibiza, Typ 6J, VA bis / up to 860 kg	9.08 >	860 kg / 870 kg	30	1, 21	TÜV	951302
Seat Ibiza, Typ 6J, VA über / more than 860 kg	9.08 >	950 kg / 870 kg	30	1, 21	TÜV	951304
<b>Leon</b>						
Seat Leon, Typ 1M, 1.4, 1.6	9.99 > 3.06	900 kg / 965 kg	35	1, 15, 21	TÜV	951390
Seat Leon, Typ 1M, 1.8, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 > 3.06	995 kg / 965 kg	35	1, 15, 21	TÜV	951395
Seat Leon, Typ 1M, 1.4, 1.6	9.99 > 3.06	910 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	951387
Seat Leon, Typ 1M, 1.8, 1.8 T, 1.9 SDI, 1.9 TDI	9.99 > 3.06	995 kg / 965 kg	50/30	1, 2, 15, 17, 21, 23	TÜV	951388
Seat Leon, Typ 1M, 4motion, VA bis / up to 1020 kg	9.99 > 3.06		40	1, 18, 21, 23	TÜV	950003
Seat Leon, Typ 1P, VA bis / up to 1020 kg	9.05 >	1020 kg / 950 kg	35	1, 15, 21	TÜV	951300
Seat Leon, Typ 1P, VA über / more than 1020 kg	9.05 >	1077 kg / 950 kg	35	1, 15, 21	TÜV	951301
Seat Leon, Typ 5F, VA bis / up to 1010 kg, bis / up to 110 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951331
Seat Leon, Typ 5F, VA über / more than 1010 kg, bis / up to 110 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951332
Seat Leon, Typ 5F, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951333
Seat Leon, Typ 5F, VA von / from 931kg bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951334
Seat Leon, Typ 5F, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.12 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951335
Seat Leon, Typ 5F, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951346
Seat Leon, Typ 5F, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951347
Seat Leon, Typ 5F, ST, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1010 kg / 1050 kg	40/30	1, 15, 21, 71	TÜV	951348
Seat Leon, Typ 5F, ST, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	11.12 >	1080 kg / 1050 kg	40/30	1, 15, 21, 71	TÜV	951349
<b>Mii</b>						
Seat Mii, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	951345
<b>Toledo</b>						
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 795 kg, HA bis / up to 740 kg	9.91 > 2.99	795 kg / 740 kg	40	1, 21	TÜV	951310
Seat Toledo, Typ 1L, bis / up to 85 kW, VA bis / up to 840 kg, HA bis / up to 740 kg	9.91 > 2.99	840 kg / 740 kg	60	1, 17, 21	TÜV	956656
Seat Toledo, Typ 1M, 1.4, 1.6, 1.8	3.99 > 9.04	910 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	951387
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	50/30	1, 2, 17, 21, 23	TÜV	951388
Seat Toledo, Typ 1M, V5, 1.9 TDI	3.99 > 9.04	995 kg / 965 kg	35	1, 2, 17, 21, 23	TÜV	951395
Seat Toledo, Typ 5P	12.04 >	1106 kg / 1015 kg	40	1, 21	TÜV	956118
Seat Toledo, Typ NH, 2WD	3.13 >	940 kg / 895 kg	30	1, 7, 15, 21	i.V. / i.d.	951446
<b>SKODA</b>						
<b>Citigo</b>						
Skoda Citigo, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	951430
<b>Fabia</b>						
Skoda Fabia, Typ 6Y, 1.0, 1.2, 1.4, 1.4 16V, 1.4 TDI, incl. Kombi	1.00 > 12.07	900 kg / 840 kg	40	1, 21	TÜV	951420
Skoda Fabia, Typ 6Y, 2.0, 1.9 SDI, 1.9 TDI, incl. RS + Kombi	1.00 > 12.07	960 kg / 840 kg	40	1, 21	TÜV	951425
Skoda Fabia, Typ 5J, 1.2, 1.4, 1.6, VA bis / up to 920 kg	4.07 >	920 kg / 840 kg	30	1, 21	TÜV	951420
Skoda Fabia, Typ 5J, 1.4 TDI, 1.9 TDI, VA über / more than 920 kg	1.08 >	960 kg / 840 kg	30	1, 21	TÜV	951425
Skoda Fabia RS, Typ 5J	8.10 >	960 kg / 840 kg	20	1, 21		951426
<b>Octavia</b>						
Skoda Octavia, Typ 1U, 1.6, VA bis / up to 910 kg	1.97 > 5.04	910 kg / ---	35	1, 12, 15, 21	TÜV	951400
Skoda Octavia, Typ 1U, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	1.97 > 5.04	1020 kg / ---	35	1, 12, 15, 21	TÜV	951405
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / ---	35	1, 15, 21	TÜV	951410
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, (incl. RS, nur Federnsatz / only springs)	6.98 > 5.04	1020 kg / ---	35	1, 15, 21	TÜV	951415
Skoda Octavia, Typ 1U, Kombi, 1.6, VA bis / up to 910 kg	6.98 > 5.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
Skoda Octavia, Typ 1U, Kombi, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	6.98 > 5.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1100 kg	50	1, 15, 21	TÜV	950018
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1100 kg / 1100 kg	50	1, 15, 21	TÜV	950019
Skoda Octavia, Typ 1Z, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
Skoda Octavia, Typ 1Z, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
Skoda Octavia, Typ 1Z, Kombi, 1.4 TSI, 1.6 TSI, VA bis / up to 1020 kg	5.04 > 13	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
Skoda Octavia, Typ 1Z, Kombi, 1.8 TSI, 2.0 TSI, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	5.04 > 13	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
Skoda Octavia Lim. / Sedan, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951441
Skoda Octavia Lim. / Sedan, Typ 5E, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951442
Skoda Octavia Lim. / Sedan, Typ 5E, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951443
Skoda Octavia Lim. / Sedan, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951444
Skoda Octavia Lim. / Sedan, Typ 5E, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear-axle	2.13 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	951445
Skoda Octavia Lim. / Sedan, incl. RS, Typ 5E, VA von / from 931 kg bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951447

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>SKODA</b>						
Skoda Octavia Lim. / Sedan, incl. RS, Typ 5E, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear-axle	2.13 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	951448
Skoda Octavia Kombi, Typ 5E, 2WD, incl. RS, nur / only Mehrlenker-HA / multi-link rear-axle	13 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951449
Skoda Octavia Kombi, Typ 5E, 2WD, incl. RS nur / only Mehrlenker-HA / multi-link rear-axle	13 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	951450
<b>Rapid</b>						
Skoda Rapid, Typ NH, 2WD, incl. Spaceback	10.12 >	940 kg / 895 kg	20	1, 7, 15, 21		951446
<b>Roomster</b>						
Skoda Roomster, Typ 5J, 1.2, 1.4, 1.6 16V	9.06 >	960 kg / 900 kg	30	1, 21	TÜV	951416
Skoda Roomster, Typ 5J, 1.2TDI, 1.4 TDI, 1.6TDI, 1.9 TDI	9.06 >	960 kg / 900 kg	30	1, 21	TÜV	951409
<b>Superb</b>						
Skoda Superb, Typ 3U, 1.8, 2.0 VA bis / up to 1115 kg	2.02 > 3.08	1115 kg / 1060 kg	40	1, 12, 15, 21	TÜV	951407
Skoda Superb, Typ 3U, 2.8 V6, Diesel, VA über / more than 1115 kg	2.02 > 3.08	1210 kg / 1060 kg	40	1, 12, 15, 21	TÜV	951408
Skoda Superb, Typ 3T, 1.4, 1.8, VA bis / up to 1070 kg	6.08 >	1070 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	956076
Skoda Superb, Typ 3T, 2.0, 3.6 V6, und / and Diesel, VA über / more than 1070 kg	6.08 >	1200 kg / 1060 kg	40	1, 8, 12, 15, 21	TÜV	956078
<b>SUBARU</b>						
<b>BRZ</b>						
Subaru BRZ, Typ ZC	3.12 >		25	1, 21		959056
<b>Impreza</b>						
Subaru Impreza Turbo, Typ GD, GG, WRX, WRX-STI	1.95 > 12.99		30	1, 21, AV		959505
Subaru Impreza, WRX	04 >		30	1, 21		959508
Subaru Impreza, 1.5R, 2.0R, 2.5T, WRX, 4WD	10.07 > 6.10		30	1, 21		959516
Subaru Impreza, 2.5 WRX-STI	3.07 > 6.10		15	1, 21		959517
<b>Justy</b>						
Subaru Justy, Typ G3X	9.03 > 07	800 kg / 760 kg	30	1, 21	TÜV	953402
Subaru Justy, Typ M3	07 >		40	1, 21		950315
<b>Legacy</b>						
Subaru Legacy, Typ BG3, 5, 7, 9, 4WD, 1.8, 2.0, 2.5	6.94 > 6.98		30	1, 21, AV		959515
Subaru Legacy, Typ BG5, Station Wagon (für Bilstein Dämpfer / for Bilstein shocks)	6.94 > 6.98		30	1, 21, AV		959514
Subaru Legacy, Typ BL, BP	10.03 >	1070 kg / 1060 kg	30	1, 21		959510
<b>SUZUKI</b>						
<b>Alto</b>						
Suzuki Alto	92 > 02		30	1, 21		959607
<b>Forenza</b>						
Suzuki Forenza (US)	7.03 > 12.06		35	1, 21		959222
<b>Ignis</b>						
Suzuki Ignis, Typ MH	9.03 >	800 kg / 760 kg	40	1, 21	TÜV	953402
<b>Splash</b>						
Suzuki Splash, Typ EX	5.05 >	835 kg / 800 kg	40	1, 21	TÜV	959605
<b>Swift</b>						
Suzuki Swift, Typ EA	2.89 > 12.03		40	1, 21		959610
Suzuki Swift, Typ MZ	5.05 > 8.10	835 kg / 800 kg	40	1, 21	TÜV	959605
Suzuki Swift, Typ NZ, excl. 1.6 Sport	9.10 >	850 kg / 830 kg	25	1, 21	TÜV	953403
<b>TOYOTA</b>						
<b>GT 86</b>						
Toyota GT 86, Typ ZN	3.12 >		25	1, 21		959056
<b>Altis</b>						
Toyota Altis, (nur Asien / only Asia)	92 >		30	1, 21		959006
<b>Auris</b>						
Toyota Auris, Verbundlenker-HA / twist-beam rear axle	3.07 >	1100 kg / 1010 kg	35	1, 21		959037
<b>Avensis</b>						
Toyota Avensis, Typ T22, Lim. / Sedan	98 > 3.03		35	1, 21	TÜV	959090
Toyota Avensis, Typ T22, Kombi, 1.6 bis / up to 2.0, Diesel	98 > 3.03		35	1, 21	TÜV	959095
Toyota Avensis, Typ T25, Lim. / Sedan	4.03 >	1070 kg / 1035 kg	30/40	1, 21	TÜV	959084
Toyota Avensis, Typ T25, Kombi	4.03 >	1070 kg / 1035 kg	35/40	1, 21	TÜV	959019
Toyota Avensis, Typ T27, Lim. / Sedan, Benzin / petrol	1.09 >	1215 kg / 1135 kg	40	1, 21		959051
Toyota Avensis, Typ T27, Lim. / Sedan, Diesel	1.09 >	1215 kg / 1135 kg	40	1, 21		959052
Toyota Avensis, Typ T27, Kombi, Benzin / petrol	1.09 >	1215 kg / 1135 kg	40	1, 21		959053
Toyota Avensis, Typ T27, Kombi, Diesel	1.09 >	1215 kg / 1135 kg	40	1, 21		959054
<b>Aygo</b>						
Toyota Aygo, Typ AB1	5.05 >	695 kg / 695 kg	35	1, 21	TÜV	959017
<b>Camry / Solara / Avalon</b>						
Toyota Camry, Typ V10, SX, VX V10, Lim. / Sedan, 6 cyl.	9.91 > 10.96		40	1, 21, AV		959075
Toyota Camry, Solara, Avalon Typ V20, 2.2, 3.0	10.96 > 03		40	1, 21		959080
Toyota Camry, Typ V30, 2.4, 3.0	11.01 > 12.06	1200 kg / 1200 kg	40	1, 21		959015
Toyota Camry, Avalon	07 >		35	1, 21		959042
<b>Carina</b>						
Toyota Carina II, Typ T17	88 > 6.92	875 kg / 945 kg	35	1, 21, AV	TÜV	959035
Toyota Carina E, Typ T19, T19U, Kombi	2.96 > 2.98		35	1, 21	TÜV	959020



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>TOYOTA</b>						
Toyota Carina	3.98 >		35	1, 21		959083
<b>Celica</b>						
Toyota Celica, Typ T20, 1.8, 85 - 94 kW	3.94 > 99	850 kg / 835 kg	35	1, 21	TÜV	959060
Toyota Celica, Typ T23	9.99 > 6.05	960 kg / 945 kg	35	1, 21	TÜV	959099
<b>Corolla</b>						
Toyota Corolla, Typ E9, 47 - 92 kW	5.87 > 4.92	815 kg / 850 kg	35	1, 15, 21, AV	TÜV	959005
Toyota Corolla, Typ E10, E11, E11 U	5.92 > 1.02	925 kg / 925 kg	35	1, 21	TÜV	959055
Toyota Corolla, Typ E12 U, J, T, J1, Lim. / Sedan, Kombi, Verso	1.02 >	1000 kg / 970 kg	35	1, 21	TÜV	959013
Toyota Corolla, Typ R1, Verso	4.04 >		35	1, 21		959034
<b>Fortuner</b>						
Toyota Fortuner	05 >		35	1, 21		959049
<b>Innova</b>						
Toyota Innova	05 >		30	1, 21		959026
<b>IQ</b>						
Toyota IQ, Typ AJ1	3.09 >	700 kg / 650 kg	30	1, 21	TÜV	959044
<b>Matrix</b>						
Toyota Matrix	03 >		45	1, 21		959013
<b>MR 2</b>						
Toyota MR 2, Typ W 3	7.00 >		30	1, 21		959004
<b>Paseo</b>						
Toyota Paseo, bis / up to 66 kW	3.96 > 6.99	750 kg / 750 kg	35	1, 21	TÜV	959085
<b>Starlet</b>						
Toyota Starlet, Tercel, Typ P9, bis / up to 55 kW	3.96 > 98		35	1, 21	TÜV	959065
<b>Vitz</b>						
Toyota Vitz	06 >		30	1, 21		959028
<b>Yaris</b>						
Toyota Yaris, Typ P1, P2 Verso	4.99 > 10.05	830 kg / 830 kg	35	1, 21	TÜV	959025
Toyota Yaris, Typ XP9, XP9F	11.05 > 9.11	895 kg / 825 kg	35	1, 21	TÜV	959028
Toyota Yaris, Typ XP13M, XP13N	10.11 >	895 kg / 825 kg	35	1, 21		959028
<b>VW</b>						
<b>Beetle</b>						
VW Beetle, Typ 9C, 1.8 T, 2.0, 1.9 TDI	9.98 > 7.10	1020 kg / 800 kg	40	1, 21	TÜV	956019
VW Beetle, Typ 9C, 1.8 T, 2.0	9.98 > 7.10	990 kg / 800 kg	55	1, 17, 21	TÜV	956618
VW Beetle Cabrio, Typ 1Y	3.02 >	1030 kg / 840 kg	40	1, 21	TÜV	956028
VW Beetle, Typ 16, VA bis / up to 1020 kg, nur / only Verbundlenker-HA / twist-beam rear axle	11.11 >	1020 kg / 950 kg	30	1, 21, 72	i.V. / i.d.	956122
VW Beetle, Typ 16, VA über / more than 1020 kg, nur / only 147 kW, nur / only Mehrlenker-HA / multi-link rear axle	11.11 >	1077 kg / 950 kg	30	1, 21, 71	TÜV	956123
<b>Bora</b>						
VW Bora, Typ 1J, Lim. / Sedan, 1.6, 1.6 16V	11.98 > 9.05	910 kg / 950 kg	40	1, 12, 15, 18, 21, 23	TÜV	956023
VW Bora, Typ 1J, Lim. / Sedan, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	11.98 > 9.05	1005 kg / 950 kg	40	1, 12, 15, 18, 21, 23	TÜV	956024
VW Bora, Typ 1J, Lim. / Sedan, 4motion, VA bis / up to 1030 kg	11.98 > 12.04		40	1, 21, 23	TÜV	950003
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V	4.99 > 12.04	910 kg / 1000 kg	40	1, 15, 18, 21, 23	TÜV	956125
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 12.04	1005 kg / 1000 kg	40	1, 15, 18, 21, 23	TÜV	956130
VW Bora, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	4.99 > 12.04	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
VW Bora, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 12.04	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
<b>Caddy</b>						
VW Caddy, Typ 2K, 2KN, Caddy Life, Caddy Maxi Life, 2WD	5.04 >	1130 kg / 1300 kg	45/0	1, 19, 21		956126
VW Caddy, Typ 2K, 2KN, Caddy Life, Caddy Maxi Life, 2WD	5.04 >	1200 kg / 1300 kg	45/0	1, 19, 21		956127
<b>Corrado</b>						
VW Corrado, Typ 53i, 2.0, 16V, VR6	9.88 > 95	980 kg / 840 kg	35	1, 21	TÜV	956057
<b>Eos</b>						
VW Eos, Typ 1F, VA bis / up to 1070 kg, incl. Facelift	1.06 >	1070 kg / 1060 kg	35	1, 21	TÜV	956076
VW Eos, Typ 1F, VA über / more than 1070 kg, incl. Facelift	1.06 >	1120 kg / 1060 kg	35	1, 21	TÜV	956078
<b>Fox</b>						
VW Fox, Typ 5Z, VA bis / up to 870 kg	5.05 > 7.11	870 kg / 800 kg	40	1, 21	TÜV	951420
<b>Golf I / Jetta I</b>						
VW Golf I / Jetta I, Typ 17, ohne / without Diesel, ohne / without Automatik	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21	TÜV	956005
VW Golf I / Jetta I, Typ 17, 17CK, GTI, Diesel, Automatik, 37 - 82 kW	4.74 > 7.83	785 kg / 640 kg	40	1, 14, 21	TÜV	956006
VW Golf I Cabrio, Typ 155, 37 - 82 kW	9.77 > 8.93	785 kg / 640 kg	40	1, 14, 21	TÜV	956006
<b>Golf II / Jetta II</b>						
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 6, 15, 21	TÜV	956015
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	956080
VW Golf II / Jetta II, Typ 19E, 16V, Diesel	8.83 > 10.91	840 kg / 740 kg	40	1, 15, 21	TÜV	956016
VW Golf II / Jetta II, Typ 19E, 16V, Diesel	8.83 > 10.91	840 kg / 740 kg	60/40	1, 2, 15, 17, 21	TÜV	956081
VW Golf II / Jetta II, Typ 19E, bis / up to 118 kW, GTI, ohne / without Diesel	8.83 > 10.91	840 kg / 740 kg	60	1, 15, 17, 21	TÜV	956656
<b>Golf III / Vento</b>						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 85 kW, GTI, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	40/25	1, 2, 6, 12, 15, 16, 21	TÜV	956055
VW Golf III / Vento, Typ 1HX0, 1EX0, 16V, VR6, Diesel, Cabrio	9.91 > 8.94	980 kg / 840 kg	35	1, 5, 12, 15, 16, 21	TÜV	956056

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>VW</b>						
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	920 kg / 800 kg	50/30	1, 2, 12, 15, 16, 17, 21TÜV		956084
VW Golf III / Vento, Typ 1HX0, 1EX0, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.91 > 8.94	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	956656
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, incl. Cabrio bis / up to 4.95, bis / up to 85 kW, GTI, ohne / without Diesel	9.94 > 10.97	920 kg / 800 kg	40	1, 6, 12, 15, 16, 21	TÜV	956054
VW Golf III / Vento, Typ 1HX0, 1EX0, 1H, 1E, 16V, VR6, Diesel, (incl. Cabrio bis / up to 4.95)	9.94 > 10.97	980 kg / 840 kg	35	1, 11, 12, 15, 16, 21	TÜV	956060
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97		50/30	1, 2, 12, 15, 16, 17, 21TÜV		956085
VW Golf III / Vento, Typ 1HX0, 1H, 1EX0, 1E, bis / up to 110 kW, incl. Cabrio, ohne / without Diesel	9.94 > 10.97	980 kg / 890 kg	60	1, 12, 15, 16, 17, 21	TÜV	956657
VW Golf III Cabrio, Typ 1EX0, 1E	4.95 > 6.02	980 kg / 840 kg	35	1, 15, 21	TÜV	956061
<b>Golf IV</b>						
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 965 kg	35	1, 12, 15, 21, 23	TÜV	956095
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 965 kg	40	1, 12, 15, 21, 23	TÜV	956098
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	910 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	956695
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	9.97 > 10.03	1020 kg / 985 kg	50	1, 12, 15, 17, 21, 23	TÜV	956698
VW Golf IV, Typ 1J, 1.4, 1.6, 1.6 16V	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23TÜV		956082
VW Golf IV, Typ 1J, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI, V5	9.97 > 10.03	995 kg / 965 kg	50/30	1, 2, 12, 15, 17, 21, 23TÜV		956083
VW Golf IV, Typ 1J, 4motion, VA bis / up to 1030 kg	9.97 > 8.04	1030 kg / 1100 kg	40	1, 18, 21, 23	TÜV	950003
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V	4.99 > 6.06	910 kg / 1000 kg	40	1, 15, 21, 23	TÜV	956115
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 6.06	1020 kg / 1000 kg	40	1, 15, 21, 23	TÜV	956120
VW Golf IV, Typ 1J, Variant, 1.6, 1.6 16V, VA bis / up to 910 kg	4.99 > 6.06	910 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951413
VW Golf IV, Typ 1J, Variant, 1.8 T, 2.0, 1.9 SDI, 1.9 TDI	4.99 > 6.06	1020 kg / 1070 kg	50/30	1, 15, 17, 21, 23	TÜV	951414
<b>Golf V / Golf V Plus</b>						
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
VW Golf V, Typ 1K, 1.4, 1.6, VA bis / up to 1020 kg	10.03 > 9.08	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
VW Golf V, Typ 1K, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	10.03 > 9.08	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
VW Golf V, Typ 1K, 4motion, VA bis / up to 1020 kg	8.04 >	1020 kg / 1150 kg	35	1, 21	TÜV	950007
VW Golf V, Typ 1K, 4motion, VA über / more than 1020 kg	8.04 >	1140 kg / 1150 kg	35	1, 21	TÜV	950008
VW Golf V, Typ 1K, GTI, VA über / more than 1020 kg	10.03 >	1130 kg / 1020 kg	25	15, 21	TÜV	950019
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg	5.07 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	5.07 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf V, Typ 1K, Variant, 1.4, 1.6, VA bis / up to 1020 kg	5.07 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	950020
VW Golf V, Typ 1K, Variant, 1.9 TDI, 2.0 TDI, VA über / more than 1020 kg	5.07 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	950021
VW Golf V Plus, Typ 1KP, VA bis / up to 1020 kg	2.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf V Plus, Typ 1KP, VA über / more than 1020 kg	2.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
<b>Golf VI / Golf VI Plus</b>						
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	956032
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1140 kg / 1020 kg	35	1, 15, 21	TÜV	956033
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1100 kg	50	1, 15, 21	TÜV	956034
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1100 kg / 1100 kg	50	1, 15, 21	TÜV	956035
VW Golf VI, Typ 1K, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	10.08 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	956036
VW Golf VI, Typ 1K, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	10.08 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	956037
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	8.09 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	956032
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	8.09 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	956033
VW Golf VI, Typ 1K, Variant, 1.2, 1.4, 1.6, VA bis / up to 1020 kg	8.09 >	1020 kg / 1100 kg	50/30	1, 15, 21	TÜV	956036
VW Golf VI, Typ 1K, Variant, 1.6 TDI, 2.0 TDI, VA über / more than 1020 kg	8.09 >	1100 kg / 1100 kg	50/30	1, 15, 21	TÜV	956037
VW Golf VI Plus, Typ 1KP, VA bis / up to 1020 kg	2.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Golf VI Plus, Typ 1KP, VA über / more than 1020 kg	2.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Golf VI, Typ 1K, GTI, GTD	3.09 >	1100 kg / 1100 kg	25	15, 21	TÜV	956071
VW Golf VI, Typ 1K, Cabrio, VA bis / up to 1020 kg	6.11 >	1020 kg / 1100 kg	40	1, 15, 21	TÜV	956156
VW Golf VI, Typ 1K, Cabrio, VA über / more than 1020 kg	6.11 >	1100 kg / 1100 kg	40	1, 15, 21	TÜV	956157
<b>Golf VII</b>						
VW Golf VII, Typ AU, 1.4 TSI 90 kW, 1.4 TSI 103 kW, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1010 kg / 1050 kg	35	1, 15, 21, 71	TÜV	956141
VW Golf VII, Typ AU, 2.0 TDI 110 kW, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1080 kg / 1050 kg	35	1, 15, 21, 71	TÜV	956142
VW Golf VII, Typ AU, 1.2 TSI 63 kW, 1.2 TSI 77 kW, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	930 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956139
VW Golf VII, Typ AU, 1.6 TDI 77 kW, 1.6 TDI 81 kW, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1010 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956145
VW Golf VII, Typ AU, 1.6 TDI 81 kW DSG, über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1080 kg / 1050 kg	35	1, 15, 21, 72	TÜV	956143
VW Golf VII, Typ AU, 4motion, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1060 kg / 950 kg	35	1, 21, 59, 71	i.V. / i.d.	956148
VW Golf VII, Typ AU, 1.4 TSI 90 kW, 1.4 TSI 103 kW, VA bis / up to 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1010 kg / 1050 kg	45	1, 15, 21, 71	TÜV	956146
VW Golf VII, Typ AU, 2.0 TDI 110 kW, VA über / more than 1010 kg, nur / only Mehrlenker-HA / multi-link rear axle	8.12 >	1080 kg / 1050 kg	45	1, 15, 21, 71	TÜV	956147



## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>VW</b>						
VW Golf VII, Typ AU, 1.2 TSI 63 kW, 1.2 TSI 77 kW, VA bis / up to 930 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	930 kg / 950 kg	45	1, 15, 21, 72	i.V. / i.d.	956149
VW Golf VII, Typ AU, 1.6 TDI 77 kW, 1.6 TDI 81 kW, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1010 kg / 950 kg	45	1, 15, 21, 72	i.V. / i.d.	956150
VW Golf VII, Typ AU, 1.6 TDI 81 kW DSG, über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	8.12 >	1080 kg / 1050 kg	45	1, 15, 21, 72	i.V. / i.d.	956158
VW Golf VII, Typ AUV, Variant, 2WD, VA bis / up to 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	9.13 >	1010 kg / 1040 kg	40/30	1, 15, 21, 72	i.V. / i.d.	956153
VW Golf VII, Typ AUV, Variant, 2WD, VA über / more than 1010 kg, nur / only Verbundlenker-HA / twist-beam rear axle	9.13 >	1090 kg / 1040 kg	40/30	1, 15, 21, 72	i.V. / i.d.	956154
<b>Golf VII GTI / GTD / R</b>						
VW Golf VII, Typ AU, GTI	3.13 >	1010 kg / 1050 kg	20	15, 21, 71	TÜV	956141
VW Golf VII, Typ AU, GTI, GTI Performance, GTD	3.13 >	1080 kg / 1050 kg	20	15, 21, 71	TÜV	956142
VW Golf VII, Typ AU, GTI	3.13 >	1010 kg / 1050 kg	30	15, 21, 71	TÜV	956146
VW Golf VII, Typ AU, GTI, GTI Performance, GTD	3.13 >	1080 kg / 1050 kg	30	15, 21, 71	TÜV	956147
VW Golf VII R, Typ AU	11.13 >	1080 kg / 980 kg	25	21, 59, 71	TÜV	956151
<b>Jetta</b>						
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1150 kg	35	1, 15, 21	TÜV	950007
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1140 kg / 1150 kg	35	1, 15, 21	TÜV	950008
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1020 kg	50	1, 15, 21	TÜV	950018
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1130 kg / 1020 kg	50	1, 15, 21	TÜV	950019
VW Jetta, Typ 1KM, Lim. / Sedan, VA bis / up to 1020 kg	9.05 >	1020 kg / 1020 kg	50/30	1, 15, 21	TÜV	950020
VW Jetta, Typ 1KM, Lim. / Sedan, VA über / more than 1020 kg	9.05 >	1130 kg / 1020 kg	50/30	1, 15, 21	TÜV	950021
VW Jetta, Typ 16, nur / only Verbundlenker-HA / Twist-beam rear-axle, USA-model	6.10 >	1020 kg / 960 kg	35	1, 21, 72		956144
VW Jetta, Typ 16, nur / only Mehrlenker-HA / multi-link rear-axle	6.10 >		35	1, 21, 71		950008
<b>Lupo</b>						
VW Lupo, Typ 6X, ohne / without GTI, ohne / without Diesel	9.98 > 4.05	820 kg / 700 kg	40	1, 21	TÜV	956009
<b>Passat</b>						
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	11.96 > 3.05	1190 kg / 1010 kg	35	1, 8, 15, 21	TÜV	956066
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	11.96 > 3.05	1190 kg / 1010 kg	40	1, 8, 15, 21	TÜV	956067
VW Passat, Typ 3B, 3BG (B5), Variant, 1.6, 1.8 T, 2.0, ohne / without Diesel, ohne Niveaureg. / without self-leveling	3.97 > 8.05	1190 kg / 1070 kg	35	1, 8, 15, 21	TÜV	956096
VW Passat, Typ 3B, 3BG (B5), Variant, 2.3, 1.9 TDI, 2.5 TDI, bis / up to 142 kW, Diesel, ohne Niveaureg. / without self-leveling	3.97 > 8.05	1190 kg / 1070 kg	40	1, 8, 15, 21	TÜV	956097
VW Passat, Typ 3B, 3BG (B5), Lim. / Sedan, Variant, bis / up to 147 kW, 4motion	3.97 > 8.05	1200 kg / 1170 kg	35	1, 7, 8, 21	TÜV	956088
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA bis / up to 1070 kg	3.05 >	1070 kg / 1085 kg	40	1, 8, 12, 15, 21	TÜV	956076
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA über / more than 1070 kg	3.05 >	1180 kg / 1100 kg	40	1, 8, 12, 15, 21	TÜV	956078
VW Passat, Typ 3C (B6/B7), Lim. / Sedan, VA bis / up to 1070 kg	3.05 >	1070 kg / 1085 kg	20	1, 8, 12, 15, 21		956038
VW Passat, Typ 3C (B6/B7), Variant, VA bis / up to 1070 kg	8.05 >	1070 kg / 1090 kg	40	1, 8, 15, 21	TÜV	956176
VW Passat, Typ 3C (B6/B7), Variant, VA über / more than 1070 kg	8.05 >	1180 kg / 1100 kg	40	1, 8, 15, 21	TÜV	956178
VW Passat CC, Typ 3CC (B6/B7), 2WD, VA bis / up to 1070 kg	5.08 >	1070 kg / 1040 kg	30	1, 21	i.V. / i.d.	956073
VW Passat CC, Typ 3CC (B6/B7), 2WD, VA über / more than 1070 kg	5.08 >	1180 kg / 1100 kg	30	1, 21	i.V. / i.d.	956074
VW Passat CC, Typ 3CC (B6/B7), 4WD, VA bis / up to 1070 kg	5.08 >	1070 kg / 1110 kg	30	1, 21	i.V. / i.d.	956089
VW Passat CC, Typ 3CC (B6/B7), 4WD, VA über / more than 1070 kg	5.08 >	1170 kg / 1110 kg	30	1, 21	i.V. / i.d.	956090
VW Passat, Typ 3C (B8), Lim. / Sedan, 2WD, VA bis / up to 980 kg	15 >	980 kg / 1060 kg	35		i.V. / i.d.	956161
VW Passat, Typ 3C (B8), Lim. / Sedan, 2WD, VA über / more than 980 kg	15 >	1100 kg / 1060 kg	35		i.V. / i.d.	956162
<b>Polo</b>						
VW Polo, Typ 86, 86C, ohne / without G40	9.81 > 8.94	640 kg / 630 kg	60/40	1, 2, 17, 21	TÜV	956645
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	800 kg / 750 kg	35	1, 21	TÜV	956046
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 750 kg	50/30	1, 2, 17, 21	TÜV	956633
VW Polo, Typ 6N, bis / up to 74 kW, ohne / without Diesel, ohne / without GTI	9.94 > 10.99	780 kg / 730 kg	60	1, 17, 21	TÜV	956630
VW Polo Classic, Typ 6KV, 1.6, Diesel	1.96 > 02	910 kg / 790 kg	40/30	1, 2, 21	TÜV	956007
VW Polo Vario, nur / only TDI	9.97 >		35	1, 21		956017
VW Polo, Typ 6N, 44 - 74 kW	10.99 > 11.01	850 kg / 820 kg	35	1, 21	TÜV	956135
VW Polo, Typ 9N, 1.2, 1.4, 1.4 FSI, 1.6, ohne / without Automatik, VA bis / up to 890 kg	11.01 >	890 kg / 815 kg	35	1, 21	TÜV	956133
VW Polo, Typ 9N, 1.4 TDI, 1.9 SDI, 1.9 TDI, ohne / without GTI, VA 890 kg bis / up to 930 kg	11.01 >	930 kg / 815 kg	40	1, 21	TÜV	956136
VW Polo, Typ 6R, VA bis / up to 860 kg, ohne / without Diesel, ohne / without GTI	9.09 >	860 kg / 800 kg	30/50	1, 21	TÜV	956072
VW Polo, Typ 6R, VA über / more than 860 kg, ohne / without Diesel, incl. GTI, incl. WRC	9.09 >	960 kg / 800 kg	30/50	1, 21	TÜV	956068
VW Polo, Typ 6R, Diesel	9.09 >	960 kg / 800 kg	30/50	1, 21	TÜV	956069
<b>Scirocco</b>						
VW Scirocco I + II, Typ 53 / 53B, GLI, GT + 16V	9.74 > 91	785 kg / 640 kg	30	1, 14, 21	TÜV	956006
VW Scirocco, Typ 13	8.08 >	1080 kg / 770 kg	25	1, 21	TÜV	956079
<b>Sharan</b>						
VW Sharan, Typ 7M	9.95 > 8.10	1280 kg / 1330 kg	35	1, 15, 21	TÜV	953115
VW Sharan, Typ 7N, 2WD	9.10 >	1300 kg / 1340 kg	30	1, 21	i.V. / i.d.	956179

## SPORT LOWERING SPRINGS

Car type	Year	Front/rear axle load	Lowering	Notes	TÜV	Part No.
<b>VW</b>						
<b>T4 / T5</b>						
VW T4, ohne / without Classic, Allstar, Atlantis, VA bis / up to 1510 kg, HA bis / up to 1300 kg	91 > 3.03	1510 kg / 1300 kg	40	1, 15, 20, 21	TÜV	956044
VW T5, Typ 7HM, 7HC, 7HK, 7HKX0	3.03 >	1575 kg / 1630 kg	30	1, 21	TÜV	956121
<b>Tiguan</b>						
VW Tiguan, Typ 5N, VA bis / up to 1130 kg	11.07 >	1130 kg / ---	35	1, 15, 21		956116
VW Tiguan, Typ 5N	11.07 >	1190 kg / 1130 kg	35	1, 15, 21		956117
<b>Touran</b>						
VW Touran, Typ 1T, 1.2 TSI, 1.6 FSI, VA bis / up to 1060 kg	2.03 >	1060 kg / 1235 kg	35	1, 15, 21	TÜV	956116
VW Touran, Typ 1T, 2.0 FSI, 1.9 TDI, 2.0 TDI, VA über / more than 1060 kg	2.03 >	1190 kg / 1235 kg	35	1, 15, 21	TÜV	956117
<b>Up!</b>						
VW Up!, Typ AA	12.11 >	680 kg / 640 kg	40	1, 21	TÜV	956160
<b>VOLVO</b>						
<b>850</b>						
Volvo 850 / S70, Typ L, LN, LS, Lim. / Sedan, ohne / without T5	1.91 > 3.00		35	1, 21		956905
Volvo 850 / V70, Typ LW, Kombi, ohne Niveaureg. / without self-leveling, ohne / without T5	1.91 > 3.00	1120 kg / 1010 kg	35	1, 21	TÜV	956910
Volvo 850 / C70 Coupé, Typ L, LN, LS, 2.0, 2.3, 2.4	2.98 > 02	1120 kg / 1010 kg	30	1, 21		956925
<b>C30</b>						
Volvo C30, Typ M	2.06 >		35	1, 21		956922
<b>C70</b>						
Volvo C70, Typ M, Coupé	5.06 >		35	1, 21		956926
<b>S40 / V40 / V50</b>						
Volvo S40, V40, Typ V, bis / up to 147 kW, ohne Niveaureg. / without self-leveling	4.96 > 10.99		35	1, 21	TÜV	956900
Volvo S40, V40, Typ V, ab / from EGBE- e4*98/14*007*13	6.00 > 1.04		35	1, 21		951149
Volvo S40, V50, Typ M	2.04 >		35	1, 21		953031
Volvo V40, Typ M, 2 WD, Benzin / petrol	7.12 >	1100 kg / 990 kg	25	1, 21		956930
<b>S60 / V60</b>						
Volvo S60, Typ R	11.00 >		35	1, 15, 21		956919
Volvo S60, Typ F, F-N2D, incl. 4WD, VA bis / up to 1140 kg	4.10 >	1140 kg / ---	30	1, 21		956920
Volvo V60, Typ F, F-N2D, incl. 4WD, VA bis / up to 1140 kg	4.10 >		30	1, 21		956921
<b>S80</b>						
Volvo S80, Typ T	10.98 > 6.06	1200 kg / 1090 kg	30	1, 7, 21	TÜV	956917
Volvo S80, Typ A, 2WD, ohne Niveaureg. / without self-leveling	3.06 >	1250 kg / 1080 kg	40	1, 7, 21		956933
Volvo S80, Typ A	6.06 >	1300 kg / 1080 kg	30	1, 21		956928
<b>V70</b>						
Volvo V70, Typ S, 2.0, 2.3, 2.4, 2.4 Diesel, 2.5T	3.00 > 4.07	1130 kg / 1190 kg	30	1, 7, 15, 21	TÜV	956918
<b>XC 60</b>						
Volvo XC 60, Typ D, 2WD + 4WD	5.08 >	1290 kg / 1310 kg	40	1, 21		956932

## ELECTRONIC LOWERING SYSTEMS "ELS"

Car type	Year	Lowering	Notes	TÜV	Part No.
<b>AUDI</b>					
Audi A6, Typ 4F	4.04 >	40	1, 21, 68	TÜV	949907
Audi A6, Typ 4G, 4G1	3.11 >	40	1, 21, 66, 68	TÜV	949908
Audi A7, Typ 4C, 4G1	10.10 >	40	1, 21, 66, 68	TÜV	949908
Audi A8, Typ 4E	10.02 > 7.10	40	1, 21, 66	TÜV	949909
Audi A8, Typ 4H, incl. model from year 2014	11.09 >	40	1, 21, 66	TÜV	949926
Audi Q7, Typ 4L	3.06 >	40	1, 21, 66	TÜV	949906
<b>BENTLEY</b>					
Bentley Continental GT, Typ 3W	04 >	40	1, 21, 66	TÜV	949904
Bentley FlyingSpur	04 >	40	1, 21, 66	TÜV	949904
Bentley GTC, Typ 3W	06 >	40	1, 21, 66	TÜV	949905
Bentley Continental GT	12 >	40	1, 21, 66	TÜV	949928
Bentley FlyingSpur	12 >	40	1, 21, 66	TÜV	949928
Bentley GTC	12 >	40	1, 21, 66	TÜV	949929
<b>LAND ROVER</b>					
Land Rover Range Rover, Typ LM, ab Fgst.-Nr. / VIN from: ..AA306778	10 >	40	1, 21	TÜV	949919
Land Rover Range Rover, Typ LM, bis Fgst.-Nr. / VIN up to: ..7A241824	> 09	40	1, 21	TÜV	949920
Land Rover Range Rover, Typ LS, ab Fgst.-Nr. / VIN from: ..AA227323	10 >	40	1, 21	TÜV	949918
Land Rover Range Rover, Typ LS, bis Fgst.-Nr. / VIN up to: ..7A111462	> 09	40	1, 21	TÜV	949921
Land Rover Range Rover, Typ LS, ab Fgst.-Nr. / VIN from: SALG..., Range Rover Sport ab Fgst.-Nr. / VIN from: SALW	> 13	40	i.V. / i.d.	TÜV	949927
<b>MERCEDES BENZ</b>					
MB CL, Typ C216, incl. AMG	9.06 >	40	1, 21, 66, 69	TÜV	949913
MB CLS, Typ W218	1.11 >	40	1, 21, 66, 68	TÜV	949912
MB CLS, Typ W219, ab Fgst.-Nr. / VIN from: ..016107	10.04 > 7.10	40	1, 21, 66, 68	TÜV	949915
MB E-Klasse, Typ W211, ab Modelljahr / model from year 2006, ab Fgst.-Nr. / from VIN: ..753284	3.02 > 1.09	40	1, 21, 66, 68	TÜV	949915
MB E-Klasse, Typ W212	3.09 >	40	1, 21, 66, 68	TÜV	949912
MB M-Klasse, Typ W164	7.05 > 6.11	40	1, 21, 66, 68	TÜV	949914
MB M-Klasse, Typ W166	7.11 >	40	1, 21, 66, 69	TÜV	949924
MB R-Klasse, Typ W251	1.06 >	40	1, 21, 66, 68	TÜV	949917
MB S-Klasse, Typ W221	10.05 >	40	1, 21, 66, 68	TÜV	949916
MB S-Klasse, Typ W221, ABC Fahrwerk	10.05 >	40	1, 21, 66, 69	TÜV	949913
MB SL, Typ R230, ab Baujahr / model from 01.03.2006	3.06 >	40	1, 21, 66, 69	TÜV	949913
MB SL, Typ R231	3.12 >	40	1, 21, 66, 69	TÜV	949923
<b>PORSCHE</b>					
Porsche Cayenne, Typ 955, 957, 9PA (ab Baujahr / model from year 2004, siehe Anmerkung / see Notes)	9.02 > 5.10	40	1, 21, 66, 68, 70	TÜV	949903
Porsche Cayenne, Typ 92A, -AN, -H, -HN	6.10 >	40	1, 21, 66, 68	TÜV	949902
Porsche Macan, Typ 95B	13 >	40	1, 21, 66, 68	TÜV	949925
Porsche Panamera, Typ 970	9.09 >	40	1, 21, 66, 68	TÜV	949901
<b>VW</b>					
VW Phaeton, Typ 3D, ab Fgst.-Nr. / VIN from: ..48007000	4.02 >	40	1, 21, 66, 68	TÜV	949911
VW Touareg, Typ 7L, ab Fgst.-Nr. / VIN from: ..4D052000	10.02 > 5.10	40	1, 21, 66, 68	TÜV	949910
VW Touareg, Typ 7P, 7PH	4.10 >	40	1, 21, 66, 68	TÜV	949902
<b>ACCESSORY (OPTION)</b>					
On - Off switsch					949922



## **IMPORTANT PRODUCT INFORMATION**

VOGTLAND designs its suspension kits with the principle of balance in mind. The values we give for the approximate lowering of a vehicle are based on the changes made to the vehicle when it is in new and fully stock condition. When measuring the ride height of the vehicle, it is always necessary to take factors such as the exact measuring points used, size of the wheels and tires, fuel tank level, and shock absorber condition. Because there are a number of factors which influence the degree of lowering to the vehicle, specific ride height after product application is not covered under warranty.

VOGTLAND supplies suspension systems for a number of different vehicle models, some of which are very similar to one another. If you install and use VOGTLAND suspension systems not specially designed for your vehicle model, this could cause property damage and physical injury. This also applies to non-approved combinations of wheels and tires (although generally our suspension sets are permitted for all combinations of wheels and tires approved by the manufacturer). Therefore, please pay close attention to the information in our model lists and general operating licenses. If you are unsure of any of these factors; please contact your dealer or a qualified shop to answer any questions you may have. Making modifications to any VOGTLAND product is dangerous. Any modification to the suspension parts will automatically render all claims against the manufacturer invalid and void any warranty.

VOGTLAND products are manufactured and tested under constant quality assurance. In spite of this, any product can be damaged under certain circumstances. Please observe the following instructions to prevent damage. Avoid excessive loading by not exceeding the axle loads specified by the manufacturer. Avoid aggressive driving maneuvers that place excessive load on the material such as races, off-road trips, etc. Lastly, be sure to adjust your speed to traffic conditions.

## **INSTALLATION INFORMATION**

It may be hazardous to install or disassemble chassis components because suspension systems are under pressure. Therefore, improper handling may cause injury to life and limb along with property damage. Therefore, a certified technician shall install such products as they have the proper training, knowledge, and tools to complete the job safely. In addition to that, the car must be on a lifting platform every time it is installed or disassembled.

Note: it is not permissible to install any suspension components using jacks.

After completing installation, please ensure that all parts are installed according to the assembly instructions and have been checked at least twice. Defective parts should always be replaced. Do not exceed the permissible axle loads specified in the certificate for VOGTLAND suspension components. Lastly, please check the part numbers to ensure that you as the customer have received the product intended for your vehicle.

Please make the following checks and readjust if necessary after installation or disassembly. Note: not observing these testing and regulating rules may result in system conditions being lost and therefore serious damage for which we cannot assume any liability.

- combination of wheels and tires moves smoothly
- tread and axle adjustment
- brake and level equalization systems and their regulating systems
- headlight adjustment
- shock absorber test (only if shock absorbers are used that are not new)
- sufficient preliminary tension on the springs after installation

Not observing these testing and regulating rules may result in system conditions being lost and therefore serious damage for which we cannot assume any liability.

## NOTES APPLICATION GUIDE

1. The measure of the lowering will be reduced by the measure of the original sport suspension.
  2. Wedge form: The lowering of the front axle depends from the equipment and weight of the engine.
  3. As of Chassis-no.: 21234.
  4. For fine tuning, please refer to the original Daimler Benz spring insulators available in different heights (8-23 mm).
  5. Heavy duty for models with full equipment and more than 4 cylinders.
  6. A TÜV presentation is necessary despite ABE for vehicles with a load depending brake power distributor.
  7. Without self-leveling/air suspension.
  8. Additional lowering may occur on vehicles equipped with automatic transmissions.
  9. Only for vehicles with full equipment.
  10. XR3i does not lower, only the adjustment becomes more sportive.
  11. Vehicles with 6 cylinder engines require sport shocks.
  12. Not for station wagons.
  13. As of ABE-no. 9138/2.
  14. Up to 8.79 please use spring cap no.: 171412341A.
  15. Not for 4WD/4x4.
  16. Original Volkswagen springs caps [and probably further Parts] might be necessary: 1H0412341 (big) or 357412341A (small).
  17. Shorter sport shocks are required. The VOGTLAND suspension kits come with shortened shocks.
  18. Not suitable for serial or original sport suspension.
  19. Only front springs, torsion bars (or standard spring) on the rear axle.
  20. Only rear springs, torsion bars (or standard spring) on the front axle.
  21. All wheel/tyre combinations are allowed which are released by the wheel type testing institution. The conditions in the wheel approval have to be kept, except when original suspension is required.
  22. At the VOGTLAND adjustable suspension kits are only the shock valvings in the front adjustable.
  23. Due to vehicle-specific tolerances a contact between the drive shaft and the anti-roll bar might occur. In such case it is required to install a modified anti-roll bar. For coilover Sets use Order-No. 968 550 000 (Anti-roll bar conversion set without Xenon headlights).  
For suspension kits use a longer steering rod from your VW/Audi dealer.
  24. Height adjustable at the front and rear axle (threaded strut housings).
  25. Height adjustable at the front and rear axle (front axle threaded housings, rear axle threaded spring perch and separate shocks).
  26. Only height adjustable at the front axle, springs and shocks at the rear axle.
  27. May require wheel spacers with original equipment tires and wheels.
  28. Self-leveling must be deactivated.
  29. Height adjustable at the front (threaded strut housings), rear axle is adjustable with torsion spring adjustment.
  30. Installed shocks can be adjusted when installed.
  31. Installed shocks can not be adjusted when installed.
  32. The front turn lights (1j76/756 EG), must be the min. height from 350 mm. Alfa part-no.: 46226968.
  33. For vehicles manufactured before 04/02, the piston rod is fastened to the support bearing with an arched disk (piston rod threads visible). Models built after 04/02, piston rod threads not visible.
  34. Only for vehicles which have rear dampers mounted with M10 bolt (1.0i, 1.2i, 1.7Di).
  35. Only for vehicles which have rear dampers mounted with M14 bolt (1.4i, 1.8i, 1.3CDTI, 1.7DTi, 1.7CDTi).
  36. Front shock: complete suspension strut. Part-no.: 966404, 966406, 966407, 966322, 960422, 969423, 960423, 960462.
  37. Front shock: cartridge.
  38. Damper only suitable for European spec vehicles.
  39. If the driveshaft-diameter is greater than 42 mm the max. approved lowering is reduced by 15 mm.
  40. The inside distance between the mountingbracket of the front damper must be 27 mm.
  41. From chassis-no. Y in the 10<sup>th</sup> position.
  42. For cars with 50 mm suspension strut.
  43. For cars with 55 mm suspension strut.
  44. For cars built from October 1991 up to May 1992 the upper attachment must be replaced by BMW-part-no. 31.331.090.467.
  45. Up to 1998 models (up to VIN: 8DX199999).
  46. Steering rod 968220, 968221 for lowering greater 40 mm nessecary.
  47. After mounting the clearance between wheel and suspension strut must be at least 5 mm. If it is smaller you have to use wheel spacers.
  48. Audi: Modelyear up to 4.00, VW: Modelyear up to 9.99.
  49. Audi: Modelyear after 5.00, VW: Modelyear after 10.99.
  50. Without 16V, front bracket bolt distance 52 mm.
  51. Without 16V, front bracket bolt distance 54 mm.
  52. Without Rallye, TD, Genty, CT, CTI, GTI.
  53. Modelyear up to 08.04, without 2.0T, 3.0V6 CDTI, without IDS.
  54. Modelyear after 08.04, without 2.0T, 3.0V6 CDTI, without IDS.
  55. For models with eye-mounting at the rear.
  56. For models with fork-mounting at the rear.
  57. Not for models built after 2004.
  58. On front shock check measurements for the bracket: inside width 23 mm, mounting hole distance 52 mm.
  59. Only for cars with four wheel drive (4WD).
  60. Additional OE equipment is needed on cars with EDC. Front (also 8 cyl. Engines) BMW-part-no.: Bearing 31331091709, Washer 31331116983, Dust Cap 31331110196. Rear BMW-part-no.: Bearing 33521091710, 33521090282, Washer 33521092986, Dustseal 31331137 932, Bumpstop 33531091031.
  61. The OE-air suspension is not removed. A rear sport shock is provided and used with the air suspension.
  62. Not for vehicles with electronic damping adjustment.
  63. For all cars built before 6/92 the use of different Top-Bearing assembly in the front is required. BMW-part-no.: Bearing 31336764947, Washer 31331116983, Dustseal 31331110196.
  64. Without electr. damping adjustment, without IDS+.
  65. For cars with self-leveling additional OE-parts are required:  
Audi Partnumber: Bearing 8E0512121E, Springseat 8E0512149H, Bump stop 4B0512131Q.
  66. Model specific plug&play adapter included.
  67. Model specific plug&play adapter available as option.
  68. Only for cars with Air suspension.
  69. Only for cars with ABC suspension.
  70. From VIN: Turbo: 4LA83740, S: 4LA48416, V6: 4LA01526, USA Turbo: 4LA93466, USA S: 4LA6674337, USA V6: 4LA21527
  71. Only for Multi-link rear suspension.
  72. Only for Twist-beam rear suspension.
  73. Kit including shock absorbers up to model year 2009.
  74. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
  75. Audi magnetic ride needs to be deactivated. Deactivation kit is included in the delivery.
  76. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
  77. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
  78. Electronic damping control needs to be deactivated. Deactivation kit is included in the delivery.
  79. For cars with 47 mm front strut.
  80. For cars with 51 mm front strut.
- TÜV    TÜV certificate existing. For Cars with a single operating permit (EBE) an approval regarding §21 StvZo is required. Sets without TÜV can be ordered for Export market.
- (...)    Remarks in brackets only for Kits. AV  
Selling off.

Subject to possible technical revisions. Reserves the right to change product specifications. We do not assume liability for misprint.