




M A R I N E



2016 PRODUCT LINE



Technology	2	Amplifiers	12
Marinization	4	Smart EQ	13
Gauge Hole Receivers	6	Speakers	14
Mechless Receivers	7	Accessories	15
CD Receivers	8	Camo	16
Mechless Combo Packs	9	Bluetooth GPS Receiver	18
CD Combo Packs	11	Matricies	19

Easy to Use Connectivity ...

Bluetooth®

Built-in Bluetooth Wireless Technology

Top of the line Dual receivers have built-in Bluetooth, allowing the user to conveniently integrate their smartphones and other portable media devices into the boat's audio system, while keeping the devices hidden and protected from possible water splashes. The technology supports the three most popular profiles: HFP, A2DP and AVRCP:

Hands-free Calling (HFP)

Allows phone calls via the boat's audio system using most Bluetooth enabled cell phones, including the iPhone. Keep your phone safely tucked inside a watertight marine bag, and still make phone calls using the boat's audio system.

Audio Streaming and Player Control (A2DP and AVRCP)

Allow for wireless audio streaming from a portable media player to the receiver for playback through the boat's speakers. Control your media player directly from the receiver's front panel or via the receiver's remote control while keeping the device stashed away and protected from the elements.



Full Color
3" LCD

3" QVGA Full-Color LCD

These large, multi-line digital LCDs (320 x 240) feature stunning, full-color background graphics. The scrolling display shows album art, artist and song information.





Multi-Format Audio Support

Dual marine receivers are compatible with today's most popular digital audio formats: MP3 and WMA. Most Dual receivers support these formats, allowing the user to bring their entire music collection on the boat via CD, USB thumb drive, SD card or media player.

CD Playback Mode

Most Dual CD receivers allow playback of MP3/WMA data CDs in addition to traditional CDs and CD-R/RWs. Know what is playing at a glance with ID3 tag display of artist and track information.

SD Card Playback Mode

Many Dual audio receivers feature an SD card input, allowing the user to access their music library (up to 32GB of MP3 or WMA files) via an SD/SDHC card. The SD card inputs are conveniently located on the front panel or behind the faceplate of the receiver.

USB Playback Mode

Most Dual audio receivers feature USB inputs, allowing the user to access their music library (up to 16GB of MP3 or WMA files) via a USB flash drive. The USB inputs are conveniently located on the front panel of the receiver.

... for Enhanced On-the-Water Entertainment.



Direct USB Control for iPod®/iPhone®

Plug in your iPod or iPhone via the USB input and control it directly from the receiver's front panel. Browse the music library, change songs, adjust volume and more, while enjoying high-quality sound from the boat's speakers. The connected device will also be charged.



PANDORA®

Control for Pandora Internet Radio App

Enjoy personalized Internet radio on your boat, directly from the receiver. Give tracks "thumbs up" or "thumbs down," bookmark a song for purchase and switch between your personalized radio stations. The receiver conveniently displays full track data. The Pandora control feature is compatible with iPhone devices connected to the receiver via USB and with Android and Blackberry devices connected via Bluetooth. Pandora app required (free download from the iTunes App Store).

IPX6 Marinized

The new Dual gauge hole receivers are designed to meet the IPX6 waterproof standard. The receivers will not fail or allow water seepage when exposed to heavy splashing and rain, giving you peace of mind while on the water.



IPX7 Floating Waterproof Remote

The remote control included with the 105 series models has been designed to float, and to be waterproof during a short water immersion (up to 3 feet deep, for less than 30 minutes).



Marinization Features & Technologies


UV Resistant Construction

The faceplate and other exposed elements of the receiver are carefully injection-molded using high-temperature ultraviolet resistant resins, preventing them from breaking down in the sun and giving you peace of mind to enjoy your music on the water even during the sunniest days.



Conformal Coating

A transparent protective film is applied to surfaces of all interior printed circuit boards. This additional layer of defense guards against dust, condensation and corrosion – ensuring maximum longevity in demanding marine installations.



PET Wrapped Chassis

This tough, dirt and moisture-resistant layer of PET (polyethylene) wraps the top and sides of the entire chassis - providing an additional measure of protection from the harsh marine elements. Keep your music in, but moisture and debris out.



Silicone Covers

Injected from high-grade silicone, these removable covers guard your receiver's front panel inputs, protecting them from water splashes and debris. A convenient tether provides an attachment to the receiver, ensuring the covers are removable but won't get lost at sea.

Marinization Features & Technologies


Positive LCD Display

The vibrant positive-type LCD (Liquid Crystal Display) provides enhanced visibility under the toughest boating environments. High-contrast black characters on a white background ensure readability in any situation - from total darkness to direct sunlight.



EDP Chassis

Applied using an electrical charge, EDP (Electrophoretically Deposited Paint) offers unparalleled protection against corrosion and rust resistance. All exterior metal surfaces including chassis, heatsink and mounting sleeve undergo this process to ensure long life in the marine environment.



Gauge Hole Receivers

•• MECHLESS ••



MGH30BT

Digital Media Receiver with 3" LCD and Bluetooth

This flagship, gauge hole-size receiver features a large 3" TFT, multi-line, full-color LCD. The built-in Bluetooth supports audio streaming and player control profiles. The receiver is IPX6 waterproof to withstand heavy splashing and rain. The rear USB input provides direct control for iPod and iPhone devices as well as media playback from select Android devices. One pair of RCA aux inputs and preamp outputs are also located on the back of the receiver. The zero current draw memory backup saves the boat's battery when idle.





MGH25BT NEW!

Digital Media Receiver with with Bluetooth

This gauge hole-size receiver is IPX6 waterproof to withstand heavy splashing and rain. It features direct USB control for iPod and iPhone devices and control for Pandora app on an iPhone connected via USB. Media playback from select Android devices is also available via USB. The USB input for playback and charge, the RCA aux inputs and preamp outputs are located on the back of the receiver. The zero current draw memory back-up saves the boat's battery when idle.

•• MECHLESS ••



Perfect Fit and Easy Installation

The Gauge Hole Receivers are designed to perfectly fit in the boat's console gauge openings. Choose a white or black design to match your console's finish. The receivers are built to IPX6 waterproof standards, to withstand heavy splashing and rain. Installation is easy with a 2.6" mounting depth and 3" mounting diameter.

Gauge Hole Receivers

Model # / Feature	Opening	Power	LCD	Direct USB Control For iPod & iPhone	Pandora Control ¹	Android Media Playback ²	Built-In Bluetooth ³	USB Input	Aux-In	Media Formats	Preamp Outputs	Waterproof Rating	Remote Control	Zero Current Draw Memory Backup
MGH30BT	3"	240W (60 x 4)	3" (320x240) Multi-Line	✓	✓	✓	✓	Rear	Rear RCA	MP3/WMA	1	IPX6	✓	✓
MGH25BT	3"	240W (60 x 4)	2-Line 16-Character	✓	✓	✓	✓	Rear	Rear RCA	MP3/WMA	1	IPX6	✓	✓

1 - iPhone via USB
 2 - Plays music from select Android phones when connected to the receiver via USB
 3 - A2DP - Advanced Audio Distribution Profile, AVRCP - Audio video Remote Control Profile



AM505BT NEW! Digital Media Receiver with Built-in 600 Watt Amplifier and Bluetooth

This top-of-the-line digital media receiver features direct USB control for iPod and iPhone devices and is compatible with the Pandora radio app. The built-in Bluetooth supports audio streaming and player control profiles. A built-in 600 Watt digital amplifier provides powerful and rich audio reproduction. The receiver also features a built-in 7-channel NOAA weather band tuner and a large 3" full color LCD. Media playback from select Android devices is also available via USB. The IP35USB adapter included (see page 15 for details).



MXD135BT Digital Media Receiver with Bluetooth

This full-featured media receiver has built-in Bluetooth Wireless Technology with support for hands-free calling, audio streaming and player control profiles. The 3.5mm and USB auxiliary inputs are conveniently located on the front of the receiver.



Mechless Receivers

Model # / Feature	DIN Size	LCD	RGB Display	Power	Built-In Bluetooth ¹	RDS	Direct USB Control For iPod & iPhone	Pandora Control ²	USB Input	Aux-In	EQ Presets	Preamp Outputs	Preamp Voltage	Weather Band Tuner
AM505BT	1-DIN	3" Full Color		600W Peak 55W x 4 RMS Digital	A2DP/AVRCP with ID3 tag	✓	✓	✓	Rear (1A)	Rear (RCA)	7	1 (Sub)	4V	7-Band NOAA
MXD135BT	1-DIN	10-Character	✓	240W (60 x 4)	✓				Front	Front 3.5mm	7	Front 3.5mm	2V	

1 - A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile
2 - iPhone via USB

CD Receivers



Includes the MRF40 RF Remote Control (See Page 15)


AM615BT CD Receiver with 3" LCD and Bluetooth

This top-of-the-line CD receiver offers robust connectivity to most of today's popular portable electronics. It features direct USB control for iPod and iPhone devices and is compatible with the Pandora radio app. The built-in Bluetooth Wireless Technology supports hands-free calling, audio streaming and player control profiles. The receiver features a large 3" full color LCD and front panel USB and 3.5mm auxiliary inputs.



AM425BT CD Receiver with Motion Control and Bluetooth

These versatile CD receivers features direct USB control for iPod and iPhone devices, and built-in Bluetooth Wireless Technology for hands-free calling, audio streaming and player control. Use simple hand gestures to control the radio's most commonly used functions such as play/pause, volume up/down, and track forward/backwards. The AM425BT come with a 2 year warranty.



CD Receivers

Model # / Feature	DIN Size	Power	MOSFET Powered	LCD	Built-In Bluetooth ¹	Direct USB Control For iPod & iPhone	Pandora Control ²	USB Input	Aux-In	EQ Presets	Preamp Outputs	Preamp Voltage	Remote Control
AM615BT	1-DIN MECHLESS	240W (60 x 4)	✓ Digital	3" Full Color	✓	✓	✓	Front (1A)	Front 3.5mm	7	3 (F/R/S)	2V	MRF40
AM425BT	1-DIN MECHLESS	240W (60 x 4)	✓	3.7" 10-Character	✓	✓	✓	Front (1A)	Front 3.5mm	7	1	2V	✓

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile 2 - iPhone via USB

MCP1364BTS **NEW!**

Digital Media Receiver with Bluetooth, 2 Pairs of 6.5" Speakers, and Splashguard

This robust digital media receiver has built-in Bluetooth with support for hands-free calling, audio streaming and player control profiles. The USB and 3.5 auxiliary inputs are conveniently located on the front of the receiver.



Connectivity via Bluetooth



See page 15 for details.



MCP136BT **NEW!**

Digital Media Receiver with Bluetooth and 6.5" Speakers

MCP105S

Digital Media Receiver with 6.5" Speakers and Splashguard

Stay connected to your media with this intuitive, easy-to-use receiver. The receiver features convenient front panel USB and 3.5mm inputs, as well as an SD card slot behind the faceplate for MP3/WMA playback. The included floating remote control is IPX7 waterproof (up to 3 feet deep, for up to 30 minutes).



Floating, IPX7 waterproof remote

See page 15 for details.



MCP103 Digital Media Receiver with 6.5" Speakers

The mechless receiver in this combo unit will play hundreds of MP3 and WMA songs straight from USB flash drives, SD cards or iPod and iPhone devices connected via the auxiliary input. The receiver features convenient front panel USB and 3.5mm inputs with an SD card input behind the faceplate.



MCP103B Digital Media Receiver with 6.5" Speakers in Black



Mechless Combo

Model# / Feature	DIN Size	LCD	Power	Built-In Bluetooth ¹	USB Input	Aux-In	SD Card Input	Preamplifier Outputs	Remote Control	Included Accessories
MCP1364BTS	1-DIN MECHLESS	10-Character	200W (50 x 4)	✓	Front	Front 3.5mm		1	✓	2 Pair DMP672, MAW40, SG3
MCP136BT	1-DIN MECHLESS	10-Character	200W (50 x 4)	✓	Front	Front 3.5mm		1	✓	DMP672 MAW40
MCP1055	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	Floating IPX7	DMP672 MAW40
MCP103	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	✓	DMP672 MAW40
MCP103B	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	✓	DMP672 MAW40

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile
2 - iPhone via USB

•• CD COMBOS ••



AMCP615BT CD Receiver with 3" LCD, Bluetooth and 3-Way 6.5" Speakers

This top-of-the-line CD receiver combo offers robust connectivity to most of today's popular portable electronics. It features direct USB control for iPod and iPhone devices and is compatible with the Pandora radio app. The built-in Bluetooth Wireless Technology supports hands-free calling, audio streaming and player control profiles.





AMCP425BT CD Receiver with Motion Control, Bluetooth and 6.5" Speakers

This versatile CD receiver features direct USB control for iPod and iPhone devices and built-in Bluetooth Wireless Technology for hands-free calling, audio streaming and player control. Use simple hand gestures to control the the radio's most often used functions such as play/pause, volume up/down, and track forward/backwards.



MCP426BT CD Receiver with Bluetooth and 6.5" Speakers

This full-featured media receiver has built-in Bluetooth Wireless Technology with support for hands-free calling, audio streaming and player control profiles. Customize the LCD color with over 32,000 color options. The 3.5mm and USB auxiliary inputs are conveniently located on the front of the receiver.



CD Combo



Model# / Feature	DIN Size	LCD	RGB Display	Power	Built-In Bluetooth ¹	USB Input	Aux-In	Preamp Outputs	Remote Control	Included Accessories
AMCP615BT	1-DIN	3" Full Color		240W (60 x 4)	✓	Front	Front 3.5mm	3 (F/R/S), 4V	Floating IPX7	2 Pair DMS365 MAW40
AMCP425BT	1-DIN	3.7" 10-Character		240W (60 x 4)	✓	Front	Front 3.5mm	1	✓	DMP672 MAW40
MCP426BT	1-DIN	3.7" 10-Character	✓	240W (50 x 4)	✓	Front	Front 3.5mm	1	✓	DMP672 MAW40

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile

DMA4100BT

4- Channel Amplifier with Bluetooth, 1200 Watts Peak Power

- 75 Watts x 4 RMS power @ 4 Ohms
- 98 Watts x 4 RMS power @ 2 Ohms
- 140 Watts x 2 RMS power @ 4 Ohms (bridged)
- Built-in Bluetooth with A2DP audio streaming
- Waterproof (IP66 rated)
- Class-D
- RF Remote control included
- 1.6" H x 8.97" W x 3.1" D





MRF40 RF
Remote Control Included
(See Page 15)



DMA3100

4- Channel Amplifier, 1200 Watts Peak Power

- 75 Watts x 4 RMS power @ 4 Ohms
- 98 Watts x 4 RMS power @ 2 Ohms
- 140 Watts x 2 RMS power @ 4 Ohms (bridged)
- Waterproof (IP66 rated)
- Class-D
- 1.6" H x 8.97" W x 3.1" D




MEQ15BT

Wireless (Bluetooth) Smart EQ Processor for Smartphones

FEATURES:

- Control balance, fader and 7 EQ presets with presets from a Bluetooth connected device (Smart EQ app required, free download on iTunes and Google Play)
- Works with Apple and Android smartphones and tablets, including iPhone and iPad
- Bluetooth (A2DP) audio streaming with volume control
- 3 Pairs of RCA preamp outputs (F/R/S)
- Subwoofer gain control
- Signal sensing for auto amp remote turn-on
- High and low level inputs



Connectivity via Bluetooth



TYPICAL INSTALLATION DIAGRAM

HEAD UNIT




BLUETOOTH



SMART EQ APP



4-CHANNEL AMPLIFIER




SPEAKERS



BEQ25BT

Wireless (Bluetooth) Smart EQ Processor for Smartphones - in Black



DMS369 6" x 9" 3-Way Speakers

These durable speakers are built with a magnetically shielded woofer and an injection-molded polypropylene cone. The poly-cloth surround is weather-resistant, guarding against water splashes. The speakers also have a UV-resistant weatherproof grille and stainless steel mounting hardware. Peak power is 200 Watts.



DMS365 6.5" 3-Way Speakers

Featuring an injection-molded polypropylene cone and poly-cloth surround to protect against the elements. Peak power is 120 Watts.

DMS6526 6.5" 2-Way Speakers **NEW!**

Featuring an injection-molded polypropylene cone and rubber surround to protect against the elements. Peak power is 240 Watts.

illuminITE®



DMS6516 6.5" 2-Way Speakers **NEW!**

Featuring an injection-molded polypropylene cone and rubber surround to protect against the elements. Peak power is 150 Watts.

illuminITE®

DMP672 6.5" Dual Cone Speakers

The polypropylene dual cone design provides enhanced vocal clarity. Injection-molded woofer cones let you hear your music with accurate bass response. Peak power is 100 Watts.



Speakers

Model # / Feature	Size	Type	Color	Power Rating (RMS/Peak)	Woofer	Tweeter	Sensitivity	Frequency Response	Mounting Depth
DMS369	6"x9"	3-Way	White	50W/200W	Polypropylene	58mm Dome 18mm Piezo	89dB	42Hz-17kHz	3.44"
DMS365	6.5"	3-Way	White	30W/120W	Polypropylene	35mm Dome 13mm Piezo	88dB	45Hz-17kHz	2.40"
DMS6526	6.5"	2-Way	White	120W/240W	Polypropylene	25mm Dome	87dB	60-20kHz	3.82"
DMS6516	6.5"	2-Way	White	75W/150W	Polypropylene	13mm Dome	86dB	60-20kHz	3.45"
DMP672	6.5"	Dual Cone	White	20W/100W	Polypropylene		88dB	45Hz-15kHz	2.13"

MWR15 Marine Wired Remote Control NEW!

- Controls the main features of a receiver: power, mode, volume, tune/track
- IPX6 Waterproof
- UV and salt resistant
- Wired connection for reliability
- Compatible with all Dual Marine headunits with an SWI input*
- Compact design for easy installation



MH200 Universal Gimbal Housing

This watertight, fully-enclosed, gimbal housing accommodates most 1.0 DIN receivers. The transparent fold-down door with rubber seal and positive locking door mechanism guards the receiver against water splashes and the sun's harsh UV rays, preventing corrosion and UV damage. Features a one-piece, adjustable mounting bracket for easy installation.

SG3/SG5 Universal Splashguard (White/Black)

This watertight splashguard features a recessed design to accommodate most 1.0 DIN head units. The transparent fold-down door with rubber seal, and high-temp, UV-resistant ABS polymer construction help protect the receiver from the damaging effects of the elements. Can be mounted hinge up or down.



SG5
Black

SG3
White



MRF40 RF Remote Control

- Control your stereo from anywhere on or near the boat
- Waterproof and floats
- Typical effective range 30ft
- Detachable lanyard included
- Comes with the AMB615BT

MAW40 Soft Wire Antenna

- 40" corrosion resistant cable
- Simple installation - no mounting required



MAR16W/B Universal Antenna (White/Black)

- 180° swivel base for increased mounting options
- 54" corrosion resistant cable
- Durable and flexible mast
- Available in white or black



IP35WG RCA to 3.5mm Adapter

- Includes marine iplug™ and 3.5mm to 3.5mm cable
- Universal connection for all portable digital media players
- Multiple mounting options for easy front-of-dash access
- Corrosion resistant gold plated connections



IP35USB RCA & USB to 3.5mm & USB Adapter

- Allows the 3.5mm aux and USB inputs to be mounted on the boat's console for easy access
- Ideal for Dual gauge hole receivers and other receivers with rear auxiliary inputs
- Watertight cover
- Standard cigarette lighter size: 1 11/16" diameter, and 5.9' cable for easy installation
- Corrosion resistant gold plated connectors



MCP265C **NEW!** Digital Media Receiver with 6.5" Speakers

Stay connected to your media with this intuitive, easy-to-use receiver. The receiver features convenient front panel USB and 3.5mm inputs, as well as an SD card slot behind the faceplate for MP3/WMA playback. The included floating remote control is IPX7 waterproof (up to 3 feet deep, for up to 30 minutes).



CMX5694 **NEW!** 6" x 9" 4-Way Speakers



- 400 Watts peak power
- 50 Watts RMS
- 58mm Mylar® dome midrange
- Dual 18mm Piezo tweeters
- Frequency response 60Hz - 20kHz
- Sensitivity: 89dB
- 3.54" Mounting depth



CMX5654 **NEW!** 6 1/2" 4-Way Speakers



- 300 Watts peak power
- 40 Watts RMS
- 35mm Mylar® dome midrange
- Dual 15mm Piezo tweeters
- Frequency response 70Hz - 20kHz
- Sensitivity: 88dB
- 2.36" Mounting depth

CMX5GH **NEW!** Universal Gimbal Housing



This watertight, fully-enclosed, gimbal housing accommodates most 1.0 DIN receivers. The transparent fold-down door with rubber seal and positive locking door mechanism guards the receiver against water splashes and the sun's harsh UV rays, preventing corrosion and UV damage. Features a one-piece, adjustable mounting bracket for easy installation.



CMX5SG **NEW!** Universal Splashguard

This watertight splashguard features a recessed design to accommodate most 1.0 DIN head units. The transparent fold-down door with rubber seal, and high-temp, UV-resistant ABS polymer construction help protect the receiver from the damaging effects of the elements. Can be mounted hinge up or down.



CMX5ANT **NEW!** Universal Antenna

- 180° swivel base for increased mounting options
- 54" corrosion resistant cable
- Durable and flexible mast





TB100BT NEW!
Tackle Bag Boom Box with Bluetooth

- Two 3 1/2" Speakers with USB rechargeable battery pack (cable included)
- Bluetooth technology for music streaming from most smartphones and Bluetooth enabled media devices
- 7-8 Hour audio playback per charge
- Interior with movable walls for layout customization
- Netted exterior pockets for easy access
- Adjustable shoulder carrying strap
- Zippered side compartments



MCH100 NEW!
Marine Cup Holder

Provides protective storage for phones, sunglasses, keys, and other small items.

- Tinted removable cover to protect against water splashes
- Fits standard cup holders
- Holds most smartphones
- Perfect for phones, sunglasses, keys and other small items
- Opening in base to allow passage for charging cables
- Dimensions: 7.9" H x 5.3" W



Bluetooth GPS Receivers

With a wide selection of quality chart plotting apps available for Apple and Android devices, more and more boaters turn their tablets and smartphones into marine navigation tools. But any navigation device is only as reliable as the accuracy of location information it receives.

Many tablets and smartphones have GPS capability, but the built-in GPS relies on the cellular network, which can be scarce or even non-existent in the middle of a lake. That's where an external,



wireless WAAS GPS receiver comes to the rescue. The XGPS receivers are great for use on pretty much any watercraft - from kayaks and fishing boats, to recreational motorboats and sailboats. You can position it in a place with a direct view of the sky, for best, uninterrupted performance, while your iPad or a smartphone is close to you, protected from water splashes and sprays. While the XGPS receivers are not waterproof, they work fine inside a waterproof container or even in a ziplock bag.



XGPS10M Universal GPS Receiver with Bluetooth® Wireless Technology

Features:

- High-sensitivity WAAS GPS receiver works with most apps
- Bluetooth wireless connectivity
- Certified to work with Apple iPad, iPod touch and iPhone devices
- Also works with Bluetooth-enabled Android, Blackberry, Windows and OS X devices
- Rechargeable battery lasts up to 8.5 hours
- USB charging via the included USB cable
- Includes a non-slip dashboard pad for use in a car
- Includes a cigarette lighter adapter for charging (12-30V input, 2.1A output)
- Conformal coated circuitboard
- UV Resistant coated case



Shown in a boat, inside the included non-slip pad



Small, portable design (2.25" x 2.25" x .75")



Shown in a car, inside the included non-slip pad

What can you do with it?



Aviation



Marine Navigation



Cycling / Running / Fitness



Social Networking



Car Navigation



What's Nearby?



Hiking / GPS Tracking



Golfing



Geocaching

Go Ahead. Explore.

Gauge Hole Receivers

Model # / Feature	Opening	Power	LCD	Direct USB Control For iPod & iPhone	Pandora Control ¹	Android Media Playback ²	Built-In Bluetooth ³	USB Input	Aux-In	Media Formats	Preamp Outputs	Waterproof Rating	Remote Control	Zero Current Draw Memory Backup
MGH30BT	3"	240W (60 x 4)	3" (320x240) Multi-Line	✓	✓	✓	✓	Rear	Rear RCA	MP3/WMA	1	IPX6	✓	✓
MGH25BT	3"	240W (60 x 4)	2-Line 16-Character	✓	✓	✓	✓	Rear	Rear RCA	MP3/WMA	1	IPX6	✓	✓

1 - iPhone via USB

2 - Plays music from select Android phones when connected to the receiver via USB

3 - A2DP - Advanced Audio Distribution Profile, AVRCP - Audio video Remote Control Profile

Mechless Receivers

Model # / Feature	DIN Size	LCD	RGB Display	Power	Built-In Bluetooth ¹	RDS	Direct USB Control For iPod & iPhone	Pandora Control ²	USB Input	Aux-In	EQ Presets	Preamp Outputs	Preamp Voltage	Weather Band Tuner
AM505BT	1-DIN	3" Full Color	✓	600W Peak 55W x 4 RMS Digital	A2DP/AVRCP with ID3 tag	✓	✓	✓	Rear (1A)	Rear (RCA)	7	1 (Sub)	4V	7-Band NOAA
MXD135BT	1-DIN	10-Character	✓	240W (60 x 4)	✓				Front	Front 3.5mm	7	Front 3.5mm	2V	

1 - A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile

2 - iPhone via USB

CD Receivers

Model # / Feature	DIN Size	Power	MOSFET Powered	LCD	Built-In Bluetooth ¹	Direct USB Control For iPod & iPhone	Pandora Control ²	USB Input	Aux-In	EQ Presets	Preamp Outputs	Preamp Voltage	Remote Control
AM615BT	1-DIN MECHLESS	240W (60 x 4)	✓ Digital	3" Full Color	✓	✓	✓	Front (1A)	Front 3.5mm	7	3 (F/R/S)	2V	MRF40
AM425BT	1-DIN MECHLESS	240W (60 x 4)	✓	3.7" 10-Character	✓	✓	✓	Front (1A)	Front 3.5mm	7	1	2V	✓

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile 2 - iPhone via USB

Mechless Combo

Model# / Feature	DIN Size	LCD	Power	Built-In Bluetooth ¹	USB Input	Aux-In	SD Card Input	Preamp Outputs	Remote Control	Included Accessories
MCP1364BTS	1-DIN MECHLESS	10-Character	200W (50 x 4)	✓	Front	Front 3.5mm		1	✓	2 Pair DMP672, MAW40, SG3
MCP136BT	1-DIN MECHLESS	10-Character	200W (50 x 4)	✓	Front	Front 3.5mm		1	✓	DMP672 MAW40
MCP105S	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	Floating IPX7	DMP672 MAW40
MCP103	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	✓	DMP672 MAW40
MCP103B	1-DIN MECHLESS	10-Character	240W (60 x 4)		Front	Front 3.5mm	✓	1	✓	DMP672 MAW40

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile

2 - iPhone via USB

CD Combo

Model# / Feature	DIN Size	LCD	RGB Display	Power	Built-In Bluetooth ¹	USB Input	Aux-In	Preamp Outputs	Remote Control	Included Accessories
AMCP615BT	1-DIN	3" Full Color		240W (60 x 4)	✓	Front	Front 3.5mm	3 (F/R/S), 4V	Floating IPX7	2 Pair DMS365 MAW40
AMCP425BT	1-DIN	3.7" 10-Character		240W (60 x 4)	✓	Front	Front 3.5mm	1	✓	DMP672 MAW40
MCP426BT	1-DIN	3.7" 10-Character	✓	240W (50 x 4)	✓	Front	Front 3.5mm	1	✓	DMP672 MAW40

1 - HFP - Hands-Free Profile, A2DP - Advanced Audio Distribution Profile / AVRCP - Audio/Video Remote Control Profile

Camo Combo

Model# / Feature	DIN Size	LCD	Power	USB Input	Aux-In	SD Card Input	Preamp Outputs	Remote Control	Included Accessories
MCP265C	1-DIN MECHLESS	10-Character	200W (50 x 4)	Front	Front 3.5mm	✓	1	Floating IPX7	DMP672 MAW40

Amps

Model # / Feature	# of Channels	Class	Bluetooth ¹	RMS Power (4 Ω)	RMS Power (2 Ω)	RMS Power (4 Ω Bridged)	Maximum Power	Low-Level Inputs	High-Pass Crossover	Remote	Waterproof Rating	Dimensions (HxWxD)
DMA4100BT	4	Class D	✓	75W x 4	98W x 4	140W x 2	1200	✓	35Hz - 250Hz	MRF40	IP66	1.57" x 7.87" x 3.09"
DMA3100	1	Class D		75W x 4	98W x 4	140W x 2	1200	✓	35Hz - 250Hz		IP66	1.57" x 7.87" x 3.09"

1 - A2DP - Advanced Audio Distribution Profile, AVRCP - Audio video Remote Control Profile

Speakers

Model # / Feature	Size	Type	Color	Power Rating (RMS/Peak)	Woofers	Tweeter	Sensitivity	Frequency Response	Mounting Depth
DMS369	6"x9"	3-Way	White	50W/200W	Polypropylene	58mm Dome 18mm Piezo	89dB	42Hz-17kHz	3.44"
DMS365	6.5"	3-Way	White	30W/120W	Polypropylene	35mm Dome 13mm Piezo	88dB	45Hz-17kHz	2.40"
DMS6526	6.5"	2-Way	White	120W/240W	Polypropylene	25mm Dome	87dB	60-20kHz	3.82"
DMS6516	6.5"	2-Way	White	75W/150W	Polypropylene	13mm Dome	86dB	60-20kHz	3.45"
DMP672	6.5"	Dual Cone	White	20W/100W	Polypropylene		88dB	45Hz-15kHz	2.13"

Camo Speakers

Model # / Feature	Size	Type	Power Rating (RMS/Peak)	Woofers	Midrange	Tweeter	Sensitivity	Frequency Response	Mounting Dept
CMX5694	6"x9"	4-Way	50W/200W	IMPP	58mm / Mylar / Dome	(2) 18mm Piezo	89dB	60Hz - 20kHz	3.07"
CMX5654	6.5"	4-Way	40W/125W	IMPP	35mm / Mylar / Dome	(2) 15mm Piezo	88dB	70Hz - 20kHz	2.17"